



GEPIGA

BIKES | E-BIKES | ACCESSORIES

2018



CONTENT

- INTRO 1
- URBAN E-BIKE 9
- CITY E-BIKE 23
- TREKKING E-BIKE 35
- MTB E-BIKE 46
- TREKKING BICYCLES 64
- CROSS BICYCLES 79
- MTB BICYCLES 89
- URBAN & ROAD BICYCLES 98
- CITY BICYCLES 102
- JUNIOR BICYCLES 109
- ACCESSORIES 115



LEGEND

	CHARGER		SPEED PEDELEC		SHIMANO E-8000		BOSCH ACTIVE		FRAME COLOR
	BATTERY		COASTER BREAK		BAFANG MID-DRIVE		BOSCH ACTIVE PLUS		FORK COLOR
	DISPLAY		BOSCH PERFORMANCE CX		BOSCH PERFORMANCE		BAFANG HUB MOTOR		DECAL COLOR

1993

THE BEGINNING
From a humble garage, a bicycle warehouse is born

1994

EARLY EXPANSIONS
Increasing demand requires a larger assembly plant

1996

THE ROAD TO SUCCESS
Evolution to a limited company

1998

INTERNATIONAL APPEARANCE
Acquiring ISO 9002 certification signals a shift to high quality production in smaller numbers

2004

DEVELOPMENTS, BRAND BUILDING
Export market continues to increase

2008

GEPIDA NOW A KNOWN AND RECOGNIZED INTERNATIONAL BRAND, SPECIAL PRODUCT DEVELOPMENTS
Opening new markets through the development of our own GPDS system

2010-2013

CONTINUING GROWTH AND DEVELOPMENT
We launch our own mobile application, battery charger unit, new painting technology, and GPDS Kit


2014-2016

GLOBAL EXPANSION
New markets for Gepida e-bikes in Australia, New Zealand, Belgium, Ireland, Romania, Spain and Italy. Increasingly, safety becomes the focus of product development. New technologies and product designs appear with rider safety as the top priority. Unique products, like e Cargo bicycles and folding e-bikes start development

2017

FACTORY STORE
The first Gepida Factory Store opens in in the heart of Budapest presenting the entire product range.

WHY THE NAME GEPIDA?



The Gepids were an East Germanic tribe which spoke the same language as the Goths, but probably different dialects. The first unequivocal archaeological traces of this ethnic group come from the 2nd-3rd century and can be followed up to the estuary of the Visztula River. They were presumably of Eastern German origin, and considered themselves rich and generous. They first appeared in the Carpathian Basin in the 3rd-4th century, around the Szamos. They never interbred and relations between the two tribes was tense. At times, they had substantial power and they fought the Goths and other ethnic groups for important territories. The Gepids were initially ruled under a federal tribe system and lived in village communities. The real power was held by the folk convention, which was a union of the armed forces. They elected a king only in certain important historical situations. They were conquered by the Huns when the Hun kingdom and empire evolved, but they managed to maintain their self-identity: they became allies of Attila. After Attila's death, the Gepids probably also acquired the Hun kingdom's treasury, occupying significant territories in all directions, and were recognised by the Byzantine Empire. The Byzantine Emperor greeted the Gepids as his ally, and through commercial connections the Gepids became prosperous. Further conquests and defeats, large geo-political shifts and inner power conflicts caused the central power to weaken,

and affected the formation of more royal courts. In light of this, a uniform regiment came into existence in the 6th century. In the middle of the 6th century the Gepids occupied the Byzantine city of Sirmium, where they established their royal court and treasury. Byzantium revoked their annual grant and made a confederation with the Lombards, providing them with important territories in the old Goth Pannonia. The two Germanic ethnic groups, the Gepids and the Lombards, fought each other for around 30 years, and the less well armed Gepids suffered defeats against the Lombard cavalry. They lost the Byzantine territories they had occupied, but kept hold of Sirmium, where the first early medieval silver coins of the Carpathian Basin were made. Later on Byzantium breached the agreement with the Lombards as well, and attacked the Gepida territory together with their new allies, the western refugee nomad Avar ethnic groups. The Gepida army suffered a devastating defeat, their king was killed, and their treasury was safely removed to Byzantium, while the population moved to Italy. Under the large-scale Avar occupation, the Gepids were essentially wiped out, with only smaller Transylvanian centres surviving. However, during the 7th century these small groups were all subsumed by other ethnicities in the region. The most significant of the Gepida graves that have been unearthed are in Szilágysomlyó in Transylvania, where the royal treasures – presumably from the reign of the Hun Empire – were buried.

IN LIFE, EACH MUST DISCOVER HIS OWN PATH. OURS IS ONE OF EXPLORATION AND CURIOSITY, OF NEVER GIVING UP. WE HAVE THE COURAGE TO 'SING OUR OWN TUNE'. COME SING WITH US!

With over 100 workers, Gepida has surely come a long way. And though each of us has their own skills and specialties, we all share a passion to explore. "Wanderlust" is in our blood, and you will often find us around the world, on fairs and in shops, a full-fledged brand inspiring cyclists to get more out of riding. Gepida was one of the first brands to build modern e-bikes and operates today on an international scale with a presence in Europe, the United States and Australia. We cherish our independence

for the flexibility to produce a versatile collection of almost 100 models, from e-bikes to special models with a unique, distinctive design that combines technical innovations with high-quality hand built assembly. Our agile manufacturing process is designed to create bicycles that allow for the latest design innovations. That is why we say: Gepida: a small brand among giants. Close to home or far away, in the city or country, off road and on, Gepida bicycles are made to roam. Gepida – proudly designed and built in Budapest, Hungary.



GEPIDA

GEPIDA WITH THE BOSCH EBIKE SYSTEM

The Bosch ebike system is the leader of ebike systems on the European market. The „tailwind“ effect provided by the BOSCH ebike system currently brings momentum to 50 top European brands including Gepida. Engineers of the Bosch ebike system are continuously developing their unique and powerful solutions for the electromobility sector to meet the highest expectations of performance and comfort.

DISPLAY



Purion

Pure + Compact: the 2-in-1 on-board computer

The information you need with the click of a thumb: The new Purion on-board computer precisely operates with maximum efficiency, featuring a display that clearly shows the most important information.



Intuvia

Clever and clearly arranged

Intuvia guarantees easy and intuitive control of your e-bike with a viewing area that remains clearly visible under all lighting conditions. The separate control allows you to keep your hands safely on the handlebar while guaranteeing a clear view of riding data at all times. The shift recommendation feature makes sure you always pedal in the right gear to extend battery range.



Nyon

The first all-in-one on-board e-bike computer

Nyon is more than just a computer for your e-bike, it is e-bike connectivity for the next generation. Together with the Nyon online portal and app, with the on-board computer you can retrieve all the information you need when you need it, whether GPS navigation, range information or personal fitness analysis. Nyon is now available as a retrofit kit for e-bikes from the Performance Line, Performance Line CX, or Active Line from 2014 models onward.



BOSCH
Invented for life

DRIVE UNIT

Bosch ebike drive systems are designed for maximum ergonomics. The compact gear arrangement allows for optimal integration of the Drive Unit into the frame design, giving you more ground clearance. The reduced volume makes the drive more lightweight. Due to the precise motor control and the rapid processing of sensor signals, the Drive Unit is optimized for minimal noise and vibration. The secure chain run helps to keep the chain from being disengaged or subjected to undue strain. This reduces wear and maximizes comfort. In addition, the Drive Unit is extremely sturdy thanks to the integrated rock guard and spray water protection.

NEW development

Active Line - the harmonic ebike system

With the Active Line Bosch provides versatile and customized products for modern e-bike users. The cyclist can cover greater distances and achieve increased mobility everyday with the available "tailwind" effect. The Active Line is ideal for leisure, urban and touring cyclists.



New Naming of GEN3 Drive Units	Active Line	Active Line PLUS	Active Line
Weight	approx. 3,1 kg	approx. 3,3 kg	<4 kg
Torque	approx. 40 Nm	approx. 50 Nm	50 Nm
Speed	25 km/h & 20 mph	25 km/h & 20 mph	25 km/h & 20 mph
Q-Factor	175 mm	175 mm	175 mm



Performance Line - the sporty ebike system

As the name suggests, the essence of this system is pure performance. Created for athletic cycling, the performance line is built for acceleration: whether uphill or on flat terrain. Thanks to the precision engineering of the system, the assistance from the drive unit is combined with the performance of the rider in the most harmonic way – providing support on all terrain at any speed range.



Performance CX Line - the model for high performers

This all new e-bike system introduced to the market in 2016 is designed to meet the needs of those who want to take their ride to the next level. The Performance CX line is a high-performance system with up to 300% support from the drive unit, featuring a rugged and compact design, concentrated power, and an extremely durable powder coating.



	Performance Line Cruise	Performance Line Speed	Performance Line CX
Torque	63 Nm	63 Nm	75 Nm
Speed	25 km/h & 20 mph	45 km/h & 20 mph	25 km/h & 20 mph
Q-Factor	175 mm	175 mm	175 mm



BATTERY POWERPACK & POWERTUBE

With unrivalled energy density, BOSCH batteries are designed to be the lightest e-bike batteries available. So light in fact, that it is practically negligible during riding. Thanks to the handle and mount, the battery can also be easily inserted and removed or left aboard to charge directly on the e-bike. The Battery Management System (BIVIS) reliably protects your battery against overload, undervoltage, overheating, and short circuits. A long service life with high mileage is something you can count on. Lithium-ion batteries have neither memory nor self-discharge effects which means that the PowerPacks & Powertube can also be partially recharged at any time - without affecting the service life.

New features

POWERTUBE – smooth integration for all purposes making the e-bike system even more invisible – integrated
 battery 500 WH Dual Battery option – maximizing the battery capacity up to 1000 WH, see Gepida Cargo

BATTERY	POWERPACK 400	POWERPACK & POWERTUBE 500
Voltage (V)	36 V	36 V
Energy Content (Wh)	400 Wh	500 Wh
Capacity (Ah)	11,0 Ah	13,8 Ah
Charging Time 50%	1,5 h	2 h
Charging Time 80%	2 h	3 h
Charging Time 100%	3,5 h	4,5 h


NEW FEATURES FOR 2018

Integrated gear shifting on the go with eShift

The eShift integrated shifting solution for e-bikes not only makes gear shifting easier, it enhances safety by not having to operate any gear shifting components on the handlebar while riding. eShift also optimizes range, ensuring that the gear speed is always within the optimum gear ratio.



URBAN E-BIKE



REPTILA PRO SLX 10 POWERTUBE



△ FRAME	GEPIDA SMART TUBING - 6061 ALLOY
△ FRAME SIZE	W:46, 49, 53, 57CM
∩ FORK	ROCKSHOX PARAGON GOLD 28", SOLOAIR, LOCKOUT
○ WHEEL SIZE	28"
⚙️ GEARS	10
📖 WEIGHT	25,9 KG

ARTICLE NUMBER
30182435

⊖ REAR SHOCK	-
🔄 REAR DERAILLEUR	SHIMANO SLX SHADOW RD-M670 10S
💡 BRAKE	SHIMANO ACERA BR-M395
🌀 TYRE	SCHWALBE ENERGIZER W/ REFLECTIVE TAPE 40-622
📖 SADDLE	SELLE ROYAL SCIENTIA M3
💡 LIGHT	TRELOCK PRIO 50LUX / TRELOCK LS611 6-12V

COLOR		
  	30182435A	  
		30182435B

HEAD SET: FSA NO.11N SEMI-INTEGRATED | STEM: GEPIDA/TRANZX JD-ST103A EXT: 90/110MM 31,8MM | HANDLE BAR: TRANZX JD-TR23A W: 640MM BB: 31,8MM | GRIP: VELO VLG-649 AD2
 | BRAKE LEVER: SHIMANO ACERA BL-M396 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M610 10S | SEAT POST: GEPIDA SP226 30,9X300MM
 | CRANKARM: FSA CK-310 170MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO TIAGRA HG500-10 11-34T | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI EXCALIBUR XC
 28" EYELET, 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO ALIVIO FH-M4050 QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: GEPIDA ALLOY | MUDGUARD:
 CURANA D45 | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-610 W/ CATEYE

REPTILA PRO NEXUS 8 POWERTUBE



△ FRAME	GEPIDA SMART TUBING - 6061 ALLOY
△ FRAME SIZE	W:46, 49, 53, 57CM
⌒ FORK	ROCKSHOX PARAGON GOLD 28", SOLOAIR, LOCKOUT
○ WHEEL SIZE	28"
⚙️ GEARS	8
📖 WEIGHT	25,9 KG

⊗ REAR SHOCK	-
🦋 REAR DERAILLEUR	SHIMANO NEXUS 8
🔩 BRAKE	SHIMANO ACERA BR-M395
🌀 TYRE	SCHWALBE ENERGIZER W/ REFLECTIVE TAPE 40-622
📖 SADDLE	SELLE ROYAL SCIENTIA M3
💡 LIGHT	TRELOCK PRIO 50LUX / TRELOCK LS611 6-12V

COLOR		
	30182455A	30182455B

HEAD SET: FSA NO.11N SEMI-INTEGRATED | STEM: GEPIDA/TRANZX JD-ST103A EXT: 90/110MM 31,8MM | HANDLE BAR: TRANZX JD-TR23A W: 640MM BB: 31,8MM | GRIP: VELO VLG-649 AD2 | BRAKE LEVER: SHIMANO ACERA BL-M396 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO NEXUS 8 REVOSHIFT SL-C6000 | SEAT POST: GEPIDA SP226 30,9X300MM | CRANKARM: FSA CK-310 170MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z610 XEPT | RIM: RODI EXCALIBUR XC 28" EYELET, 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO NEXUS 8 DISC SG-C6001-8D 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: GEPIDA ALLOY | MUDGUARD: CURANA D45 | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-610 W/ CATEYE

SHIMANO DI2

Shimano introduced their first electronic shifting system (Dura Ace 7970) in 2008. This was revolutionary at the time for racers and customers who were open to the idea of a new system. In 2011, Shimano added an electronic Ultegra set which increased the popularity of the Di2 system overall. Based on customer and market feedback the range was expanded and developed. In 2016, non-performance-oriented riders could also take advantage of electronic gear shifting for the first time. Thanks to the nexus Di2, upper middle range city bike users can also enjoy this new kind of shifting. The new Di2 system which has already proven its success in professional cycling is also ideal for everyday use: it is compact, precise and easy to operate – enhancing the cycling experience for everyone.

Here at GEPIDA, we also wanted our customers to take advantage of this advancement in shifting technology and built this system into the Reptila 1000 Di2 model, for everyone open to the idea of smooth and fast gear shifting.

Specification

- internal geared hub for Di2 electronic specification
- wider gear ratio with less weight
- gear ratio: 8 speed: 306%
- silent clutch
- increased durability with oil lubricant
- 8 speed: 1,680g

SHIMANO

Di2
DIGITAL INTEGRATED INTELLIGENCE

REPTILA PRO DI2 8




△ FRAME	GEPIDA SMART TUBING - 6061 ALLOY
△ FRAME SIZE	W:46, 49, 53, 57CM
∩ FORK	ROCKSHOX PARAGON GOLD 28", SOLOAIR, LOCKOUT
○ WHEEL SIZE	28"
⚙️ GEARS	8
⚖️ WEIGHT	25,9 KG

⚙️ REAR SHOCK	-
⚙️ REAR DERAILLEUR	SHIMANO NEXUS 8 DI2
👉 BRAKE	SHIMANO ACERA BR-M395
🌀 TYRE	SCHWALBE ENERGIZER W/ REFLECTIVE TAPE 40-622
🐎 SADDLE	SELLE ROYAL SCIENTIA M3
💡 LIGHT	TRELOCK PRIO 50LUX / TRELOCK LS611 6-12V

ARTICLE NUMBER
30182425

COLOR



30182425A



30182425B

HEAD SET: FSA NO.11N SEMI-INTEGRATED | STEM: GEPIDA/TRANZX JD-ST103A EXT: 90/110MM 31,8MM | HANDLE BAR: TRANZX JD-TR23A W: 640MM BB: 31,8MM | GRIP: VELO VLG-649 AD2
 | BRAKE LEVER: SHIMANO ACERA BL-M396 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO DI2 | SEAT POST: GEPIDA SP226 30,9X300MM | CRANKARM: FSA CK-310 170MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z610 XEPT | RIM: RODI EXCALIBUR XC 28" EYELET, 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO NEXUS 8 DISC SG-C6061-8D 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: GEPIDA ALLOY | MUDGUARD: CURANA D45 | CHAIN COVER: HORN CATENA
 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-610 W/ CATEYE

REPTILA PRO SLX 10



△ FRAME	GEPIDA SMART TUBING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	W:46, 49, 53, 57CM	⚙ REAR DERAILLEUR	SHIMANO SLX SHADOW RD-M670 10S
⌒ FORK	ROCKSHOX PARAGON GOLD 28", SOLOAIR, LOCKOUT	🔧 BRAKE	SHIMANO ACERA BR-M395
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER W/ REFLECTIVE TAPE 40-622
⚙ GEARS	10	📏 SADDLE	SELLE ROYAL SCIENTIA M3
📏 WEIGHT	25,9 KG	💡 LIGHT	TRELOCK PRIO 50LUX / TRELOCK LS611 6-12V
ARTICLE NUMBER		COLOR	
30182405		30182405A	30182405B

HEAD SET: **FSA NO.11N SEMI-INTEGRATED** | STEM: **GEPIDA/TRANZX JD-ST103A EXT: 90/110MM 31,8MM** | HANDLE BAR: **TRANZX JD-TR23A W: 640MM BB: 31,8MM** | GRIP: **VELO VLG-649 AD2**
 BRAKE LEVER: **SHIMANO ACERA BL-M396** | BRAKE DISC F/R: **SHIMANO DEORE RT-54S 160MM** | SHIFTING LEVER: **SHIMANO DEORE SL-M610 10S** | SEAT POST: **GEPIDA SP226 30,9X300MM**
 CRANKARM: **FSA CK-310 170MM** | CHAINWHEEL: **FSA 18T STEEL** | CASSETTE/COG: **SHIMANO TIAGRA HG500-10 11-34T** | CHAIN: **SHIMANO DEORE CN-HG54 10S** | RIM: **RODI EXCALIBUR XC 28" EYELET, 32H** | FRONT HUB: **SHIMANO ALIVIO HB-M4050 QR 32H** | REAR HUB: **SHIMANO ALIVIO FH-M4050 QR 32H** | SPOKE: **SAPIM STAINLESS BLACK** | RACK: **GEPIDA ALLOY** | MUDGUARD: **CURANA D45** | CHAIN COVER: **HORN CATENA** | LOCK: **ABUS BATTERY LOCK + 4960** | PEDAL: **XERAMA SP-610 W/ CATEYE**

REPTILA PRO NEXUS 8



△ FRAME	GEPIDA SMART TUBING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	W:46, 49, 53, 57CM	⚙ REAR DERAILLEUR	SHIMANO NEXUS 8
⌒ FORK	ROCKSHOX PARAGON GOLD 28", SOLOAIR, LOCKOUT	🔧 BRAKE	SHIMANO ACERA BR-M395
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER W/ REFLECTIVE TAPE 40-622
⚙ GEARS	8	📏 SADDLE	SELLE ROYAL SCIENTIA M3
📏 WEIGHT	25,9 KG	💡 LIGHT	TRELOCK PRIO 50LUX / TRELOCK LS611 6-12V
ARTICLE NUMBER		COLOR	
30182415		30182415A	30182415B

HEAD SET: **FSA NO.11N SEMI-INTEGRATED** | STEM: **GEPIDA/TRANZX JD-ST103A EXT: 90/110MM 31,8MM** | HANDLE BAR: **TRANZX JD-TR23A W: 640MM BB: 31,8MM** | GRIP: **VELO VLG-649 AD2**
 BRAKE LEVER: **SHIMANO ACERA BL-M396** | BRAKE DISC F/R: **SHIMANO DEORE RT-54S 160MM** | SHIFTING LEVER: **SHIMANO NEXUS 8 REVOSHIFT SL-C6000** | SEAT POST: **GEPIDA SP226 30,9X300MM**
 CRANKARM: **FSA CK-310 170MM** | CHAINWHEEL: **FSA 18T STEEL** | CASSETTE/COG: **STURMEY ARCHER 19T** | CHAIN: **KMC Z610 XEPT** | RIM: **RODI EXCALIBUR XC 28" EYELET, 32H** | FRONT HUB: **SHIMANO ALIVIO HB-M4050 QR 32H** | REAR HUB: **SHIMANO NEXUS 8 DISC SG-C6001-8D 32H** | SPOKE: **SAPIM STAINLESS BLACK** | RACK: **GEPIDA ALLOY** | MUDGUARD: **CURANA D45** | CHAIN COVER: **HORN CATENA** | LOCK: **ABUS BATTERY LOCK + 4960** | PEDAL: **XERAMA SP-610 W/ CATEYE**

LEGIO ALFINE 8



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO ALFINE 8
⌒ FORK	GEPIDA 6061 ALLOY	🔑 BRAKE	SHIMANO ACERA BR-M395
○ WHEEL SIZE	27,5"	🌀 TYRE	SCHWALBE SUPER MOTO X 27,5X2,4
⚙ GEARS	8	📉 SADDLE	SELLE ROYAL ARCO
📖 WEIGHT	23,4 KG	💡 LIGHT	AXA BLUELINE 30 6V / TRELOCK LS631 6-12V

ARTICLE NUMBER
30182200

COLOR
 **30182200A**

HEAD SET: **FSA NO.42ACB** | STEM: **GEPIDA/TRANZX JDST-58A EXT: 70/80/90MM** | HANDLE BAR: **GEPIDA ALLOY 720 MM, RISE:30MM** | GRIP: **VELO VLG-775-12D2 + VLP-171** | BRAKE LEVER: **SHIMANO ACERA BL-M396** | BRAKE DISC F/R: **SHIMANO DEORE RT-54S 160MM** | SHIFTING LEVER: **SHIMANO ALFINE 8 SL-S7000-8** | SEAT POST: **KALLOY SPDC1 30,9X400MM** | CRANKARM: **FSA CK-310 170/175MM** | CHAINWHEEL: **FSA 18T STEEL** | CASSETTE/COG: **STURMEY ARCHER 19T** | CHAIN: **KMC Z610 XEPT** | RIM: **RODI BLACKROCK 27,5" 32H** | FRONT HUB: **SHIMANO DEORE HB-M6010 QR15 32H** | REAR HUB: **SHIMANO ALFINE 8 SG-S7000-8** | SPOKE: **SAPIM STAINLESS STEEL BLACK** | RACK: **-** | MUDGUARD: **CURANA D65** | CHAIN COVER: **HORN CATENA** | LOCK: **ABUS BATTERY LOCK** | PEDAL: **VP 536**

PUGIO NEXUS 7



△ FRAME	6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	19"	⚙ REAR DERAILLEUR	SHIMANO NEXUS 7
⌒ FORK	GEPIDA 6061 ALLOY	🔑 BRAKE	SHIMANO ALTUS BR-M315
○ WHEEL SIZE	20"	🌀 TYRE	SCHWALBE BIG APPLE 20X2,15 W/ REFLECTIVE TAPE
⚙ GEARS	7	📉 SADDLE	SELLE ROYAL ARCO
📖 WEIGHT	19,4 KG	💡 LIGHT	AXA BLUELINE 30 6-12V / TRELOCK LS631 6-12V

ARTICLE NUMBER
30181570

COLOR
 **30181570A**

HEAD SET: **FSA NO.11N** | STEM: **JD ST103-A1** | HANDLE BAR: **GEPIDA ALLOY 640 MM, RISE:30MM** | GRIP: **VELO VLG-690AD2** | BRAKE LEVER: **SHIMANO ALTUS BL-M315** | BRAKE DISC F/R: **SHIMANO ALTUS SM-RT30 160MM** | SHIFTING LEVER: **SHIMANO NEXUS 7 REVOSHIFT SL-C3000** | SEAT POST: **KALLOY SPDC1 30,9X400MM** | CRANKARM: **FSA CK-200 170MM** | CHAINWHEEL: **FSA 44T STEEL** | CASSETTE/COG: **STURMEY ARCHER 17T** | CHAIN: **KMC Z50** | RIM: **RODI WEB DISC 32H** | FRONT HUB: **FORMULA CL-51 QR 32H** | REAR HUB: **SHIMANO NEXUS 7 DISC SG-C3001-7D** | SPOKE: **SAPIM STAINLESS STEEL** | RACK: **-** | MUDGUARD: **SKS** | CHAIN COVER: **-** | LOCK: **ABUS BATTERY LOCK** | PEDAL: **XERAMA SP-811 ALLOY W/ CATEYE**

CARGO

The world is constantly changing, which calls for solutions to new ideas and demands that arise every day. We, at Gepida, are determined to provide a sustainable alternative for motorised vehicles that have high emission of CO2 and other harmful substances. In addition to satisfying the public's dynamically increasing demand for eBikes, we wanted to develop a product for actors in the industry and other professionals, that enables the transportation of oversized tools and packages that were previously transported by bicycles and scooters. We offer a complex solution to those who want to move cargo efficiently, without pollution, either indoors, or in limited access areas. The cargo makes it possible to work in areas that are difficult or impossible to access by cars. Last, but not least, work will be less like work when using an electric bicycle. <http://gepida.com/cargo/>



CARGO NUVINCI 330



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **48CM**

∩ FORK **STEEL DISC**

○ WHEEL SIZE **26"**

⚙️ GEARS **GEARLESS (330%)**

⚖️ WEIGHT **31,8 KG**

⊖ REAR SHOCK **-**

⚙️ REAR DERAILLEUR **NUVINCI INFINITY C3**

🔧 BRAKE **SHIMANO BR-M395**

🌀 TYRE **SCHWALBE CRAZY BOB 26X2,35**

📅 SADDLE **SELLE ROYAL TORX**

💡 LIGHT **AXA BLUELINE 30 6V *2/TRELOCK LS611 6-12V**

ARTICLE NUMBER

30182505

COLOR

 **30182505A**

HEAD SET: FSA NO.11N | STEM: ERGOTEC SWELL-R ECO EXT: 80MM BB: 31,8MM | HANDLE BAR: ERGOTEC ERGO PLUS 650MM | GRIP: VELO VLG-649AD2S W/ CLAMP | BRAKE LEVER: SHIMANO BL-M425 | BRAKE DISC F/R: SHIMANO DEORE RT-56M 180MM | SHIFTING LEVER: NUVINCI INFINITY C3 | SEAT POST: ERGOTEC SKALAR 30,9X400 | CRANKARM: FSA CK-632 170MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: NUVINCI 20T | CHAIN: KMC Z610 XEPT | RIM: RODI VISION25 26" W/ 4D EYELET 36H | FRONT HUB: SHIMANO XT HB-M756 QR 6-BOLT 36H | REAR HUB: NUVINCI N330 DISC 6-BOLT 36H | SPOKE: SAPIM STAINLESS 13G BLACK | RACK: HEBIE FOLDREX 608 80 HEAVY LOAD | MUDGUARD: SKS | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

NEDAO NEXUS 3C



△ FRAME **GEPIDA 6061 ALLOY**

△ FRAME SIZE **M: 41 CM**

⌒ FORK **STEEL DISC**

○ WHEEL SIZE **24"**

⚙️ GEARS **3**

📦 WEIGHT **25,6 KG**

⊗ REAR SHOCK **-**

⚙️ REAR DERAILLEUR **SHIMANO NEXUS 3**

👉 BRAKE **SHIMANO ALTUS BR-M365 /COASTER BRAKE**

🌀 TYRE **INNOVA IA-2018 24X3.0**

📅 SADDLE **SELLE ROYAL DRIFTER**

💡 LIGHT **-**

ARTICLE NUMBER

30181530



COASTER
BREAK

COLOR



30181530A

HEAD SET: **FSA NO.11Q** | STEM: **GEPIDA TDS-AL-60 EXT: 60MM RISE 10MM** | HANDLE BAR: **GEPIDA CRUISER BAR** | GRIP: **VELO VLG-690AD2** | BRAKE LEVER: **SHIMANO ALTUS BL-M365** | BRAKE DISC F/R: **SHIMANO DEORE RT-56S 160MM** | SHIFTING LEVER: **SHIMANO NX3 REVOSHIFT SL-3S41** | SEAT POST: **GEPIDA ALLOY POLISHED 27,2X400 MM** | CRANKARM: **FSA CK-200 170MM** | CHAINWHEEL: **FSA 38T STEEL** | CASSETTE/COG: **STURMEY ARCHER 19T** | CHAIN: **KMC Z50** | RIM: **RODI FREESTYLE 24" 36H** | FRONT HUB: **FORMULA DC-20LW QR 36H** | REAR HUB: **SHIMANO NEXUS 3 W/ COASTER SG-3C41 36H** | SPOKE: **SAPIM STAINLESS BLACK** | RACK: **-** | MUDGUARD: **CRUISER REAR** | CHAIN COVER: **HESLING SUPORTIVE V2** | LOCK: **ABUS BATTERY LOCK** | PEDAL: **XERAMA SP-689 W/ CATEYE**



CITY E-BIKE

REPTILA 1000+ NEXUS 8C



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W:46, 49, 53, 57CM**

⌒ FORK **SUNTOUR CR85 63 MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **8**

⚖️ WEIGHT **27,3 KG**

⊖ REAR SHOCK **-**

⚙️ REAR DERAILLEUR **SHIMANO NEXUS 8**

🔧 BRAKE **MAGURA HS-11 + COASTER**

🌀 TYRE **SCHWALBE ENERGIZER PLUS W/ REFELCTIVE TAPE 47-622**

📏 SADDLE **VELO VL-6142**

💡 LIGHT **AXA BLUELINE 30 6-12V / TRELOCK LS611 6-12V**

ARTICLE NUMBER

30181375



**COASTER
BREAK**
HEAVY-DUTY UP TO 170 KG

COLOR



30181375A



30181375B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: ERGOTEC OCTOPUS XXL EXT: 100MM BB: 31,8MM | HANDLE BAR: ERGOTEC BÜGEL STUTGARTER W: 610MM BB: 31,8MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: MAGURA HS-11 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 8 REVOSHIFT SL-C6000 | SEAT POST: ERGOTEC SKALAR 30,9X400 MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z610 XEPT | RIM: RODI VISION 25 36H W/ 4D EYELET | FRONT HUB: FORMULA FM21 QR 36H | REAR HUB: SHIMANO NEXUS 8 W/ COASTER SG-C6001-8C 36H | SPOKE: SAPIM STAINLESS 13G BLACK | RACK: MASSLOAD CL-549 W/ INTEGRATED STAY | MUDGUARD: SKS | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

REPTILA 1000 SLX 10



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W:46, 49, 53, 57CM**

⌒ FORK **SUNTOUR CR85 63 MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **10**

⚖️ WEIGHT **25,9 KG**

⊖ REAR SHOCK **-**

⚙️ REAR DERAILLEUR **SHIMANO SLX SHADOW RD-M670 10S**

🔧 BRAKE **MAGURA HS-11**

🌀 TYRE **SCHWALBE ENERGIZER W/ REFELCTIVE TAPE-622**

📏 SADDLE **VELO VL-6142**

💡 LIGHT **AXA BLUELINE 30 6-12V / TRELOCK LS611 6-12V**


ARTICLE NUMBER

30181335


COLOR



30181335A



30181335B



30181335C

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105MM BB: 25,4MM | HANDLE BAR: GEPIDA NR-AL14 W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: MAGURA HS-11 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO DEORE SL-M610 10S | SEAT POST: KALLOY SP-509 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI SKORPION CNC 28" W/ EYELET 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL-549 W/ INTEGRATED STAY | MUDGUARD: SKS | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

REPTILA 1000 NEXUS 8/8C



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W:46, 49, 53, 57CM**

∩ FORK **SUNTOUR CR85 63 MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **8**

⚖️ WEIGHT **25,9 KG**

⊗ REAR SHOCK **-**

🚮 REAR DERAILLEUR **SHIMANO NEXUS 8**

🚰 BRAKE **MAGURA HS-11/ + COASTER**

🌀 TYRE **SCHWALBE ENERGIZER W/ REFLECTIVE TAPE 40-622**

🚽 SADDLE **VELO VL-6142 PLUSH CITY**

💡 LIGHT **AXA BLUELINE 30 6-12V / TRELOCK LS611 6-12V**

ARTICLE NUMBER

30181325



COLOR

30181325A

30181325B

30181325C

30181325D

ARTICLE NUMBER

30181355

COLOR

30181355A

30181355B

30181355C

30181355D

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105MM BB: 25,4MM | HANDLE BAR: GEPIDA NR-AL14 W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: MAGURA HS-11 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 8 REVOSHIFT SL-C6000 | SEAT POST: KALLOY SP-509 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z50 | RIM: RODI SKORPION CNC 28" W/ EYELET 32H | FRONT HUB: FORMULA FM21 QR 32H | REAR HUB: SHIMANO NEXUS 8 W/ COASTER SG-C6001-8C 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL-549 W/ INTEGRATED STAY | MUDGUARD: SKS | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

REPTILA 1000 NEXUS 7C



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W:46, 49, 53, 57CM**

∩ FORK **SUNTOUR CR85 63 MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **7**

⚖️ WEIGHT **25,9**

⊗ REAR SHOCK **-**

🚮 REAR DERAILLEUR **SHIMANO NEXUS 7**

🚰 BRAKE **MAGURA HS-11 + COASTER**

🌀 TYRE **SCHWALBE ROAD CRUISER 42-622 REFLECTIVE**

🚽 SADDLE **VELO VL-6142 PLUSH CITY**

💡 LIGHT **AXA BLUELINE 30 6-12V / TRELOCK LS611 6-12V**

ARTICLE NUMBER

30181305



COLOR

30181305A

30181305B

30181305C

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105MM BB: 25,4MM | HANDLE BAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: MAGURA HS-11 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 7 REVOSHIFT SL-C3000 | SEAT POST: KALLOY SP-509 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z50 | RIM: RODI SKORPION CNC 28" W/ EYELET 32H | FRONT HUB: FORMULA FM21 QR 32H | REAR HUB: SHIMANO NEXUS 7 W/ COASTER SG-C3001-7C 32H | SPOKE: SAPIM STAINLESS | RACK: MASSLOAD CL-549 W/ INTEGRATED STAY | MUDGUARD: SKS | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

REPTILA 1000 ALTUS 7



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W:46, 49, 53, 57CM**

∩ FORK **SUNTOUR CR85 63 MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **7**

⚖️ WEIGHT **25,9**

⊗ REAR SHOCK **-**

🚮 REAR DERAILLEUR **SHIMANO ALTUS RD-M310DL 7S**

🚰 BRAKE **MAGURA HS-11**

🌀 TYRE **SCHWALBE ROAD CRUISER 42-622 REFLECTIVE**

🚽 SADDLE **VELO VL-6142 PLUSH CITY**

💡 LIGHT **AXA BLUELINE 30 6-12V / TRELOCK LS611 6-12V**

ARTICLE NUMBER

30181365

COLOR

 **30181365A**

 **30181365B**

 **30181365C**

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105 MM | HANDLE BAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: MAGURA HS-11 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS SL-M310R7A 7S | SEAT POST: KALLOY SP-509 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: SHIMANO CS-HG200 12-32T 7S | CHAIN: KMC Z50 | RIM: RODI SKORPION CNC 26" W/ EYELET 32H | FRONT HUB: FORMULA FM21 QR 32H | REAR HUB: FORMULA FM32-7 QR 32H | SPOKE: SAPIM STAINLESS | RACK: MASSLOAD CL-549 W/ INTEGRATED STAY | MUDGUARD: SKS | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

REPTILA 900 NEXUS 8/8C



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W: 46, 49CM**

∩ FORK **SUNTOUR CR8 26" 50MM**

○ WHEEL SIZE **26"**

⚙️ GEARS **8**

⚖️ WEIGHT **25,8 KG**

⊗ REAR SHOCK **-**

🚮 REAR DERAILLEUR **SHIMANO NEXUS 8**

🚰 BRAKE **MAGURA HS-11/ + COASTER**

🌀 TYRE **SCHWALBE BIG APPLE W/ REFLECTIVE TAPE 26X2,0**

🚽 SADDLE **VELO VL-6142 PLUSH CITY**

💡 LIGHT **AXA BLUELINE 30 6-12V / TRELOCK LS611 6-12V**

ARTICLE NUMBER

30181315



COASTER
BREAK

ARTICLE NUMBER

30181345

COLOR

 **30181315A**

 **30181315B**

 **30181315C**

COLOR

 **30181345A**

 **30181345B**

 **30181345C**

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: BB: 85MM 25,4MM | HANDLE BAR: GEPIDA NR-AL14 W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: MAGURA HS-11 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 8 REVOSHIFT SL-C6000 | SEAT POST: KALLOY SP-509 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z50 | RIM: RODI SKORPION CNC 26" W/ EYELET 32H | FRONT HUB: FORMULA FM21 QR 32H | REAR HUB: SHIMANO NEXUS 8 W/ COASTER SG-C6001-8C 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL-549 W/ INTEGRATED STAY | MUDGUARD: SKS | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE



BAFANG

For more than ten years BAFANG has been a leading manufacturer of e-mobility components and complete systems. Thanks to its expertise in the production of systems for e-bikes and electric scooters, the company's products are well received in Europe, China and the United States. When developing and manufacturing products, BAFANG always puts great emphasis on reliability, quality and longevity.

BAFANG MAX DRIVE SYSTEM

The Max Drive System puts the rider in complete control. In spite of a generous power output and a maximum torque of more than 80 Nm, the motor operates in virtual silence. The modular motor design and integrated controller make disassembly easier and improve service responsiveness. The mid-drive motor constantly samples relevant information at a frequency of up to 80k Hz via a torque sensor and two highly sensitive speed sensors. The resulting data on crank torque, vehicle speed and pedal rotation speed is made available to the controller, ensuring precise control while achieving the highest possible efficiency.

BAFANG FRONT DRIVE SYSTEM

This front-drive motor with inner rotor is compatible with a roller brake and has a rated power of 250W. Because of its inner rotor design and a large reduction ratio (1:11), the motor's power can be effectively released. Small in size, light in weight, high in efficiency, this motor is smooth & quiet when running and thus suitable for city bikes.

Name	Max Drive System	Front Drive System
Weight	3,9 kg	≤ 2,3 kg
Max Torque	80 Nm	30 Nm
Efficiency	≥ 80 %	≥ 80 %

BAFANG



REPTILA 1000 ALTUS 7 BAF-M



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W:46, 49, 53CM**

∩ FORK **SUNTOUR CR7V 700C 40MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **7**

⚖️ WEIGHT **26,1 KG**

⊙ REAR SHOCK

🚮 REAR DERAILLEUR **SHIMANO ALTUS RD-M310DL 7S**

🔧 BRAKE **SHIMANO ALIVIO BR-T4000**

🌀 TYRE **WTB/FREEDOM WEDGE 700X38 W/ REFLECTIVE TAPE**

📏 SADDLE **VELO VL-6142 PLUSH CITY**

💡 LIGHT **AXA ECHO 15 / TRELOCK LS611 6-12V**

ARTICLE NUMBER

30180915

COLOR



30180915A



30180915B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105 MM | HANDLE BAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: GEPIDA LM-48 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO REVOSHIFT SL-RS35 | SEAT POST: GEPIDA ALLOY, 27,2X300 MM | CRANKARM: PROWHEEL 170MM | CHAINWHEEL: BAFANG 38T STEEL | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT-240 28" 32H | FRONT HUB: FORMULA FM21 NT 32H | REAR HUB: FORMULA FM31 NT 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: GEPIDA ALLOY | MUDGUARD: ORION | CHAIN COVER: HESLING CAMBIO 38T | LOCK: AXA BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

REPTILA 1000 NEXUS 7 BAF-M



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W:46, 49, 53CM**

∩ FORK **SUNTOUR CR7V 700C 40MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **7**

⚖️ WEIGHT **26,4 KG**

⊙ REAR SHOCK

🚮 REAR DERAILLEUR **SHIMANO NEXUS 7**

🔧 BRAKE **SHIMANO ALIVIO BR-T4000**

🌀 TYRE **WTB/FREEDOM WEDGE 700X38 W/ REFLECTIVE TAPE**

📏 SADDLE **VELO VL-6142 PLUSH CITY**

💡 LIGHT **AXA ECHO 15 / TRELOCK LS611 6-12V**

ARTICLE NUMBER

30180935

COLOR



30180935A



30180935B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105 MM | HANDLE BAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: GEPIDA LM-48 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 7 REVOSHIFT SL-C3000 | SEAT POST: GEPIDA ALLOY, 27,2X300 MM | CRANKARM: PROWHEEL 170MM | CHAINWHEEL: BAFANG 38T STEEL | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z50 | RIM: BERETTA MT-240 28" 32H | FRONT HUB: FORMULA FM21 NT 32H | REAR HUB: SHIMANO NEXUS 7 W/ COASTER SG-C3001-7C 32H | SPOKE: SAPIM STAINLESS | RACK: GEPIDA ALLOY | MUDGUARD: ORION | CHAIN COVER: HESLING CAMBIO 38T | LOCK: AXA BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

REPTILA 1000 ALTUS 7 BAF-F



▽ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

▽ FRAME SIZE **W:46, 49, 53CM**

⌒ FORK **SUNTOUR CR7V 700C 40MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **7**

📦 WEIGHT **26,6 KG**

⊗ REAR SHOCK **-**

⚙️ REAR DERAILLEUR **SHIMANO ALTUS RD-M310DL 7S**

👉 BRAKE **SHIMANO ALIVIO BR-T4000**

🌀 TYRE **WTB/FREEDOM WEDGE 700X38 W/ REFLECTIVE TAPE**

🐾 SADDLE **VELO VL-6142 PLUSH CITY**

💡 LIGHT **AXA ECHO 15 / TRELOCK LS611 6-12V**

ARTICLE NUMBER

30180965

COLOR

 **30180965A**

 **30180965B**

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105 MM | HANDLE BAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: GEPIDA LM-48 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO REVOSHIFT SL-RS35 | SEAT POST: GEPIDA ALLOY, 27,2X300 MM | CRANKARM: PROWHEEL PRO-A38 38T 170MM | CHAINWHEEL: 38T STEEL | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: RODI WEB 28" 36H / BERETTA MT-240 28" 36H | FRONT HUB: BAFANG FRONT MOTOR FM.G320 | REAR HUB: FORMULA FM31 NT 32H | SPOKE: SAPIM STAINLESS | RACK: GEPIDA ALLOY | MUDGUARD: ORION | CHAIN COVER: HESLING CAMBIO 38T | LOCK: AXA BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE



TREKKING E-BIKE

ALBOIN 1000 SPEED XT 10



△ FRAME	GEPIDA SPECIAL HYDROFORMING - 6061 ALLOY
△ FRAME SIZE	M: 52, 56CM
∩ FORK	SUNTOUR XCM32 LO 29" 15QLC 60MM
○ WHEEL SIZE	28"
⚙️ GEARS	10
⚖️ WEIGHT	23,8 KG

⚙️ REAR SHOCK	-
⚙️ REAR DERAILLEUR	SHIMANO XT RD-T8000 SHADOW
🛞 BRAKE	MAGURA BR-MT4E
🌀 TYRE	SCHWALBE ENERGIZER PLUS W/ REFELCTIVE TAPE 40-622
📜 SADDLE	SELLE ROYAL ARIEL GEL
💡 LIGHT	AXA BLUELINE 50 6V / TRELOCK LS611 6-12V

ARTICLE NUMBER
30182260

COLOR
 **30182260A**

HEAD SET: **FSA NO.11N** | STEM: **GEPIDA/TRANZX JDST-58A EXT: 90/100MM** | HANDLE BAR: **GEPIDA ALLOY 640 MM** | GRIP: **VELO VLG-649AD2S W/ CLAMP** | BRAKE LEVER: **MAGURA BL-MT4E BALL END** | BRAKE DISC F/R: **MAGURA STORM 180MM** | SHIFTING LEVER: **SHIMANO DEORE SL-T6000 10S** | SEAT POST: **KALLOY SPDC1 27,2X300MM** | CRANKARM: **FSA CK-745 175MM** | CHAINWHEEL: **FSA 18T STEEL** | CASSETTE/COG: **SHIMANO TIAGRA CS-HG500-10 11-34T 10S** | CHAIN: **SHIMANO DEORE CN-HG54 10S** | RIM: **RODI BLACKROCK 29" 32H** | FRONT HUB: **SHIMANO DEORE HB-M6010 QR15 32H** | REAR HUB: **SHIMANO DEORE FH-M6000 QR 32H** | SPOKE: **SAPIM STAINLESS BLACK 13G** | RACK: **MASSLOAD CL 905A** | MUDGUARD: **SKS** | CHAIN COVER: **-** | LOCK: **ABUS BATTERY LOCK** | PEDAL: **XERAMA SP-811 ALLOY W/ CATEYE**

ALBOIN 1000 ALFINE 8



△ FRAME	GEPIDA SPECIAL HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	M: 52, 56CM	⚙ REAR DERAILLEUR	SHIMANO ALFINE 8
⌒ FORK	SUNTOUR NEX-E25 700C LO DS 63MM	🔧 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER W/ REFLECTIVE TAPE 40-622
⚙ GEARS	8	📜 SADDLE	SELLE ROYAL ARIEL GEL
📖 WEIGHT	23,8 KG	💡 LIGHT	AXA BLUELINE 30 6V / TRELOCK LS611 6-12V

ARTICLE NUMBER
30182250

COLOR
 **30182250A**

HEAD SET: FSA NO.11N | STEM: GEPIDA TDS-299N EXT: 105MM | HANDLE BAR: GEPIDA ALLOY 640 MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO ALFINE 8 SL-S7000-8 | SEAT POST: KALLOY SPDC1 27,2X300MM | CRANKARM: FSA CK-745 175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z610 XEPT | RIM: RODI EXCALIBUR XC 28" EYELET, 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO ALFINE 8 SG-S7000-8 | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL 905A | MUDGUARD: SKS | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

ALBOIN 1000 ALFINE 8



△ FRAME	GEPIDA SPECIAL HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	L: 44, 48, 52CM	⚙ REAR DERAILLEUR	SHIMANO ALFINE 8
⌒ FORK	SUNTOUR NEX-E25 700C DS 63MM	🔧 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER W/ REFLECTIVE TAPE 40-622
⚙ GEARS	8	📜 SADDLE	SELLE ROYAL ARIEL GEL
📖 WEIGHT	23,8 KG	💡 LIGHT	AXA BLUELINE 30 6V / TRELOCK LS611 6-12V

ARTICLE NUMBER
30182256

COLOR
 **30182256A**

HEAD SET: FSA NO.11N | STEM: GEPIDA TDS-299N EXT: 105MM | HANDLE BAR: GEPIDA ALLOY 640 MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO ALFINE 8 SL-S7000-8 | SEAT POST: KALLOY SPDC1 27,2X300MM | CRANKARM: FSA CK-745 170/175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z610 XEPT | RIM: RODI EXCALIBUR XC 28", 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO ALFINE 8 SG-S7000-8 | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL 905A | MUDGUARD: SKS | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

ALBOIN 1000 LX 10



△ FRAME **GEPIDA SPECIAL HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **M: 52, 56CM**

∩ FORK **SUNTOUR NEX-E25 700C DS 63MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **10**

⚖️ WEIGHT **23,8 KG**

⊗ REAR SHOCK **-**

🚮 REAR DERAILLEUR **SHIMANO LX RD-T670 10S**

🔧 BRAKE **SHIMANO DEORE BR-M6000**

🌀 TYRE **SCHWALBE ENERGIZER W/ REFLECTIVE TAPE 40-622**

📏 SADDLE **SELLE ROYAL ARIEL GEL**

💡 LIGHT **AXA BLUELINE 30 6V / TRELOCK LS611 6-12V**

ARTICLE NUMBER

30182210

COLOR

 **30182210A**

HEAD SET: **FSA NO.11N** | STEM: **GEPIDA TDS-299N EXT: 105MM** | HANDLE BAR: **GEPIDA ALLOY 640 MM** | GRIP: **VELO VLG-775-12D2 + VLP-171** | BRAKE LEVER: **SHIMANO DEORE BL-T6000** | BRAKE DISC F/R: **SHIMANO DEORE RT-56S 160MM** | SHIFTING LEVER: **SHIMANO DEORE SL-T6000 10S** | SEAT POST: **KALLOY SPDC1 27,2X300MM** | CRANKARM: **FSA CK-745 175MM** | CHAINWHEEL: **FSA 18T STEEL** | CASSETTE/COG: **SHIMANO TIAGRA CS-HG500-10 11-34T 10S** | CHAIN: **SHIMANO DEORE CN-HG54 10S** | RIM: **RODI EXCALIBUR XC 28", 32H** | FRONT HUB: **FORMULA DC-20LW QR 32H** | REAR HUB: **FORMULA DC-22W QR 32H** | SPOKE: **SAPIM STAINLESS BLACK** | RACK: **MASSLOAD CL 905A** | MUDGUARD: **SKS** | CHAIN COVER: **HEBIE** | LOCK: **ABUS BATTERY LOCK** | PEDAL: **XERAMA SP-811 ALLOY W/ CATEYE**

ALBOIN 1000 LX 10



△ FRAME **GEPIDA SPECIAL HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **L: 44, 48, 52CM**

∩ FORK **SUNTOUR NEX-E25 700C DS 63MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **10**

⚖️ WEIGHT **23,8 KG**

⊗ REAR SHOCK **-**

🚮 REAR DERAILLEUR **SHIMANO LX RD-T670 10S**

🔧 BRAKE **SHIMANO DEORE BR-M6000**

🌀 TYRE **SCHWALBE ENERGIZER W/ REFLECTIVE TAPE 40-622**

📏 SADDLE **SELLE ROYAL ARIEL GEL**

💡 LIGHT **AXA BLUELINE 30 6V / TRELOCK LS611 6-12V**

ARTICLE NUMBER

30182216

COLOR

 **30182216A**  **30182216B**

HEAD SET: **FSA NO.11N** | STEM: **GEPIDA TDS-299N EXT: 105MM** | HANDLE BAR: **GEPIDA ALLOY 640 MM** | GRIP: **VELO VLG-775-12D2 + VLP-171** | BRAKE LEVER: **SHIMANO DEORE BL-T6000** | BRAKE DISC F/R: **SHIMANO DEORE RT-56S 160MM** | SHIFTING LEVER: **SHIMANO DEORE SL-T6000 10S** | SEAT POST: **KALLOY SPDC1 27,2X300MM** | CRANKARM: **FSA CK-745 170/175MM** | CHAINWHEEL: **FSA 18T STEEL** | CASSETTE/COG: **SHIMANO TIAGRA CS-HG500-10 11-34T 10S** | CHAIN: **SHIMANO DEORE CN-HG54 10S** | RIM: **RODI EXCALIBUR XC 28", 32H** | FRONT HUB: **FORMULA DC-20LW QR 32H** | REAR HUB: **FORMULA DC-22W QR 32H** | SPOKE: **SAPIM STAINLESS BLACK** | RACK: **MASSLOAD CL 905A** | MUDGUARD: **SKS** | CHAIN COVER: **-** | LOCK: **ABUS BATTERY LOCK** | PEDAL: **XERAMA SP-811 ALLOY W/ CATEYE**

BERIG 1000 SLX 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	M: 19, 21"	⚙ REAR DERAILLEUR	SHIMANO SLX SHADOW RD-M670 10S
⌒ FORK	SUNTOUR NEX 26" HLO DS 63MM	🔧 BRAKE	SHIMANO ALTUS BR-M365
○ WHEEL SIZE	26"	🌀 TYRE	SCHWALBE ENERGIZER 26X1.75 REFLECTIVE
⚙ GEARS	10	📏 SADDLE	VELO VL-3315 W/ GEL
📏 WEIGHT	22,6 KG	💡 LIGHT	AXA BLUELINE 30 6-12V / TRELOCK LS611 6-12V
ARTICLE NUMBER	30181220	COLOR	30181220A

HEAD SET: **FSA NO.11N** | STEM: **GEPIDA/ TRANZX JDST-58A EXT: 80/90 MM** | HANDLE BAR: **GEPIDA ALLOY 640 MM** | GRIP: **VELO VLG-775-12D2 + VLP-171** | BRAKE LEVER: **SHIMANO ALTUS BL-M365** | BRAKE DISC F/R: **SHIMANO DEORE RT-56S 160MM** | SHIFTING LEVER: **SHIMANO DEORE SL-M6000 10S** | SEAT POST: **GEPIDA ALLOY, 27,2X300 MM** | CRANKARM: **FSA CK-200 170MM** | CHAINWHEEL: **FSA 44T STEEL** | CASSETTE/COG: **SHIMANO TIAGRA CS-HG500-10 11-34T 10S** | CHAIN: **SHIMANO DEORE CN-HG54 10S** | RIM: **RODI BLACKROCK 26" 32H** | FRONT HUB: **FORMULA DC-20LW QR 32H** | REAR HUB: **FORMULA DC-22W QR 32H** | SPOKE: **SAPIM STAINLESS BLACK** | RACK: **MASSLOAD CL 905A** | MUDGUARD: **SKS** | CHAIN COVER: **-** | LOCK: **ABUS BATTERY LOCK** | PEDAL: **XERAMA SP-610 ALLOY W/ CATEYE**

BERIG 1000 SLX 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	L: 15, 17, 19"	⚙ REAR DERAILLEUR	SHIMANO SLX SHADOW RD-M670 10S
⌒ FORK	SUNTOUR NEX 26" HLO DS 63MM	🔧 BRAKE	SHIMANO ALTUS BR-M365
○ WHEEL SIZE	26"	🌀 TYRE	SCHWALBE ENERGIZER 26X1.75 REFLECTIVE
⚙ GEARS	10	📏 SADDLE	VELO VL-4249 W/ GEL
📏 WEIGHT	22,6 KG	💡 LIGHT	AXA BLUELINE 30 6-12V / TRELOCK LS611 6-12V
ARTICLE NUMBER	30181226	COLOR	30181226A

HEAD SET: **FSA NO.11N** | STEM: **GEPIDA/ TRANZX JDST-58A EXT: 80/90 MM** | HANDLE BAR: **GEPIDA ALLOY 640 MM** | GRIP: **VELO VLG-775-12D2 + VLP-171** | BRAKE LEVER: **SHIMANO ALTUS BL-M365** | BRAKE DISC F/R: **SHIMANO DEORE RT-56S 160MM** | SHIFTING LEVER: **SHIMANO DEORE SL-M6000 10S** | SEAT POST: **GEPIDA ALLOY, 27,2X300 MM** | CRANKARM: **FSA CK-200 170MM** | CHAINWHEEL: **FSA 44T STEEL** | CASSETTE/COG: **SHIMANO TIAGRA CS-HG500-10 11-34T 10S** | CHAIN: **SHIMANO DEORE CN-HG54 10S** | RIM: **RODI BLACKROCK 26" 32H** | FRONT HUB: **FORMULA DC-20LW QR 32H** | REAR HUB: **FORMULA DC-22W QR 32H** | SPOKE: **SAPIM STAINLESS BLACK** | RACK: **MASSLOAD CL 905A** | MUDGUARD: **SKS** | CHAIN COVER: **-** | LOCK: **ABUS BATTERY LOCK** | PEDAL: **XERAMA SP-610 ALLOY W/ CATEYE**

THORIS XT 10



△ FRAME **6061 ALLOY**

△ FRAME SIZE **53/44 CM**

⌒ FORK **SUNTOUR NCX-D AIR LO 700C 63MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **10**

📦 WEIGHT **30,5 KG**

⊖ REAR SHOCK **-**

⚙️ REAR DERAILLEUR **SHIMANO XT SHADOW RD-T8000 10S**

🛞 BRAKE **SHIMANO DEORE BR-MT500 + GEPIDA ALLOY V**

🌀 TYRE **SCHWALBE ENERGIZER W/ REFLECTIVE TAPE 40-622**

📏 SADDLE **VELO 6142**

💡 LIGHT **TRELOCK PRIO 50 / TRELOCK LS611 6-12V**

ARTICLE NUMBER

30182550

COLOR



30182550A


HEAD SET: **FSA NO.11N** | STEM: **GEPIDA TDS-D299 ADJUSTABLE** | HANDLE BAR: **GEPIDA ALLOY 620 MM / 640 MM OS** | GRIP: **VELO VLG-775-12D2 + VLP-171 / VELO VLG-1185D3** | BRAKE LEVER: **SHIMANO DEORE BL-MT500 + GEPIDA ALLOY XL92** | BRAKE DISC F/R: **SHIMANO DEORE RT-54M 180MM** | SHIFTING LEVER: **SHIMANO DEORE SL-T6000 10S** | SEAT POST: **KALLOY SPDCT 27,2X300MM** | CRANKARM: **FSA CK-745 170 MM INTEGRATED CHAINGUARD/SHIMANO ALIVIO FC-T4010 42T** | CHAINWHEEL: **FSA 17T STEEL** | CASSETTE/COG: **SHIMANO TIAGRA CS-HG500-10 11-34T 10S** | CHAIN: **SHIMANO DEORE CN-HG54 10S** | RIM: **RODI AIRLINE1 28"**, 36H | FRONT HUB: **SHIMANO ALIVIO HB-M4050 QR 32H** | REAR HUB: **SHIMANO DEORE FH-M6010 X12 32H** | SPOKE: **SAPIM 13G STAINLESS STEEL** | RACK: **MASSLOAD CL 905A** | MUDGUARD: **SKS USC** | CHAIN COVER: **-** | LOCK: **-** | PEDAL: **XERAMA SP-811 ALLOY W/ CATEYE**



MTB E-BIKE

ASGARD FS PRO XT 11



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	ROCKSHOX MONARCH RT3 200X51MM
△ FRAME SIZE	17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO XT SHADOW+ RD-M8000 11S
⌒ FORK	ROCKSOX RECON GOLD RL ONELOC TAPERED 15QR 120MM	🔧 BRAKE	SHIMANO XT BR-M8000
○ WHEEL SIZE	27,5"	🌀 TYRE	SCHWALBE NOBBY NIC SNAKESKIN 27,5X2,35
⚙ GEARS	11	📜 SADDLE	VELO VL-3315 W/ GEL
📦 WEIGHT	23,1 KG	💡 LIGHT	-
ARTICLE NUMBER 30182170 27,5"		COLOR	 30182170A

HEAD SET: **FSA NO.42ACB** | STEM: **GEPIDA/TRANZX JDST-58A EXT: 60/70/80MM** | HANDLE BAR: **GEPIDA ALLOY 720 MM, RISE:30MM** | GRIP: **VELO VLG-775-12D2 + VLP-171** | BRAKE LEVER: **SHIMANO XT BL-M8000** | BRAKE DISC F/R: **SHIMANO DEORE RT-54M 180MM** | SHIFTING LEVER: **SHIMANO XT SL-M8000 I-SPECII** | SEAT POST: **GEPIDA SP-226 30,4X350** | CRANKARM: **F S A CK-745 170/175MM** | CHAINWHEEL: **FSA 15T STEEL** | CASSETTE/COG: **SHIMANO XT CS-M8000-11 11-40T** | CHAIN: **SHIMANO CN-HG601-11 11S** | RIM: **RODI BLACKROCK 27,5" 32H** | FRONT HUB: **SHIMANO XT HB-M8010 QR15 32H** | REAR HUB: **SHIMANO XT FH-M8010 X12 32H** | SPOKE: **MACH1 DB PRO 2/1,7/2 STEEL BLACK** | RACK: **-** | MUDGUARD: **-** | CHAIN COVER: **-** | LOCK: **ABUS BATTERY LOCK** | PEDAL: **-**



ASGARD FS RACE XT 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY
△ FRAME SIZE	17" 19" 21"
∩ FORK	ROCKSOX RECON RL ONELOC TAPERED 15QR 120MM
○ WHEEL SIZE	27,5"
⚙️ GEARS	10
📖 WEIGHT	23,3 KG

⊙ REAR SHOCK	ROCKSHOX MONARCH RT3 200X51MM
🦋 REAR DERAILLEUR	SHIMANO XT SHADOW RD-M781 10S
🔦 BRAKE	SHIMANO DEORE BR-M6000
🌀 TYRE	SCHWALBE NOBBY NIC SNAKESKIN 27,5X2,35
📖 SADDLE	VELO VL-3315 W/ GEL
💡 LIGHT	-

ARTICLE NUMBER **30182160** 27,5"

COLOR  **30182160A**

HEAD SET: **FSA NO.42B** | STEM: **GEPIDA/TRANZX JDST-58A EXT: 60/70/80MM** | HANDLE BAR: **GEPIDA ALLOY 720 MM, RISE:30MM** | GRIP: **VELO VLG-775-12D2 + VLP-171** | BRAKE LEVER: **SHIMANO DEORE BL-M6000** | BRAKE DISC F/R: **SHIMANO DEORE RT-54M 180MM** | SHIFTING LEVER: **SHIMANO SLX SL-M670 10S** | SEAT POST: **GEPIDA SP-226 30,4X350** | CRANKARM: **FSA CK-745 170/175MM** | CHAINWHEEL: **FSA 15T STEEL** | CASSETTE/COG: **SHIMANO TIAGRA CS-HG500-10 11-34T 10S** | CHAIN: **SHIMANO DEORE CN-HG54 10S** | RIM: **RODI BLACKROCK 27,5" 32H** | FRONT HUB: **SHIMANO DEORE HB-M6010 QR15 32H** | REAR HUB: **SHIMANO DEORE FH-M6010 X12 32H** | SPOKE: **MACH1 STAINLESS STEEL BLACK** | RACK: **-** | MUDGUARD: **-** | CHAIN COVER: **-** | LOCK: **-** | **ABUS BATTERY LOCK** | PEDAL: **-**

ASGARD FS COMP DEORE 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	SUNTOUR DUAIR LO-R 200X51MM
△ FRAME SIZE	17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO DEORE SHADOW RD-M610 10S
⌒ FORK	SUNTOUR XCR AIR LO-R TAPERED 15QLC 120MM	🔧 BRAKE	SHIMANO ACERA BR-M395
○ WHEEL SIZE	27,5"	🌀 TYRE	SCHWALBE NOBBY NIC PERFORMANCE 27,5X2,25
⚙ GEARS	10	📵 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	23,4 KG	💡 LIGHT	-
ARTICLE NUMBER	30182150	COLOR	30182150A

HEAD SET: FSA NO.42B | STEM: GEPIDA/TRANZX JDST-58A EXT: 60/70/80MM | HANDLE BAR: GEPIDA ALLOY 720 MM, RISE:30MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ACERA BL-M396 | BRAKE DISC F/R: SHIMANO DEORE RT-54M 180MM | SHIFTING LEVER: SHIMANO DEORE SL-M610 10S | SEAT POST: GEPIDA SP-226 30,4X350 | CRANKARM: FSA CK-745 170/175MM | CHAINWHEEL: FSA 15T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 27,5" 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6010 X12 32H | SPOKE: MACH1 STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: -

ASGARD PRO XT 11 POWERTUBE



△ FRAME	GEPIDA SMART TUBING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO XT SHADOW+ RD-M8000 11S
⌒ FORK	ROCKSHOX RECON RL CROWN TAPERED 15QR 100MM	🔧 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	27,5"	🌀 TYRE	SCHWALBE NOBBY NIC 27,5X2,35
⚙ GEARS	11	📵 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	20,9 KG	💡 LIGHT	-
ARTICLE NUMBER	30182080	COLOR	30182080A

HEAD SET: FSA NO.42B | STEM: GEPIDA/TRANZX JDST-58A EXT: 70/80/90MM | HANDLE BAR: GEPIDA ALLOY 720 MM, RISE:30MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-M6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54M 180MM / RT-54S 160MM | SHIFTING LEVER: SHIMANO SLX SL-M7000-11 I-SPECII 11S | SEAT POST: GEPIDA SP-226 31,6X400MM | CRANKARM: FSA CK-745 170/175MM | CHAINWHEEL: FSA 15T STEEL | CASSETTE/COG: SHIMANO SLX CS-M7000 11-40T 11S | CHAIN: SHIMANO CN-HG601-11 11S | RIM: RODI BLACKROCK 27,5" 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6000 QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

ASGARD 1000 SLX 10



△ FRAME	GEPIDA SMART TUBING - 6061 ALLOY	⊖ REAR SHOCK	-
△ FRAME SIZE	15" 17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO SLX SHADOW+ RD-M7000-10 10S
⌵ FORK	ROCKSHOX RECON RL CROWN TAPERED 15QR 100MM	🔧 BRAKE	SHIMANO DEORE BR-M6000
⊙ WHEEL SIZE	27,5"	🌀 TYRE	SCHWALBE NOBBY NIC 27,5X2,35
⚙ GEARS	10	📜 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	20,9 KG	💡 LIGHT	-
ARTICLE NUMBER	30182070	COLOR	
	27,5"	30182070A	30182070B

HEAD SET: FSA NO.42B | STEM: GEPIDA/TRANZX JDST-58A EXT: 60/70/80/90MM | HANDLE BAR: GEPIDA ALLOY 720 MM, RISE:30MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-M6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54M 180MM / RT-54S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 I-SPECII 10S | SEAT POST: GEPIDA SP-226 31,6X400MM | CRANKARM: FSA CK-745 170/175MM | CHAINWHEEL: FSA 15T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 27,5" 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6000 QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

FORTIS DEORE 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊖ REAR SHOCK	-
△ FRAME SIZE	15" 17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO DEORE SHADOW+ RD-M6000 10S
⌵ FORK	SUNTOUR XCR 32 RL-R COIL TAPERED 15QLC-110 100MM	🔧 BRAKE	SHIMANO ACERA BR-M395
⊙ WHEEL SIZE	27,5"+	🌀 TYRE	SCHWALBE ROCKET RON 27,5X3,0
⚙ GEARS	10	📜 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	21,9 KG	💡 LIGHT	-
ARTICLE NUMBER	30182060	COLOR	
	27,5"+	30182060A	

HEAD SET: FSA NO.42B | STEM: GEPIDA/TRANZX JDST-58A EXT: 60/70/80/90MM | HANDLE BAR: GEPIDA ALLOY 720 MM, RISE:30MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ACERA BL-M395 | BRAKE DISC F/R: SHIMANO DEORE RT-54M 180MM / RT-54S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEAT POST: KALLOY SPDC1 30,9X400MM | CRANKARM: FSA CK-310 170/175MM | CHAINWHEEL: FSA 15T BOOST STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI READY35 650B+ 32H | FRONT HUB: SHIMANO DEORE HB-M6010B QR15 BOOST 32H | REAR HUB: SHIMANO DEORE FH-M6010B X12 BOOST 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

RUGA PRO DEORE 10 POWERTUBE



△ FRAME	GEPIDA SMART TUBING - 6061 ALLOY
△ FRAME SIZE	17" 19" 21"
⌒ FORK	SUNTOUR XCR 32 RL-R COIL TAPERED QR 100MM
○ WHEEL SIZE	29" & 27,5"
⚙️ GEARS	10
⚖️ WEIGHT	21,9 KG

⊗ REAR SHOCK	-
⚙️ REAR DERAILLEUR	SHIMANO DEORE SHADOW+ RD-M6000 10S
🔒 BRAKE	SHIMANO ACERA BR-M395
🌀 TYRE	SCHWALBE RAPID ROB 29X2,25 / 27,5X2,25
📖 SADDLE	VELO VL-3315 W/ GEL
🔦 LIGHT	-

ARTICLE NUMBER
30182050

29"

ARTICLE NUMBER
30182030

27,5"

COLOR	30182050A	30182050B
  	30182030A	30182030B

HEAD SET: FSA NO.42B | STEM: GEPIDA/TRANZX JDST-58A EXT: 70/80/90MM | HANDLE BAR: GEPIDA ALLOY 720 MM DB FLAT TOP | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ACERA BL-M396 | BRAKE DISC F/R: SHIMANO DEORE RT-56M 180MM / RT-56S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEAT POST: KALLOY SPDC1 30,9X400MM | CRANKARM: FSA CK-310 170/175MM | CHAINWHEEL: FSA 15T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 29" 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

RUGA 1000 DEORE 10



RUGA 1000 DEORE 10

ARTICLE NUMBER
30182040

29"

COLOR



30182040A



30182040B

△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY
△ FRAME SIZE	15" 17" 19" 21"
⌒ FORK	SUNTOUR XCR 32 RL-R COIL TAPERED QR 100MM
○ WHEEL SIZE	29" & 27,5"
⚙️ GEARS	10
📖 WEIGHT	21,9 KG

⊖ REAR SHOCK	-
⚙️ REAR DERAILLEUR	SHIMANO DEORE SHADOW+ RD-M6000 10S
🔒 BRAKE	SHIMANO ACERA BR-M395
🌀 TYRE	SCHWALBE RAPID ROB 29X2,25 / 27,5X2,25
📖 SADDLE	VELO VL-3315 W/ GEL
💡 LIGHT	-

ARTICLE NUMBER
30182020

27,5"

COLOR



30182020A



30182020B

HEAD SET: FSA NO.42B | STEM: GEPIDA/TRANZX JDST-58A EXT: 60/70/80/90MM | HANDLE BAR: GEPIDA ALLOY 720 MM, RISE:30MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ACERA BL-M396 | BRAKE DISC F/R: SHIMANO DEORE RT-56M 180MM / RT-56S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEAT POST: KALLOY SPDC1 31,6X400MM | CRANKARM: FSA CK-310 170/175MM | CHAINWHEEL: FSA 15T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 27,5" 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

SIRMIUM 1000 DEORE 9



SIRMIMUM 1000 DEORE 9



ARTICLE NUMBER

30182010

29"

COLOR



30182010A

FRAME **GEPIDA - 6061 ALLOY**FRAME SIZE **15" 17" 19" 21"**FORK **SUNTOUR XCR 32 LO COIL TAPERED QR 100MM**WHEEL SIZE **29" & 27,5"**GEARS **9**WEIGHT **24,7 KG**

REAR SHOCK -

REAR DERAILLEUR **SHIMANO DEORE SHADOW RD-M592 9S**BRAKE **SHIMANO ALTUS BR-M315**TYRE **SCHWALBE RAPID ROB 29X2,25 / 27,5X2,25**SADDLE **VELO VL-3315 W/ GEL**

LIGHT -

ARTICLE NUMBER

30182000

27,5"

COLOR



30182000A

HEAD SET: **FSA NO.42B** | STEM: **GEPIDA/TRANZX JDST-58A EXT: 60/70/80/90MM** | HANDLE BAR: **GEPIDA ALLOY 720 MM, RISE:30MM** | GRIP: **VELO VLG-775-12D2 + VLP-171** | BRAKE LEVER: **SHIMANO ALTUS BL-M315** | BRAKE DISC F/R: **SHIMANO DEORE RT-56M 180MM / RT-56S 160MM** | SHIFTING LEVER: **SHIMANO ALTUS SL-M2000 9S** | SEAT POST: **KALLOY SPDC1 31,6X400MM** | CRANKARM: **FSA CK-310 170/175MM** | CHAINWHEEL: **FSA 15T STEEL** | CASSETTE/COG: **SHIMANO ACERA CS-HG200 11-34T 9S** | CHAIN: **SHIMANO CN-HG53 9S** | RIM: **RODI BLACKROCK 27,5" 32H** | FRONT HUB: **FORMULA DC-20LW QR 32H** | REAR HUB: **FORMULA DC-22W QR 32H** | SPOKE: **SAPIM STAINLESS STEEL BLACK** | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: **ABUS BATTERY LOCK** | PEDAL: **XERAMA SP-610 ALLOY W/ CATEYE**

GILPIL 1000 ALIVIO 9



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **14"**

⌒ FORK **SUNTOUR XCT JR-L HLO 24" 80MM**

○ WHEEL SIZE **24"**

⚙️ GEARS **9**

⚖️ WEIGHT **14,8 KG**

⊖ REAR SHOCK **-**

⚙️ REAR DERAILLEUR **SHIMANO ALIVIO SHADOW RD-M4000 9S**

🔧 BRAKE **SHIMANO ALTUS BR-M365**

🌀 TYRE **SCHWALBE SMART SAM 24X2,1**

📏 SADDLE **VELO VL-3315 W/ GEL**

💡 LIGHT **-**

ARTICLE NUMBER

30181540

24"

COLOR



30181540A

HEAD SET: FSA NO.11N | STEM: GEPIDA/TRANZX JDST-58A EXT: 60MM | HANDLE BAR: GEPIDA ALLOY 580 MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ALTUS BL-M365 | BRAKE DISC F/R: SHIMANO DEORE RT-56S 160MM | SHIFTING LEVER: SHIMANO ALTUS SL-M2000 9S | SEAT POST: GEPIDA ALLOY, 27,2X300 MM | CRANKARM: FSA CK-400 GEN3 155MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: SHIMANO ACERA CS-HG200 11-34T 9S | CHAIN: SHIMANO CN-HG53 9S | RIM: BERETTA MT240E 24" W/ EYELET 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-400 PP BODY W/ CATEYE

ELEMUND SLX 10



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **17" 19" 21"**

⌒ FORK **ROCKSHOX BLUTO RL CROWN 100MM QR15 TAPERED**

○ WHEEL SIZE **26" FAT**

⚙️ GEARS **10**

⚖️ WEIGHT **22,75 KG**

⊖ REAR SHOCK **-**

⚙️ REAR DERAILLEUR **SHIMANO SLX SHADOW RD-M670 10S**

🔧 BRAKE **SHIMANO BR-M395**

🌀 TYRE **SCHWALBE JUMBO JIM 26X4,0**

📏 SADDLE **VELO VL-3315 W/ GEL**

💡 LIGHT **-**

ARTICLE NUMBER

30182560

26"
FAT

COLOR



30182560A

HEAD SET: FSA NO.42B | STEM: GEPIDA/TRANZX JDST-58A EXT: 60/70/80MM | HANDLE BAR: GEPIDA ALLOY 720 MM, RISE:30MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO BL-M425 | BRAKE DISC F/R: SHIMANO DEORE RT-56M 180MM | SHIFTING LEVER: SHIMANO DEORE SL-M610 10S | SEAT POST: KALLOY SPDC1 31,6X400MM | CRANKARM: LASCO EB-11 170MM | CHAINWHEEL: LASCO 17T BOOST STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: ALEXRIMS BLIZZERK 80 32H | FRONT HUB: NOVATEC D201SB-15 QR15X150 32H | REAR HUB: NOVATEC D202SB X12X190 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

SHIMANO STEPS E8000

THE FIRST INTELLIGENT, SILENT AND EASY-TO-USE E-BIKE SYSTEM

Drive unit

The driving force – a compact, light drive unit specially designed for mountain bikes

with a shorter chain stay for better manoeuvrability and more clearance for tires and suspension. Major power output, 70Nm (max), 250W offering more support for greater climbing capability. Weighing in at under 3.2 kg lighter than DU-E6001, the E8000 offers easy handling while intuitive e-support gives the ride a natural feel.

CONTROL SWITCH / DISPLAY

Intuitive controls and display enhance natural feel

Power mode change feels intuitive, just like shifting. Ergonomic positioning of switch for mountain biking. Walk assist mode gives you motor assistance to push bike up steps or steep inclines. Customize your cycling computer for smartphone and tablet via wireless programming.

BATTERY AND MOUNT

High-quality, ultra-durable battery

MTB-dedicated design: waterproof, low profile, impact and vibration-resistant. High, **500Wh capacity** with superb reach. Ultra-durable battery with consistent recharge. Compatible with E6000 series.

CRANK ARM / CHAINRING

The futuristic crankset and chainring have something for everyone.

e-MTB dedicated crank set. Options between a hollow crank arm (XT-compatible) and a solid crank arm (Deore-compatible). Lightweight and rigid Hollowtech-II type BB axle. Chainring with Deore XT profile. Chain device with options between drive unit direct mount or frame mount.



ASGARD PRO XT 11 D12



△ FRAME	GEPIDA SHIMANO HYDROFORMING - 6061 ALLOY
△ FRAME SIZE	15" 17" 19" 21"
∩ FORK	ROCKSHOX RECON RL CROWN TAPERED 15QR 100MM
○ WHEEL SIZE	27,5"
⚙️ GEARS	11
📖 WEIGHT	21,02 KG

⊖ REAR SHOCK	-
⚙️ REAR DERAILLEUR	SHIMANO XT SHADOW+ RD-M8050 11S D12
💡 BRAKE	SHIMANO DEORE BR-M6000
🌪️ TYRE	SCHWALBE NOBBY NIC 27,5X2,35
📖 SADDLE	VELO VL-3315 W/ GEL
💡 LIGHT	-

ARTICLE NUMBER

30180800

27,5"

COLOR



30180800A

HEAD SET: FSA NO.42B | STEM: GEPIDA/TRANZX JDST-58A EXT: 60/70/80/90MM | HANDLE BAR: GEPIDA ALLOY 720 MM, RISE:30MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-M6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54M 180MM / RT-54S 160MM | SHIFTING LEVER: SHIMANO XT D12 SW-M8050 | SEAT POST: GEPIDA SP-226 31,6X400MM | CRANKARM: SHIMANO E8000 FC-E8000 | CHAINWHEEL: SHIMANO E8000 CR-E80 34T | CASSETTE/COG: SHIMANO SLX CS-M7000 11-40T | CHAIN: SHIMANO CN-HG601-11 11S | RIM: RODI BLACKROCK 27,5" 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6010 X12 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE



TREKKING BICYCLES

ALBOIN 900 28"



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **48, 52, 56CM**

○ WHEEL SIZE **28"**

⊂ FORK **SUNTOUR NCX-D 700C LO 63MM**

⚙️ GEARS **30**

⚖️ WEIGHT **18,6 KG**

ARTICLE NUMBER

30180390

🛑 BRAKE **SHIMANO ACERA BR-M395**

👉 FRONT DERAILLEUR **SHIMANO DEORE FD-T6000 TOP SWING DUAL PULL 31,8MM**

👉 REAR DERAILLEUR **SHIMANO XT RDT8000 SGS SHADOW**

🌀 TYRE **SCHWALBE MARATHON+ SMARTGUARD 40-622 W/ REFLECTIVE TAPE**

📅 SADDLE **SELLE ROYAL ARIEL HRC GEL**

💡 LIGHT **AXA PICO30 W/ STANDLIGHT / SLIM W/ STANDLIGHT**

COLOR

 **30180390A**

HEAD SET: **FSA TH807ST THREADED 1 1/8"** | STEM: **GEPIDA MQ-565 EXT: 85/105MM BB: 25,4MM** | HANDLE BAR: **GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM** | GRIP: **VELO VLG-649 AD2** | BRAKE LEVER: **SHIMANO ACERA BL-M425** | BRAKE DISC F/R: **SHIMANO RT-56S 160MM** | SHIFTING LEVER: **SHIMANO LX SL-T670 3X10S** | SEAT POST: **KALLOY SP-509 27,2X300MM** | CRANKSET: **SHIMANO LX FC-T551 48-36-26T 170/175MM** | BOTTOM BRACKET: **SHIMANO SM-BB INTEGRATED** | CASSETTE/COG: **SHIMANO TIAGRA CS-HG500-10 11-34T 10S** | CHAIN: **SHIMANO DEORE CN-HG54 10S** | RIM: **RODI EXCALIBUR XC 28", 32H** | FRONT HUB: **SHIMANO DH-3D32 QR 32H** | REAR HUB: **FORMULA DC-22 QR 32H** | SPOKE: **SAPIM STAINLESS BLACK** | RACK: **MASSLOAD CL-550** | MUDGUARD: **SKS** | CHAIN COVER: **-** | PEDAL: **XERAMA SP-811 ALLOY W/ CATEYE**

ALBOIN 700 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚫 BRAKE	SHIMANO ACERA BR-M396
△ FRAME SIZE	48, 52, 56CM	👉 FRONT DERAILLEUR	SHIMANO DEORE FD-T6000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO LX RD-T670 SGS 10S
⌒ FORK	SUNTOUR NCX-D 700C LO 63MM	🌀 TYRE	SCHWALBE SILENTO KEVLARGUARD 42-622 W/ REFELCTIVE TAPE
⚙️ GEARS	30	📅 SADDLE	SELLE ROYAL ARIEL HRC GEL
📖 WEIGHT	18,6 KG	💡 LIGHT	AXA PICO30 W/ STANDLIGHT / SLIM W/ STANDLIGHT

ARTICLE NUMBER

30180370

COLOR

30180370A

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-649 AD2
 | BRAKE LEVER: SHIMANO ACERA BL-M395 | BRAKE DISC F/R: SHIMANO RT-56S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-T6000 3X10S | SEAT POST: KALLOY SP-509 27,2X300MM |
 CRANKSET: SHIMANO DEORE FC-T521 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 121MM | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S |
 CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI EXCALIBUR XC 28", 32H | FRONT HUB: SHIMANO DH-3D32 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STAINLESS BLACK
 | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

ALBOIN 500 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚫 BRAKE	SHIMANO ALTUS BR-M365
△ FRAME SIZE	48, 52, 56CM	👉 FRONT DERAILLEUR	SHIMANO ACERA FD-T3000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO DEORE RD-M592 SHADOW
⌒ FORK	SUNTOUR NEX DS 700C HLO 63MM	🌀 TYRE	SCHWALBE SILENTO KEVLARGUARD 42-622 W/ REFELCTIVE TAPE
⚙️ GEARS	27	📅 SADDLE	SELLE ROYAL ARIEL HRC GEL
📖 WEIGHT	17,2 KG	💡 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER

30180350

COLOR

30180350A

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MTS-C297 EXT: 90/110MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A
 | BRAKE LEVER: SHIMANO ALTUS BL-M365 | BRAKE DISC F/R: SHIMANO RT-56S 160MM | SHIFTING LEVER: SHIMANO ACERA SL-M3000 3X9S | SEAT POST: KALLOY SP-509 27,2X300MM |
 CRANKSET: SUNTOUR XCM-T418 OC 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 113MM | CASSETTE/COG: SHIMANO ACERA CS-HG201 11-32T 9S | CHAIN:
 SHIMANO CN-HG53 9S | RIM: RODI EXCALIBUR XC 28", 32H | FRONT HUB: SHIMANO DH-3D32 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK:
 MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

ALBOIN 500 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚫 BRAKE	SHIMANO ALTUS BR-M365
△ FRAME SIZE	44, 48, 52CM	👉 FRONT DERAILLEUR	SHIMANO ACERA FD-T3000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO DEORE RD-M592 SHADOW
⌒ FORK	SUNTOUR NEX DS 700C HLO 63MM	🌀 TYRE	SCHWALBE SILENTO KEVLARGUARD 42-622 W/ REFELCTIVE TAPE
⚙️ GEARS	27	🚪 SADDLE	SELLE ROYAL ARIEL DRC
📖 WEIGHT	17,2 KG	💡 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER

30180356

COLOR

30180356A

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MTS-C297 EXT: 90MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS BL-M365 | BRAKE DISC F/R: SHIMANO RT-56S 160MM | SHIFTING LEVER: SHIMANO ACERA SL-M3000 3X9S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SUNTOUR XCM-T418 OC 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 113MM | CASSETTE/COG: SHIMANO ACERA CS-HG201 11-32T 9S | CHAIN: SHIMANO CN-HG53 9S | RIM: RODI EXCALIBUR XC 28", 32H | FRONT HUB: SHIMANO DH-3D32 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

ALBOIN 300 PRO 28"



△ FRAME	6061 ALLOY	🚫 BRAKE	SHIMANO ALTUS BR-M315
△ FRAME SIZE	48, 52, 56CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR NEX DS 700C HLO 63MM	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C W/ REFELCTIVE TAPE
⚙️ GEARS	24	🚪 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	17,2 KG	💡 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER

30180340

COLOR

30180340A

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MTS-C297 EXT: 110MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS BL-M315 | BRAKE DISC F/R: SHIMANO RT-26S 160MM | SHIFTING LEVER: SHIMANO ALTUS SL-M310 3X8S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100-K 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: BERETTA DISC25 622X19 | FRONT HUB: SHIMANO DH-3D32 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: MASSLOAD CL550 | MUDGUARD: SKS | CHAIN COVER: | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 300 28"



△ FRAME	6061 ALLOY	🚒 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE
△ FRAME SIZE	48, 52, 56CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR CR8 700C 50MM HL	🚲 TYRE	WTB/FREEDOM WEDGE 700X38C W/ REFELCTIVE TAPE
⚙️ GEARS	24	🚲 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	17,9 KG	💡 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT
ARTICLE NUMBER		COLOR	
30180330		🚲 🚲 🚲 30180330A	🚲 🚲 🚲 30180330B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MTS-C297 EXT: 110MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS ST-EF510 4FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS ST-EF510 3X8S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100-K 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: RODI SKORPION CNC 28" 32H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 32H | REAR HUB: FORMULA FM32 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 300 28"



△ FRAME	6061 ALLOY	🚒 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE
△ FRAME SIZE	44, 48, 52CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR CR8 700C 50MM HL	🚲 TYRE	WTB/FREEDOM WEDGE 700X38C W/ REFELCTIVE TAPE
⚙️ GEARS	24	🚲 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	17,9 KG	💡 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT
ARTICLE NUMBER		COLOR	
30180336		🚲 🚲 🚲 30180336A	🚲 🚲 🚲 30180336B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MTS-C297 EXT: 110MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS ST-EF510 4FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS ST-EF510 3X8S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100-K 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: RODI SKORPION CNC 28" 32H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 32H | REAR HUB: FORMULA FM32 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 300 28"



△ FRAME	6061 ALLOY	🚒 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE
△ FRAME SIZE	45, 50, 55CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR CR8 700C 50MM HL	🚲 TYRE	WTB/FREEDOM WEDGE 700X38C W/ REFELCTIVE TAPE
⚙️ GEARS	24	🚲 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	17,9 KG	💡 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER

30180335

COLOR



HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MTS-C297 EXT: 110MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS ST-EF510 4FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS ST-EF510 3X8S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100-K 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: RODI SKORPION CNC 28" 32H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 32H | REAR HUB: FORMULA FM32 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 200 PRO 28"



△ FRAME	6061 ALLOY	🚒 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	48, 52, 56CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO ACERA RD-M360 SGS 7/8S
⌒ FORK	SUNTOUR M3010 700C 63MM	🚲 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	🚲 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	17,2 KG	💡 LIGHT	AXA ECHO15 / X-RAY W/ STANDLIGHT

ARTICLE NUMBER

30180320

COLOR



HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 200 PRO 28"



△ FRAME	6061 ALLOY	🚒 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	44, 48, 52CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO ACERA RD-M360 SGS 7/8S
⌒ FORK	SUNTOUR M3010 700C 63MM	🚲 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	🚲 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	17,2 KG	💡 LIGHT	AXA ECHO15 / X-RAY W/ STANDLIGHT

ARTICLE NUMBER

30180326

COLOR



30180326A



30180326B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-519A
 | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 200 28"



△ FRAME	6061 ALLOY	🚒 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	M: 48, 52, 56 CM L: 44, 48, 52 CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM ENJOY 123 E 40 MM	🚲 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	🚲 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	17,3 KG	💡 LIGHT	BÜCHEL UNILED 15 / AXA X-RAY W/ STANDLIGHT

ARTICLE NUMBER

30180310

COLOR



30180310A












30180310B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: PROWHEEL A541 28-38-48/170 MM | BOTTOM BRACKET: PROWHEEL A541 48-38-28T 170MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 200 28"












△ FRAME	6061 ALLOY	🔧 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	44, 48, 52CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM ENJOY 123 E 40 MM	🌀 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	👉 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	17,3 KG	💡 LIGHT	BÜCHEL UNILED 15 / AXA X-RAY W/ STANDLIGHT
ARTICLE NUMBER	30180316	COLOR	   30180316B    30180316A    30180316C

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: PROWHELL A541 28-38-48/170 MM | BOTTOM BRACKET: PROWHELL A541 48-38-28T 170MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 100 28"












△ FRAME	STEEL	🔧 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	52, 56CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 28,6MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	STEEL	🌀 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	👉 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	17,2 KG	💡 LIGHT	BÜCHEL KB 50/75 HALOGEN / X-RAY W/ STANDLIGHT
ARTICLE NUMBER	30180300	COLOR	   30180300B    30180300A    30180300C

HEAD SET: STEEL BLACK | STEM: GEPIDA LS120 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: LOGAN 327AE ALLOY 4 FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 3X7S | SEAT POST: GEPIDA SP-501S STEEL 25,4X300MM | CRANKSET: PROWHELL A541 48-38-28T 170MM | BOTTOM BRACKET: THUN BASIC PLUS 128MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 100 28"



△ FRAME	STEEL	🔊 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	46CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 28,6MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	STEEL	🌀 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	📖 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	17,2 KG	💡 LIGHT	BÜCHEL KB 50/75 HALOGEN / X-RAY W/ STANDLIGHT
ARTICLE NUMBER	30180306	COLOR	   30180306B
			   30180306A
			   30180306C

HEAD SET: STEEL BLACK | STEM: GEPIDA LS120 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: LOGAN 327AE ALLOY 4 FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 3X7S | SEAT POST: GEPIDA SP-501S STEEL 25,4X300MM | CRANKSET: PROWHEEL A541 48-38-28T 170MM | BOTTOM BRACKET: THUN BASIC PLUS 128MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP



CROSS BICYCLES

ALBOIN 900 CRS 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚫 BRAKE	SHIMANO ACERA BR-M395
△ FRAME SIZE	48, 52, 56CM	🚲 FRONT DERAILLEUR	SHIMANO DEORE FD-T6000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO XT RDT8000 SGS SHADOW
⌒ FORK	SUNTOUR NCX-D 700C LO 63MM	🌀 TYRE	SCHWALBE SPICER 40-622 W/ REFLECTIVE TAPE
⚙️ GEARS	30	🚲 SADDLE	SELLE ROYAL DARDO GEL HRC
📖 WEIGHT	14,2 KG	💡 LIGHT	-

ARTICLE NUMBER
30180290

COLOR
 **30180290A**

HEAD SET: FSA NO.11N | STEM: GEPIDA/TRANZX JDST-58A EXT: 80/90/100MM | HANDLE BAR: GEPIDA ALLOY MTB AL-118 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ACERA BL-M425 | BRAKE DISC F/R: SHIMANO RT-56S 180MM | SHIFTING LEVER: SHIMANO LX SL-T670 3X10S | SEAT POST: GEPIDA ALLOY SP-226 27.2X300 MM | CRANKSET: SHIMANO LX FC-T551 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO SM-BB52 INTEGRATED | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI EXCALIBUR XC 28", 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

ALBOIN 700 CRS 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚫 BRAKE	SHIMANO ACERA BR-M396
△ FRAME SIZE	48, 52, 56CM	🚲 FRONT DERAILLEUR	SHIMANO DEORE FD-T6000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO LX RD-T670 SGS 10S
⌒ FORK	SUNTOUR NCX-D 700C LO 63MM	🌀 TYRE	SCHWALBE SMART SAM 700X40C
⚙️ GEARS	30	🚲 SADDLE	SELLE ROYAL DARDO GEL HRC
📖 WEIGHT	14,1 KG	💡 LIGHT	-

ARTICLE NUMBER
30180270

COLOR
 **30180270A**

HEAD SET: FSA NO.11N | STEM: GEPIDA/TRANZX JDST-58A EXT: 70/80/90MM | HANDLE BAR: GEPIDA ALLOY MTB AL-118 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ACERA BL-M395 | BRAKE DISC F/R: SHIMANO RT-56S 180MM | SHIFTING LEVER: SHIMANO DEORE SL-T6000 3X10S | SEAT POST: GEPIDA ALLOY SP-226 27.2X300 MM | CRANKSET: SHIMANO DEORE FC-T521 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 121MM | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI EXCALIBUR XC 28", 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

ALBOIN 500 CRS 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🛞 BRAKE	SHIMANO ALTUS BR-M365
△ FRAME SIZE	48, 52, 56CM	👉 FRONT DERAILLEUR	SHIMANO ACERA FD-T3000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO DEORE RD-M592 SHADOW
⌒ FORK	SUNTOUR NEX DS 700C HLO 63MM	🌀 TYRE	SCHWALBE CX COMP 40-622
⚙️ GEARS	27	📵 SADDLE	SELLE ROYAL DARDO HRC
📖 WEIGHT	15,1 KG	💡 LIGHT	-

ARTICLE NUMBER

30180250

COLOR

30180250A

HEAD SET: **FSA NO.11N** | STEM: **GEPIDA/TRANZX JDST-58A EXT: 80/90/100MM** | HANDLE BAR: **GEPIDA ALLOY MTB AL-118 600MM BB: 31,8MM** | GRIP: **VELO VLG-1185D3** | BRAKE LEVER: **SHIMANO ALTUS BL-M365** | BRAKE DISC F/R: **SHIMANO RT-56S 160MM** | SHIFTING LEVER: **SHIMANO ACERA SL-M3000 3X9S** | SEAT POST: **GEPIDA ALLOY SP-226 27.2X300 MM** | CRANKSET: **SUNTOUR XCM-T418 OC 48-36-26T 170/175MM** | BOTTOM BRACKET: **SHIMANO BB-ES300 OCTALINK 113MM** | CASSETTE/COG: **SHIMANO ACERA CS-HG201 11-32T 9S** | CHAIN: **SHIMANO CN-HG53 9S** | RIM: **RODI EXCALIBUR XC 28", 32H** | FRONT HUB: **FORMULA DC-20 QR 32H** | REAR HUB: **FORMULA DC-22 QR 32H** | SPOKE: **SAPIM STAINLESS BLACK** | RACK: **-** | MUDGUARD: **-** | CHAIN COVER: **-** | PEDAL: **XERAMA SP-610 ALLOY W/ CATYE**

ALBOIN 300 PRO CRS 28"



△ FRAME	6061 ALLOY	🛞 BRAKE	SHIMANO ALTUS BR-M315
△ FRAME SIZE	48, 52, 56CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR NEX 700C HLO 63MM	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	24	📵 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	14,9 KG	💡 LIGHT	-

ARTICLE NUMBER

30180240

COLOR

30180240A

HEAD SET: **FSA NO.11Q** | STEM: **KALLOY ASDC1 EXT: 90MM** | HANDLE BAR: **GEPIDA ALLOY AL-118 W: 600MM BB: 31,8MM** | GRIP: **VELO VLG-1185D3** | BRAKE LEVER: **SHIMANO ALTUS BL-M315** | BRAKE DISC F/R: **SHIMANO RT-26S 160MM** | SHIFTING LEVER: **SHIMANO ALTUS SL-M310 3X8S** | SEAT POST: **GEPIDA ALLOY SP-C207 27,2X300MM** | CRANKSET: **SUNTOUR XCC-T208 48-38-28T 170/175MM** | BOTTOM BRACKET: **SHIMANO BB-UN100 122,5MM** | CASSETTE/COG: **SHIMANO ALTUS CS-HG31 11-32T 8S** | CHAIN: **KMC Z72 8S** | RIM: **BERETTA DISC25 622X19** | FRONT HUB: **FORMULA DC-20 QR 32H** | REAR HUB: **FORMULA DC-22 QR 32H** | SPOKE: **SAPIM STEEL BLACK** | RACK: **-** | MUDGUARD: **-** | CHAIN COVER: **-** | PEDAL: **XERAMA SP-940 PP/STEEL W/ CATYE**

ALBOIN 300 CRS 28"



△ FRAME	6061 ALLOY	🚒 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE
△ FRAME SIZE	48, 52, 56CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR CR8 700C 50MM HLO	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	24	🚉 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	14,3 KG	💡 LIGHT	-

ARTICLE NUMBER
30180230

COLOR		
  	30180230A	  
		30180230B

HEAD SET: FSA NO.11Q | STEM: KALLOY ASDC1 EXT: 90MM | HANDLE BAR: GEPIDA ALLOY AL-118 W: 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ALTUS ST-EF510 2FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS ST-EF510 3X8S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: RODI SKORPION CNC 28" 32H | FRONT HUB: FORMULA FM21 QR 32H | REAR HUB: FORMULA RB30 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 300 CRS 28"



△ FRAME	6061 ALLOY	🚒 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE
△ FRAME SIZE	44, 48, 52CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR CR8 700C 50MM HLO	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	24	🚉 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	14,3 KG	💡 LIGHT	-

ARTICLE NUMBER
30180236

COLOR		
  	30180236A	

HEAD SET: FSA NO.11Q | STEM: KALLOY ASDC1 EXT: 75MM | HANDLE BAR: GEPIDA ALLOY AL-118 W: 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ALTUS ST-EF510 2FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS ST-EF510 3X8S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: RODI SKORPION CNC 28" 32H | FRONT HUB: FORMULA FM21 QR 32H | REAR HUB: FORMULA RB30 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 200 PRO CRS 28"



△ FRAME	6061 ALLOY	🚒 BRAKE	GEPIDA V-BRAKE TX-117
△ FRAME SIZE	48, 52, 56CM	🚒 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	🚒 REAR DERAILLEUR	SHIMANO ACERA RD-M360 SGS 7/8S
⌒ FORK	SUNTOUR M3010 700C 63MM	🚒 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	21	🚒 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	14,8 KG	🚒 LIGHT	-

ARTICLE NUMBER

30180220

COLOR

30180220A

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA CROSS STEEL W: 600MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 200 CRS 28"



△ FRAME	6061 ALLOY	🚒 BRAKE	GEPIDA V-BRAKE TX-117
△ FRAME SIZE	48, 52, 56CM	🚒 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	🚒 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM ENJOY 123E 40 MM	🚒 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	21	🚒 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	15,1 KG	🚒 LIGHT	-

ARTICLE NUMBER

30180210

COLOR

30180210A

 30180210B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA CROSS STEEL W: 600MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: PROWHEEL A541 48-38-28T 170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 200 CRS 28"



△ FRAME	6061 ALLOY	🔊 BRAKE	GEPIDA V-BRAKE TX-117
△ FRAME SIZE	44, 48, 52CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM ENJOY 123E 40 MM	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	21	👉 SADDLE	SELLE ROYAL ALPINE DRC
📦 WEIGHT	15,1 KG	💡 LIGHT	-
ARTICLE NUMBER		COLOR	
30180216		👉 30180216A	👉 30180216B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA CROSS STEEL W: 600MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: PROWHEEL A541 48-38-28T 170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP872N PP



MTB BICYCLES

ASGARD 29"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🔧 BRAKE	SHIMANO ACERA BR-M395
△ FRAME SIZE	17" 19" 21"	🚲 FRONT DERAILLEUR	SHIMANO SLX FD-M7025 DOWN SWING DUAL PULL 34,9MM
○ WHEEL SIZE	29"	🚲 REAR DERAILLEUR	SHIMANO SLX RD-M7000-11 GS SHADOW+ 11S
⌒ FORK	ROCKSHOX RECON TK 29" 100MM QR15 CROWN TAPERED	🌀 TYRE	SCHWALBE RAPID ROB 29X2,25
⚙️ GEARS	22	🚲 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	14,2 KG	💡 LIGHT	-

ARTICLE NUMBER

30180090

29"

COLOR



30180090A

HEAD SET: FSA NO.42B | STEM: GEPIDA/TRANZX JDST-58A EXT: 80/90/100MM | HANDLE BAR: GEPIDA ALLOY 720 MM DB FLAT TOP BB: 31,8MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ACERA BL-M425 | BRAKE DISC F/R: SHIMANO RT-54M 180MM / RT-54S 160MM | SHIFTING LEVER: SHIMANO SLX SL-M7000-11 2X11S | SEAT POST: GEPIDA ALLOY SP-226 31,6X400MM | CRANKSET: SHIMANO SLX FC-MT600 36-26T, 170/175MM | BOTTOM BRACKET: SHIMANO DEORE SM-BB52 | CASSETTE/COG: SHIMANO SLX CS-M7000 11-40T 11S | CHAIN: SHIMANO CN-HG601-11 11S | RIM: RODI BLACKROCK 29" 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6000 QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

RUGA 29"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🔧 BRAKE	SHIMANO ALTUS BR-M365
△ FRAME SIZE	17" 19" 21"	🚲 FRONT DERAILLEUR	SHIMANO ALTUS FD-M2000 DOWN SWING DUAL PULL 34,9MM
○ WHEEL SIZE	29"	🚲 REAR DERAILLEUR	SHIMANO DEORE RD-M592 SHADOW 9S
⌒ FORK	SUNTOUR XCR32 COIL LO-R DS 29" 100MM QR	🌀 TYRE	SCHWALBE SMART SAM 29X2,1 HS476
⚙️ GEARS	27	🚲 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	15,08 KG	💡 LIGHT	-

ARTICLE NUMBER

30180080

29"

COLOR



30180080A

HEAD SET: FSA NO.11N | STEM: GEPIDA/TRANZX JDST-58A EXT: 80/90/100MM | HANDLE BAR: GEPIDA ALLOY 720 MM DB FLAT TOP BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ALTUS BL-M365 | BRAKE DISC F/R: SHIMANO DEORE RT-56M 180MM / RT-56S 160MM | SHIFTING LEVER: SHIMANO ACERA SL-M3000 3X9S | SEAT POST: KALLOY SPDCT 31,6X400MM | CRANKSET: SUNTOUR XCM-T410 OC 40-30-22T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 113MM | CASSETTE/COG: SHIMANO ACERA CS-HG201 11-32T 9S | CHAIN: SHIMANO CN-HG53 9S | RIM: RODI BLACKROCK 29" 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

RUGA 27,5"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🛞 BRAKE	SHIMANO ALTUS BR-M365
△ FRAME SIZE	17" 19" 21"	🚲 FRONT DERAILLEUR	SHIMANO ALTUS FD-M2000 DOWN SWING DUAL PULL 34,9MM
○ WHEEL SIZE	27,5"	🚲 REAR DERAILLEUR	SHIMANO DEORE RD-M592 SHADOW 9S
⌒ FORK	SUNTOUR XCR32 COIL LO-R DS 27,5" 100MM QR	🌀 TYRE	SCHWALBE SMART SAM 27,5X2,1 HS476
⚙️ GEARS	27	🚲 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	15,1 KG	💡 LIGHT	-

ARTICLE NUMBER

30180070**27,5"**

COLOR

**30180070A**

HEAD SET: FSA NO.11N | STEM: GEPIDA/TRANZX JDST-58A EXT: 70/80/90MM | HANDLE BAR: GEPIDA ALLOY 720 MM, RISE:30MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ALTUS BL-M365 | BRAKE DISC F/R: SHIMANO DEORE RT-56M 180MM / RT-56S 160MM | SHIFTING LEVER: SHIMANO ACERA SL-M3000 3X9S | SEAT POST: KALLOY SPDC1 31,6X400MM | CRANKSET: SUNTOUR XCM-T410 OC 40-30-22T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 113MM | CASSETTE/COG: SHIMANO ACERA CS-HG201 11-32T 9S | CHAIN: SHIMANO CN-HG53 9S | RIM: RODI BLACKROCK 27,5" 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

SIRMIUM 29"



△ FRAME	6061 ALLOY	🛞 BRAKE	SHIMANO ALTUS BR-M315
△ FRAME SIZE	17" 19" 21"	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY700 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	29"	🚲 REAR DERAILLEUR	SHIMANO ACERA RD-M3000 SGS SHADOW
⌒ FORK	ZOOM VAXA 29" HL 100MM	🌀 TYRE	WTB-FREEDOM CUTLASS 29X2,1
⚙️ GEARS	24	🚲 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	15,6 KG	💡 LIGHT	-

ARTICLE NUMBER

30180060**29"**

COLOR

**30180060A****30180060B**







HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 31,8MM EXT: 75/90/105MM | HANDLE BAR: GEPIDA ALLOY 720 MM DB FLAT TOP BB: 31,8MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ALTUS BL-M315 | BRAKE DISC F/R: SHIMANO RT-26M 180MM / RT-26S 160MM | SHIFTING LEVER: SHIMANO ALTUS SL-M310 3X8S | SEAT POST: KALLOY SPDC1 31,6X400MM | CRANKSET: SUNTOUR XCC-T202 42-32-22T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 | RIM: BERETTA DISC25 622X19 | FRONT HUB: FORMULA DC-20 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

SIRMIUM 27,5"



△ FRAME	6061 ALLOY	🔊 BRAKE	SHIMANO ALTUS BR-M315
△ FRAME SIZE	17" 19" 21"	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY700 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	27,5"	👉 REAR DERAILLEUR	SHIMANO ACERA RD-M3000 SGS SHADOW
⌵ FORK	ZOOM VAXA 650B HL 100MM	🌀 TYRE	WTB-FREEDOM CUTLASS 27,5X2,1
⚙️ GEARS	24	👉 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	15,2 KG	🔊 LIGHT	-

ARTICLE NUMBER	27,5"
30180050	

COLOR	
  	30180050A
  	30180050B




HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 31,8MM EXT: 75/90/105MM | HANDLE BAR: GEPIDA ALLOY 720 MM, RISE:30MM BB: 31,8MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ALTUS BL-M315 | BRAKE DISC F/R: SHIMANO RT-26M 180MM / RT-26S 160MM | SHIFTING LEVER: SHIMANO ALTUS SL-M310 3X8S | SEAT POST: KALLOY SPDC1 31,6X400MMG | CRANKSET: SUNTOUR XCC-T202 42-32-22T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 | RIM: BERETTA DISC25 584X19 | FRONT HUB: FORMULA DC-20 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

MUNDO PRO 27,5"



△ FRAME	6061 ALLOY	🔊 BRAKE	SHIMANO BR-TX805
△ FRAME SIZE	17" 19" 21"	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY500 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	27,5"	👉 REAR DERAILLEUR	SHIMANO ACERA RD-M360 SGS 7/8S
⌵ FORK	ZOOM VAXA 650B HL 100MM	🌀 TYRE	WTB-FREEDOM GANGSTER 27,5X1,95
⚙️ GEARS	21	👉 SADDLE	SELLE ROYAL MACH
📖 WEIGHT	15,2 KG	🔊 LIGHT	-

ARTICLE NUMBER	27,5"
30180040	

COLOR	
  	30180040A

HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 25,4MM EXT: 70/90MM 7DEG | HANDLE BAR: GEPIDA ALLOY 640MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: SHIMANO RT-26S 160MM | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 31,6X400MM | CRANKSET: SUNTOUR XCC-T202 42-32-22T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO CS-HG200 12-32T 7S | CHAIN: KMC Z50 | RIM: BERETTA DISC25 584X19 | FRONT HUB: FORMULA DC-20 QR 32H | REAR HUB: FORMULA DC-22-7 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-400 PP W/ CATEYE

MUNDO 26"



△ FRAME	6061 ALLOY	🚫 BRAKE	GEPIDA V-BRAKE TX-118
△ FRAME SIZE	15" 17" 19" 21"	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	26"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM BRAVO 410E 26" 50MM	🌀 TYRE	WTB-FREEDOM GANGSTER 26X1,95
⚙️ GEARS	21	🚪 SADDLE	SELLE ROYAL MACH
📖 WEIGHT	14,3 KG	💡 LIGHT	-
ARTICLE NUMBER		COLOR	
30180030	26"	📖 🚪 📖	30180030B
		📖 🚪 📖	30180030A
		📖 🚪 📖	30180030C

HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 25,4MM EXT: 70/90MM 7DEG | HANDLE BAR: GEPIDA ALLOY 600 MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 31,6X400MM | CRANKSET: PROWHEEL A541 48-38-28T 170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT-240 26" 36H | FRONT HUB: FORMULA FM21 QR 36H | REAR HUB: FORMULA FM31 QR 36H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-400 PP W/ CATEYE

MUNDO 26"



△ FRAME	6061 ALLOY LADY	🚫 BRAKE	GEPIDA V-BRAKE TX-118
△ FRAME SIZE	16"	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	26"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM BRAVO 410E 26" 50MM	🌀 TYRE	WTB-FREEDOM GANGSTER 26X1,95
⚙️ GEARS	21	🚪 SADDLE	SELLE ROYAL MACH
📖 WEIGHT	14,3 KG	💡 LIGHT	-
ARTICLE NUMBER		COLOR	
30180036	26"	📖 🚪 📖	30180036A
		📖 🚪 📖	30180036B

HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 25,4MM EXT: 75MM 15DEG | HANDLE BAR: GEPIDA ALLOY 600 MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 31,6X400MM | CRANKSET: PROWHEEL A541 48-38-28T 170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT-240 26" 36H | FRONT HUB: FORMULA FM21 QR 36H | REAR HUB: FORMULA FM31 QR 36H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-400 PP W/ CATEYE



URBAN & ROAD BICYCLES

SPESIS 28"



△ FRAME **SS STEEL**

△ FRAME SIZE **54, 58CM**

○ WHEEL SIZE **28"**

⌒ FORK **STEEL**

⚙️ GEARS **1**

📦 WEIGHT **9,9 KG**

ARTICLE NUMBER

30180110

💡 BRAKE **GEPIDA RC-452 CFA**

👉 FRONT DERAILLEUR **-**

👉 REAR DERAILLEUR **-**

🌀 TYRE **WTB/FREEDOM ROADRUNNER 700X25C**

👉 SADDLE **VELO VLG-1356**

💡 LIGHT **-**

COLOR



30180110A



30180110B



30180110C

HEAD SET: **FSA NO.20** | STEM: **GEPIDA/TRANZX JDST-58A EXT: 70MM** | HANDLE BAR: **GEPIDA ALLOY W: 680MM RISE: 25MM BB: 25,4MM** | GRIP: **VELO VLG-775-12D2 + VLP-171** | BRAKE LEVER: **PROMAX FS-373** | BRAKE DISC F/R: **-** | SHIFTING LEVER: **-** | SEAT POST: **GEPIDA ALLOY SP-C207 25,4X300MM** | CRANKSET: **PROWHEEL 246 46T 165 MM** | BOTTOM BRACKET: **FSA BB-7420ST 113MM** | CASSETTE/COG: **SINGLE SPEED 16T** | CHAIN: **KMC Z410** | RIM: **RODI AIRLINE4 622X13C** | FRONT HUB: **FORMULA TH50 36H** | REAR HUB: **FORMULA TH51 36H** | SPOKE: **SAPIM STEEL BLACK** | RACK: **-** | MUDGUARD: **-** | CHAIN COVER: **-** | PEDAL: **VP 536 PP W/ CATEYE**

S3



△ FRAME	SS STEEL	🔑 BRAKE	GEPIDA RC-452
△ FRAME SIZE	M: 54, 58CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	-
⌒ FORK	STEEL	🌀 TYRE	INNOVA 700X23C
⚙️ GEARS	1	📵 SADDLE	VELO VLG1356
📖 WEIGHT	10 KG	💡 LIGHT	-

ARTICLE NUMBER
30180100

COLOR		30180100C
		30180100A
		30180100B
		30180100E

HEAD SET: ALLOY A-HEAD | STEM: TRANZ-X 80MM | HANDLE BAR: GEPIDA ALLOY FLAT 440 MM | GRIP: VELO VLG-076 BROWN | BRAKE LEVER: GEPIDA ALLOY 239A | BRAKE DISC F/R: - | SHIFTING LEVER: - | SEAT POST: GEPIDA ALLOY 25,4X300 SP-232 | CRANKSET: PROWHEEL 246 46T/165 MM | BOTTOM BRACKET: NECO 113,5 MM | CASSETTE/COG: SINGLE SPEED 16T | CHAIN: KMC Z410 WHITE | RIM: RODI AIRLINE 4 700C 36HH | FRONT HUB: FORMULA ALLOY 36H | REAR HUB: - | SPOKE: - | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: -

BLEDA 200 20"



△ FRAME	GEPIDA ALLOY	🔑 BRAKE	LOGAN ALLOY V-BRAKE
△ FRAME SIZE	28 CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	20"	👉 REAR DERAILLEUR	SHIMANO NEXUS 3
⌒ FORK	STEEL	🌀 TYRE	INNOVA REFLECTIVE 20X1.75
⚙️ GEARS	3	📵 SADDLE	SELLE ROYAL RIO
📖 WEIGHT	12,7 KG	💡 LIGHT	AXA PICO 15/BASTA DELAYED

ARTICLE NUMBER
30180530

COLOR		30180530A
-------	--	------------------

HEAD SET: GEPIDA SEMI-INTEGRATED | STEM: GEPIDA ALLOY | HANDLE BAR: GEPIDA ALLOY 560 MM | GRIP: VELO VLG-609 | BRAKE LEVER: PROMAX XL-92 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 3 SL-3S41 | SEAT POST: GEPIDA ALLOY 34X540 MM | CRANKSET: PROWHEEL P113 46T/170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: MACH1 EXE CNC DOUBLE WALL 28H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 28H | REAR HUB: SHIMANO NEXUS 3 SG-3C41 28H | SPOKE: SAPIM STAINLESS | RACK: STANDWELL SW-CA316S | MUDGUARD: ORION W/ STAINLESS STAYS | CHAIN COVER: - | PEDAL: 240125

BANDON 810 28"



△ FRAME	6061 ALLOY	🛞 BRAKE	GEPIDA RC-452 CFA
△ FRAME SIZE	M: 52, 54, 56, 58, 60CM	🛞 FRONT DERAILLEUR	SHIMANO CLARIS FD-2403 31,8MM
○ WHEEL SIZE	28"	🛞 REAR DERAILLEUR	SHIMANO CLARIS RD-2400
⌒ FORK	ALLOY	🛞 TYRE	SCHWALBE LUGANO 700X25C
⚙️ GEARS	24	🛞 SADDLE	SELLE ROYAL VIPER
📦 WEIGHT	10 KG	💡 LIGHT	-
ARTICLE NUMBER	30180170	COLOR	🖤🖤🖤 30180170A

HEAD SET: GEPIDA INTEGRATED A-HEAD | STEM: GEPIDA, TDS-D507B OS 80, 100, 110MM | HANDLE BAR: GEPIDA ALLOY OS 400, 420, 440MM | GRIP: VELO VLT-004 BAR TAPE | BRAKE LEVER: SHIMANO ST-2403 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO CLARIS ST-2403 3X8S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: SHIMANO CLARIS FC-2403 30-39-50T/170 MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK | CASSETTE/COG: SHIMANO HG50-8 12-23T | CHAIN: KMC Z72 8S | RIM: RODI STYLUS 700C 36H | FRONT HUB: FORMULA RB31 QR 36H | REAR HUB: FORMULA RB30 QR 36H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: -



CITY BICYCLES

CLASSIC 28"



△ FRAME	GEPIDA 6061 ALLOY	🚫 BRAKE	GEPIDA TX-117 V-BRAKE + COASTER
△ FRAME SIZE	48, 52CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO NEXUS 3
⌒ FORK	ALLOY	🌀 TYRE	SCHWALBE BIG APPLE KEVLARGUARD 28X2.0
⚙️ GEARS	3	📖 SADDLE	SELLE ROYAL DRIFTER
📖 WEIGHT	17,6 KG	💡 LIGHT	BÜCHEL RETRO CHROME / BEETLE W/ STANDLIGHT

ARTICLE NUMBER
30180125



COASTER
BREAK

COLOR



30180125A



30180125B

HEAD SET: FSA TH-1150W | STEM: GEPIDA ALLOY HAC40 | HANDLE BAR: GEPIDA NR-AL3 ALLOY 600MM RISE: 64MM BB: 25,4MM | GRIP: VELO VLG-428D2 | BRAKE LEVER: LOGAN 327AE ALLOY 4 FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 3 SL-3S41 | SEAT POST: GEPIDA ALLOY SP-501 27,2X300MM | CRANKSET: PROWHEEL PRO-E40 38T 170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: RODI SKORPION CNC 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: SHIMANO NEXUS 3 SG-3C41 36H | SPOKE: SAPIM STAINLESS | RACK: STEEL | MUDGUARD: STEEL | CHAIN COVER: - | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

REPTILA 300 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚫 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE+COASTER
△ FRAME SIZE	45, 50CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO NEXUS 7
⌒ FORK	SUNTOUR CR7-V 700C 40 MM	🌀 TYRE	SCHWALBE ROAD CRUISER 42-622 W/ REFLECTIVE TAPE
⚙️ GEARS	7	📖 SADDLE	VELO 6142
📖 WEIGHT	17,4 KG	💡 LIGHT	AXA ECHO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER
30180435



COASTER
BREAK

COLOR



30180435A



30180435B

HEAD SET: GEPIDA INTEGRATED | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: GEPIDA LM-48 ALLOY | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 7 REVOSHIFT SL-C3000 | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: PROWHEEL 38T/170 MM | BOTTOM BRACKET: SHIMANO BB-UN100-K 122,5MM | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: BERETTA MT240E 28" 32H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 32H | REAR HUB: SHIMANO NEXUS 7 W/ COASTER SG-C3001-7C 32H | SPOKE: SAPIM STAINLESS | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP809 PP W/ CATEYE

AMSTERDAM 28"



△ FRAME	STEEL	🛞 BRAKE	LOGAN ALLOY V-BRAKE/SHIMANO COASTER
△ FRAME SIZE	52, 58CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO NEXUS 3
⌒ FORK	STEEL	🌀 TYRE	INNOVA 5204 REFLECTIVE 28X1 1/2
⚙️ GEARS	3	🐾 SADDLE	MARWI 2611
📖 WEIGHT	16,9 KG	💡 LIGHT	BÜCHEL RETRO/BASTA DELAYED

ARTICLE NUMBER
30180505



COASTER
BREAK

COLOR

30180505A

HEAD SET: **STEEL BLACK** | STEM: **HUMPERT STEEL HOLLAND** | HANDLE BAR: **HUMPERT STEEL HOLLAND 525 MM** | GRIP: **VELO VLG-213** | BRAKE LEVER: **PROMAX 117A** | BRAKE DISC F/R: - | SHIFTING LEVER: **SHIMANO REVOSHIFT** | SEAT POST: **STEEL 25.4X250** | CRANKSET: **PROWHEEL PW-FTR 46T/170 MM** | BOTTOM BRACKET: **NECO 113 MM MONOBLOCK** | CASSETTE/COG: **STURMEY ARCHER 19T** | CHAIN: **KMC Z410** | RIM: **BERETTA ALLOY 36H** | FRONT HUB: **SHIMANO DH-C3000-3N 6V 3W 36H** | REAR HUB: **SHIMANO NEXUS 3 SG-3C41 36H** | SPOKE: **STEEL** | RACK: **STEEL** | MUDGUARD: **STEEL** | CHAIN COVER: - | PEDAL: **240200**

AMSTERDAM KALOCSA 28"



△ FRAME	STEEL	🛞 BRAKE	LOGAN ALLOY V-BRAKE/SHIMANO COASTER
△ FRAME SIZE	52, 58CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO NEXUS 3
⌒ FORK	STEEL	🌀 TYRE	INNOVA 5204 REFLECTIVE 28X1 1/2
⚙️ GEARS	3	🐾 SADDLE	MARWI 2611
📖 WEIGHT	16,9 KG	💡 LIGHT	BÜCHEL RETRO/BASTA DELAYED

ARTICLE NUMBER
30180520



COASTER
BREAK


COLOR

30180520A

HEAD SET: **STEEL BLACK** | STEM: **HUMPERT STEEL HOLLAND** | HANDLE BAR: **HUMPERT STEEL HOLLAND 525 MM** | GRIP: **VELO VLG-213** | BRAKE LEVER: **PROMAX 117A** | BRAKE DISC F/R: - | SHIFTING LEVER: **SHIMANO REVOSHIFT** | SEAT POST: **STEEL 25.4X250** | CRANKSET: **PROWHEEL PW-FTR 46T/170 MM** | BOTTOM BRACKET: **NECO 113 MM MONOBLOCK** | CASSETTE/COG: **STURMEY ARCHER 19T** | CHAIN: **KMC Z410** | RIM: **BERETTA ALLOY 36H** | FRONT HUB: **SHIMANO DH-C3000-3N 6V 3W 36H** | REAR HUB: **SHIMANO NEXUS 3 SG-3C41 36H** | SPOKE: **STEEL** | RACK: **STEEL** | MUDGUARD: **STEEL** | CHAIN COVER: - | PEDAL: **240200**

REPTILA 500 28" M





△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	💡 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE+COASTER
△ FRAME SIZE	54, 58CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO NEXUS 8
⌒ FORK	SUNTOUR CR7-V 700C 40 MM	🌀 TYRE	SCHWALBE ROAD CRUISER 42-622 W/ REFLECTIVE TAPE
⚙️ GEARS	8	👉 SADDLE	VELO VL-6143
📖 WEIGHT	18 KG	💡 LIGHT	AXA ECHO15/SLIM DELAYED
ARTICLE NUMBER	30180450		
COLOR	 30180450A		

HEAD SET: GEPIDA SEMI-INTEGRATED | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: GEPIDA ALLOY LM-48 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO REVOSHIFT NEXUS 8 | SEAT POST: HL HARMONY SUSPENSION 27,2X300MM | CRANKSET: PROWHEEL 38T/170 MM | BOTTOM BRACKET: SHIMANO BB-UN100 | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: RODI SKORPION 28" 32H | FRONT HUB: SHIMANO HUBDYNAMO | REAR HUB: SHIMANO NEXUS 8 COASTER 32H | SPOKE: SAPIM STAINLESS | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP809 PP W/ CATEYE

REPTILA 500 28" W



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	💡 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE+COASTER	
△ FRAME SIZE	45, 50CM	👉 FRONT DERAILLEUR	-	
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO NEXUS 8	
⌒ FORK	SUNTOUR CR7-V 700C 40 MM	🌀 TYRE	SCHWALBE ROAD CRUISER 42-622 W/ REFLECTIVE TAPE	
⚙️ GEARS	8	👉 SADDLE	VELO VL-6142	
📖 WEIGHT	18 KG	💡 LIGHT	AXA ECHO15/SLIM DELAYED	
ARTICLE NUMBER	30180455			
COLOR	 30180455A		COLOR	 30180455B

HEAD SET: GEPIDA SEMI-INTEGRATED | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: GEPIDA ALLOY LM-48 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO REVOSHIFT NEXUS 8 | SEAT POST: HL HARMONY SUSPENSION 27,2X300MM | CRANKSET: PROWHEEL 38T/170 MM | BOTTOM BRACKET: SHIMANO BB-UN100 | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: RODI SKORPION 28" 32H | FRONT HUB: SHIMANO HUBDYNAMO | REAR HUB: SHIMANO NEXUS 8 COASTER 32H | SPOKE: SAPIM STAINLESS | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP809 PP W/ CATEYE

REPTILA 50 26"



△ FRAME	STEEL	🚲 BRAKE	LOGAN ALLOY V-BRAKE + COASTER
△ FRAME SIZE	44 CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	26"	👉 REAR DERAILLEUR	SHIMANO NEXUS 3
⌒ FORK	STEEL	🌀 TYRE	WTB/FREEDOM CONVERT 700X38C
⚙️ GEARS	3	🚲 SADDLE	JUSTEK UN5509
📖 WEIGHT	17,4 KG	💡 LIGHT	BÜCHEL KB 50/75 HALOGEN / X-RAY W/ STANDLIGHT

ARTICLE NUMBER
30180405



COASTER
BREAK

COLOR			30180405B
			30180405A
			30180405C

HEAD SET: STEEL BLACK | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL CITY 158 W: 600MM BB: 25,4MM | GRIP: VELO VLG-428D2 | BRAKE LEVER: LOGAN ALLOY/ PLASTIC 4-FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 3 SL-3S41 | SEAT POST: GEPIDA STEEL 28.6X300MM | CRANKSET: PROWHEEL FTR 38T 170MM | BOTTOM BRACKET: THUN BASIC PLUS 120MM | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: BERETTA MT-240 26" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: SHIMANO NEXUS 3 SG-3C41 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK W/ STEEL STAYS | CHAIN COVER: - | PEDAL: XERAMA SP872N PP W/ CATEYE

REPTILA 100 28"



△ FRAME	STEEL	🚲 BRAKE	LOGAN ALLOY V-BRAKE + COASTER
△ FRAME SIZE	45 CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO NEXUS 3
⌒ FORK	STEEL	🌀 TYRE	WTB/FREEDOM CONVERT 700X38C
⚙️ GEARS	3	🚲 SADDLE	JUSTEK UN5509
📖 WEIGHT	18,2 KG	💡 LIGHT	BÜCHEL UNILED 15 / AXA X-RAY W/ STANDLIGHT

ARTICLE NUMBER
30180485




COASTER
BREAK

COLOR			30180485B
			30180485A
			30180485C

HEAD SET: STEEL BLACK | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL CITY 158 W: 600MM BB: 25,4MM | GRIP: VELO VLG-428D2 | BRAKE LEVER: LOGAN ALLOY/PLASTIC 4-FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 3 SL-3S41 | SEAT POST: GEPIDA STEEL 28.6X300MM | CRANKSET: PROWHEEL FTR 38T 170MM | BOTTOM BRACKET: THUN BASIC PLUS 120MM | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: SHIMANO NEXUS 3 SG-3C41 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK W/ STEEL STAYS | CHAIN COVER: - | PEDAL: XERAMA SP872N PP W/ CATEYE

BERIG 100 28"



△ FRAME	STEEL	🔊 BRAKE	LOGAN ALLOY V-BRAKE
△ FRAME SIZE	45CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300
⌒ FORK	STEEL	🌀 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	6	👉 SADDLE	JUSTEK UN5509
📖 WEIGHT	16,8 KG	💡 LIGHT	BÜCHEL KB 50/75 HALOGEN / X-RAY W/ STANDLIGHT
ARTICLE NUMBER	COLOR		
30180565	 30180565A		

HEAD SET: STEEL BLACK | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL CITY 158 W: 600MM BB: 25,4MM | GRIP: VELO VLG-213 KRATON | BRAKE LEVER: LOGAN ALLOY/PLASTIC 4-FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 6S | SEAT POST: GEPIDA STEEL 28,6X300 MM | CRANKSET: PROWHEEL FTR 46T 170MM | BOTTOM BRACKET: THUN BASIC PLUS 128MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 6S | CHAIN: KMC HP20 6S | RIM: BERETTA MT240E 28" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK W/ STEEL STAYS | CHAIN COVER: - | PEDAL: XERAMA SP872N PP W/ CATEYE



JUNIOR BICYCLES

GILPIL 500 24"



△ FRAME	6061 ALLOY	🛞 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	29 CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY300 DOWN SWING DOWN PULL 31,8MM
○ WHEEL SIZE	24"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM BRAVO 410 E 24" 40 MM	🌀 TYRE	WTB-FREEDOM GANGSTER 24X1,95
⚙️ GEARS	21	📵 SADDLE	SELLE ROYAL PU-6550
📖 WEIGHT	12,1 KG	💡 LIGHT	-

ARTICLE NUMBER

30180650

COLOR

30180650A

HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 25,4MM EXT: 70MM 7DEG | HANDLE BAR: GEPIDA ALLOY HB-M301 W: 560MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: LL-338PAE 2FINGER JUNIOR | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 3X7S | SEAT POST: GEPIDA ALLOY 27.2X250 MM | CRANKSET: PROWHEEL PHAETON 120P 42-32-22T 152MM | BOTTOM BRACKET: SHIMANO BB-UN100 | CASSETTE/COG: SHIMANO MF-TZ21 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 24" 36H | FRONT HUB: FORMULA FM21 QR 36H | REAR HUB: FORMULA FM31 QR 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-400 PP W/ CATEYE

GILPIL 50 24"



△ FRAME	STEEL	🛞 BRAKE	GEPIDA LB-936 ALLOY V-BRAKE
△ FRAME SIZE	30 CM	👉 FRONT DERAILLEUR	STEEL FD-325ST 42T CLAMP: 28,6MM
○ WHEEL SIZE	24"	👉 REAR DERAILLEUR	SHIMANO TY RD-TZ500GS
⌒ FORK	STEEL	🌀 TYRE	WTB-FREEDOM GANGSTER 24X1,95
⚙️ GEARS	21	📵 SADDLE	SELLE ROYAL PU-6550
📖 WEIGHT	12,9 KG	💡 LIGHT	-

ARTICLE NUMBER

30180600

COLOR

30180600A
30180600B
30180600C






HEAD SET: STEEL BLACK | STEM: GEPIDA STEEL LS100 BB: 25,4MM EXT: 60MM | HANDLE BAR: GEPIDA STEEL HB-M201 W: 560MM BB: 25,4MM | GRIP: VELO VLG-213 KRATON | BRAKE LEVER: LL-338PAE 2FINGER JUNIOR | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 3X6S | SEAT POST: GEPIDA STEEL 25,4X250MM | CRANKSET: PROWHEEL MY-A543 42-34-24T 152MM | BOTTOM BRACKET: THUN BASIC PLUS 120MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 6S | CHAIN: KMC HP20 | RIM: BERETTA P24 24" 36H | FRONT HUB: ASSESS STEEL CAPNUT 36H | REAR HUB: ASSESS STEEL CAPNUT 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: XERAMA SP872N PP W/ CATEYE | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

GILPIL 50 24"



△ FRAME	STEEL	🛞 BRAKE	GEPIDA LB-936 ALLOY V-BRAKE
△ FRAME SIZE	35 CM	👉 FRONT DERAILLEUR	STEEL FD-325ST 42T CLAMP: 28,6MM
○ WHEEL SIZE	24"	👉 REAR DERAILLEUR	SHIMANO TY RD-TZ500GS
⌒ FORK	STEEL	🌀 TYRE	WTB-FREEDOM GANGSTER 24X1,95
⚙️ GEARS	21	📅 SADDLE	SELLE ROYAL PU-6550
📖 WEIGHT	13,1 KG	💡 LIGHT	-

ARTICLE NUMBER
30180605

COLOR			30180605B
			30180605A
			30180605C

HEAD SET: STEEL BLACK | STEM: GEPIDA STEEL LS100 BB: 25,4MM EXT: 60MM | HANDLE BAR: GEPIDA STEEL HB-M201 W: 560MM BB: 25,4MM | GRIP: VELO VLG-213 KRATON | BRAKE LEVER: LL-338PAE 2FINGER JUNIOR | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 3X6S | SEAT POST: GEPIDA STEEL 25,4X250MM | CRANKSET: PROWHEEL MY-A543 42-34-24T 152MM | BOTTOM BRACKET: THUN BASIC PLUS 120MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 6S | CHAIN: KMC HP20 | RIM: BERETTA P24 24" 36H | FRONT HUB: ASSESS STEEL CAPNUT 36H | REAR HUB: ASSESS STEEL CAPNUT 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: XERAMA SP872N PP W/ CATEYE | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

AUHA 12"



△ FRAME	ALLOY	🛞 BRAKE	GEPIDA VB-R207 ALLOY V-BRAKE
△ FRAME SIZE	20 CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	12"	👉 REAR DERAILLEUR	-
⌒ FORK	STEEL	🌀 TYRE	12X2,125 MTB TYPE W/ INNER TUBE
⚙️ GEARS	-	📅 SADDLE	GEPIDA KID
📖 WEIGHT	5,2 KG	💡 LIGHT	-

ARTICLE NUMBER
30180705

COLOR			30180705A			30180705C
			30180705B			30180705D

HEAD SET: STEEL BLACK | STEM: GEPIDA ALLOY BB: 22,2MM EXT: 50MM | HANDLE BAR: GEPIDA STEEL W: 400MM BB: 22,2MM RISE: 30MM | GRIP: GEPIDA KRATON | BRAKE LEVER: ALLOY MBL-308PA 2,5FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: - | SEAT POST: GEPIDA STEEL | CRANKSET: - | BOTTOM BRACKET: - | CASSETTE/COG: - | CHAIN: - | RIM: GEPIDA ALLOY 12" 16H | FRONT HUB: GEPIDA STEEL CAPNUT 16H | REAR HUB: GEPIDA STEEL CAPNUT 16H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE



ACCESSORIES



GEPIDA ORIGINAL ACCESSORIES

For 5 years now we have been offering accessories that match our bicycles in style and quality. We aim to follow this path, moreover, we are proud to present a new assortment for the 2018 season. The new elements and vibrant colours appearing on our bicycles will also be reflected in our accessories.

From the selection of the best materials to the smallest details, we create our accessories so that you can achieve whatever riding goals you have.

When we created our comfortable, but at the same time functional, clothing accessories our goal was for you to forget you are wearing anything at all, to guarantee the most comfortable riding experience.

Whether it's a ride with friends or competition, our goal is always to provide the best kit for riding.



GEPIDA HELMETS

Helmets can save lives, and one should always wear a helmet when riding on the trails or in the city and hot weather cannot be an excuse for not doing so. Due to the ergonomic design and the precise micro-metric adjustment system, our helmet fits perfectly so no compromises need to be made. The detachable and washable anti-bacterial padding channels sweat and dries quickly.

The system of massive vents ensures impressive ventilation with interior channelling not only providing maximum cooling power, but optimal airflow. The interchangeable bug-net protects from insects. Choose the helmet that fits your riding style and type of use best.



HELMETS



GEPIDA CITY HELMETS

- IN-MOLD SHELL CONSTRUCTION
- HIGH DENSITY EPS FOAM
- 19 AIR VENTS
- REAR VENTS FOR OPTIMUM AIR FLOW
- LIGHTWEIGHT + REFLECTIVE ADJUSTABLE STRAPS
- MICROMETRIC ADJUSTMENT SYSTEM
- QUICKDRY PADDING
- ONE EXTRA PAD WITH BUG NET
- DETACHABLE VISOR
- SIZES: S-M (56-58 CM), L-XL (58-61 CM)
- WEIGHT: 269 G

AVAILABLE COLORS

- BLACK/RED (GE101040-01)
- BLACK/YELLOW (GE101040-02)



HELMETS



GEPIDA MTB HELMETS

- IN-MOLD SHELL CONSTRUCTION
- HIGH DENSITY EPS FOAM
- 27 AIR VENTS
- REAR VENTS FOR OPTIMUM AIR FLOW
- LIGHTWEIGHT + REFLECTIVE ADJUSTABLE STRAPS
- MICROMETRIC ADJUSTMENT SYSTEM
- QUICKDRY PADDING
- ONE EXTRA PADDING WITH BUGNET
- SIZES: S-M (56-58 CM), L-XL (58-61 CM)
- WEIGHT: 215 G

AVAILABLE COLORS

- BLUE/WHITE (GE101010-01)
- PURPLE/WHITE (GE101020-01)
- RED/BLACK (GE101030-01)
- YELLOW/BLACK (GE101030-02)



MEN'S APPAREL

**SHORT SLEEVE JERSEY**

- QUICK DRY HIGHLY ELASTIC FABRIC
- 18 CM FRONT ZIPPER - THREE BACK POCKETS
- VERTICAL REFLECTOR STRIPE ON BACK POCKET
- AVAILABLE SIZES: M, L, XL, XXL
- COLOR: BLACK/RED (GE030701-02)

LONG SLEEVE JERSEY

- PARTICULARLY SOFT AND ELASTIC FLEECE INSIDE FABRIC
- FULL LENGTH ZIPPER IN THE FRONT
- THREE BACK POCKETS
- VERTICAL REFLECTOR STRIPE ON BACK POCKET
- AVAILABLE SIZES: M, L, XL, XXL
- COLOR: BLACK/RED (GE030706-02)

BIBTIGHT

- SOFT WINTER FABRIC, FLEECE INSIDE
- WIND AND ABRASION RESISTANT TWO WAY ELASTIC FABRIC
- ANTIBACTERIAL MOULDED 4-WAY ELASTIC PADDING
- ELASTIC CUFFS
- AVAILABLE SIZES: M, L, XL, XXL
- COLOR: BLACK/RED (GE030806-02)

BIBSHORT

- GEPIDA CYCLING BIBSHORT WITH U-FORMED INSERT
- WIND AND ABRASION RESISTANT TWO WAY ELASTIC FABRIC
- ANTIBACTERIAL MOULDED 4-WAY ELASTIC PADDING
- AVAILABLE SIZES: M, L, XL, XXL
- COLOR: BLACK/RED (GE030801-02)

SOCK

- COOLMAX® BASIC MATERIAL FOR EXCELLENT MOISTURE TRANSFER
- ELASTIC LYCRA® CUFF TOP AND ANKLE STABILIZER
- CONTOURED Y HEEL FOR MAXIMUM COMFORT
- FLAT STITCHING FOR COMFORT
- ELASTIC ARCH SUPPORT
- AVAILABLE CUFFS: 4" AND 6"
- AVAILABLE FOR MEN AND WOMEN



WOMEN'S APPAREL

**SHORT SLEEVE JERSEY**

- QUICK DRY HIGHLY ELASTIC FABRIC
- 18 CM ZIPPER ON THE FRONT
- THREE BACK POCKETS
- VERTICAL REFLECTOR STRIPE ON BACK POCKET
- AVAILABLE SIZES: S, M, L, XL
- COLOR: DARK BLUE/WHITE (GE040201-01)

LONG SLEEVE JERSEY

- PARTICULARLY SOFT AND ELASTIC FLEECE INSIDE FABRIC
- FULL LENGTH ZIPPER IN THE FRONT
- THREE BACK POCKETS
- VERTICAL REFLECTOR STRIPE ON BACK POCKET
- AVAILABLE SIZES: S, M, L, XL
- COLOR: DARK BLUE/WHITE (GE040200-01)

BIBTIGHT

- SOFT WINTER FABRIC, FLEECE INSIDE
- WIND AND ABRASION RESISTANT TWO WAY ELASTIC FABRIC
- ANTIBACTERIAL MOULDED 4-WAY ELASTIC PADDING
- ELASTIC CUFFS
- AVAILABLE SIZES: S, M, L, XL
- COLOR: DARK BLUE/WHITE (GE040215-01)

BIBSHORT

- GEPIDA CYCLING BIBSHORT WITH U FORMED INSERT
- WIND AND ABRASION RESISTANT TWO WAY ELASTIC FABRIC
- ANTIBACTERIAL MOULDED 4-WAY ELASTIC PADDING
- AVAILABLE SIZES: S, M, L, XL
- COLOR: DARK BLUE/WHITE (GE040210-01)

SOCK


- COOLMAX® BASIC MATERIAL FOR EXCELLENT MOISTURE TRANSFER
- ELASTIC LYCRA® CUFF TOP AND ANKLE STABILIZER
- CONTOURED Y HEEL FOR MAXIMUM COMFORT
- FLAT STITCHING FOR COMFORT
- ELASTIC ARCH SUPPORT
- AVAILABLE CUFFS: 4" AND 6"
- AVAILABLE IN MEN AND WOMEN



FRAME PROTECTORS

NEOPRENE FRAME PROTECTOR

- PROTECTS CHAIN STAY FROM SCRATCHES AND DINGS
- RUGGED LYCRA® AND NEOPRENE CONSTRUCTION
- LOOP-AND-LOCK CLOSURE
- INSTALLS IN SECONDS
- MACHINE WASHABLE
- COLORS: BASIC BLACK/WHITE (GE031001-01)
- BASIC BLACK/RED (GE031001-02)
- BASIC BLACK/YELLOW (GE031001-10)
- PRO BLACK/WHITE (GE031002-01)



CHAINSTAY & FRAME PROTECTOR STICKER SET

- SELF-ADHESIVE FRAME PROTECTOR STICKER SET
- PROTECTS THE CHAIN STAY AND FRAME FROM SCRATCHES
- AVAILABLE IN TRANSPARENT AND CARBON-BLACK
- WEIGHT: 7G
- COLOURS: TRANSPARENT (GE031003-05)
- CARBON-BLACK (GE031003-02)

BAGS

SADDLE BAG

- WATER RESISTANT 600D POLYESTER MATERIAL
- REFLECTIVE PRINTING ON SIDE AND BACK
- WITH VELCRO SYSTEM
- CAPACITY 0,7 L
- SAFETY LIGHT CLIP
- COLOR: BLACK (GE030606-02)



AERO SADDLE BAG

- WATER RESISTANT 600D POLYESTER MATERIAL
- REFLECTIVE PRINTING
- WITH VELCRO SYSTEM
- LARGE ACCESS
- OUTER ZIP POCKET
- INNER MESH POCKET
- EXPANDABLE DESIGN
- CAPACITY 1 L
- COLOR: BLACK (GE030607-02)



TRIANGLE BAG

- ZIP POCKET
- VELCRO ATTACHMENT FOR TOOLS AND SMALL PARTS
- MAIN POCKET WITH ZIP
- REFLECTIVE ELEMENTS
- COLOR: BLACK (GE030608-02)



TRUNK BAG

- 1 DIVIDED MAIN COMPARTMENT WITH MULTI-STAGE EXPANDABLE TOP
- TWO SIDED WITH EXPANDABLE PANNIERS
- 8L CAPACITY
- WATER RESISTANT 600D POLYESTER MATERIAL
- BAG ATTACHMENT HOOK AND LOOP FASTENER
- ADDED FEATURES - WATER BOTTLE HOLDER
- SHOULDER STRAP
- CARRYING HANDLE
- REFLECTIVE ELEMENTS
- SAFETY LIGHT CLIP
- ELASTIC TOP BUNGEEES
- COLOR: BLACK (GE030609-02)



LOCKS

GEPIDA U LOCK

- UV STABLE, RESISTANT FINISH
- SILICONE HOUSING PROVIDES GREAT SCRATCH PROTECTION
- PATENTED ULTRA B CYLINDER WITH EXTRA SECURITY
- TWO KEYS SUPPLIED WITH LOCK
- DIAMETER: 14 MM
- SIZE: 186 X 260 MM
- COLORS:
- BLACK (GE030503-02)
- ORANGE (GE030503-06)
- BLUE (GE030503-07)
- PURPLE (GE030503-08)



LOCK-CHAIN COMBINATION

- CLASSIC SQUARE CHAIN LOCK
- WITH FABRIC SLEEVE TO PREVENT DAMAGES
- CORROSION-RESISTANT LOCK AND CYLINDER
- TWO KEYS SUPPLIED WITH LOCK
- SIZE: 8 * 8 * 900 MM
- AVAILABLE IN BLACK (GE030505-02)



FOLDING LOCK

- FLEXIBLE, COMPACT DESIGN
- BRACKET INCLUDED
- PATENTED ULTRA B CYLINDER PROVIDES EXTRA SECURITY
- TWO KEYS ARE SUPPLIED WITH LOCK
- CORROSION PROTECTED
- LENGTH: 840 MM
- AVAILABLE IN BLACK (GE030504-02)



CABLE LOCK

- CORROSION PROOF VINYL COATING
- BRAIDED STEEL CABLE
- DIAMETER 25MM
- 1000MM LONG
- TWO KEYS SUPPLIED WITH LOCK
- AVAILABLE IN BLACK COLOUR (GE030506-02)

CHAIN LOCK

- CORROSION PROOF
- CYLINDER WITH ANTI-DRILL, ANTI-SAW AND ANTI-PICK PROTECTION
- 8X8 MM SQUARE LINK
- DURABLE SOFT NYLON SLEEVE PROVIDES SCRATCH PROTECTION
- SIZE: 1000 MM
- WITH 2 KEYS
- COLOURS: BLACK (GE030500-02) AND RED (GE030500-04)



BICYCLE TOOL BASIC

- UNIQUE GEPIDA DESIGN
- STAINLESS STEEL CR-V MATERIAL
- 8 FUNCTIONAL BICYCLE TOOLS:
- HEX: 2/2.5/3/4/5/6
- PH2 HEAD
- TORX T25
- AVAILABLE IN BLACK COLOUR (GE030008)

LOCKS



GE030502-02

SPIRAL CABLE LOCK

- CORROSION PROOF
- 12 MM BRAIDED STEEL CABLE
- TOUGH VINYL CABLE COVER IN BLACK
- SIZE: 1800 MM
- DIAMETER 12 MM
- TWO KEYS SUPPLIED WITH LOCK
- COLOURS: BLACK (GE030502-02), RED (GE0300502-04)



BICYCLE TOOL PRO

- UNIQUE GEPIDA DESIGN
- STAINLESS STEEL CR-V MATERIAL
- 15 FUNCTION BICYCLE TOOL
- HEX: 2/2.5/3/4/5/6/8
- FLAT AND PH2 HEAD
- TORX T25
- TIRE LEVER
- CHAIN TOOL
- SPOKE WRENCH
- BOTTLE OPENER
- AVAILABLE IN BLACK COLOUR (GE030015)



LIFELONG WARRANTY ON GEPIDA FRAMES

In the framework of a lifetime warranty, Gepida undertakes to repair or replace the faulty or damaged frames of bikes in a short time by our team or directly through the distributor. Both the expertise of our engineers and high technology of our professional manufacturing can assure a lifetime warranty on the frames of our bicycles. This is why long term durability and simplicity of use is at the core of our product philosophy.

To activate the warranty process, remember to register on our website at the bike registration section. The warranty is validated automatically along with the ownership. Your satisfaction and the joy of riding without any problems for many years to come is essential to us.



GEPIDA FACTORY STORE – THE ENTIRE RANGE OF GEPIDA PRODUCTS UNDER ONE ROOF!

Hungary's leading e-bike producer has opened a new premium category bicycle store in the heart of Budapest.

Gepida, Hungary's leading e-bike producer, has opened a new premium category bicycle store in the heart of Budapest. The idea behind the new store is to directly represent the Gepida factory and present the entire product range in one place, while at the same time offering the highest quality customer service with the largest selection of e-bikes in the downtown area of Budapest.

"We offer quality and a presentation of our product range that is unique and not to be found at any other bike store in Hungary. It's not about a lot of bikes crammed into a shop. It's the way they are presented and the inspiring environment that almost makes you jump on the saddle right away" said György Berkes, founder and owner of Gepida right before the ribbon-cutting. He also talked about his vision of this store, which began 8 years ago. He wanted Gepida to have a brand shop of its own and work started on the factory store 1,5 years ago with his esteemed colleague, Zsolt Rózsa.

Representing the company running the shop, Go Mobility Ltd., Bence Gosztanyi also rejoiced about their dream coming true opening the Factory Store. The shop can serve the needs of a clientele leading the Western European lifestyle. He emphasized the availability of the newest e-bikes and the possibility of a test run at the Gepida Factory Store near Ménesi út – a great testing venue for your new pedelec. It makes trying the Gepida e-bikes mounted with Bosch electric engines in tough testing conditions really easy. Besides bikes, Gepida Factory Store offers Gepida and Topeak accessories, customer service and a (brand independent) bike service station during opening hours all year round.

GEPIDA FACTORY STORE
www.gepida.com

LEGIO ALFINE 8
URBAN E-BIKE | 30182200



REPTILA PRO SLX 10 POWERTUBE
URBAN E-BIKE | 30182435



REPTILA PRO NEXUS 8 POWERTUBE
URBAN E-BIKE | 30182455



REPTILA PRO DI2 8
URBAN E-BIKE | 30182425



REPTILA PRO SLX 10
URBAN E-BIKE | 30182405



REPTILA PRO NEXUS 8
URBAN E-BIKE | 30182415



CARGO NUVINCI 330
URBAN E-BIKE | 30182505



PUGIO NEXUS 7
URBAN E-BIKE | 30181570



NEDAO NEXUS 3C
URBAN E-BIKE | 30181530



REPTILA 1000 + NEXUS 8C
CITY E-BIKE | 30181375



REPTILA 1000 SLX 10
CITY E-BIKE | 30181335



REPTILA 1000 NEXUS 8C
CITY E-BIKE | 30181325



REPTILA 1000 NEXUS 8
CITY E-BIKE | 30181355



REPTILA 1000 NEXUS 7C
CITY E-BIKE | 30181305



REPTILA 1000 ALTUS 7
CITY E-BIKE | 30181365



REPTILA 900 NEXUS 8C
CITY E-BIKE | 30181315



REPTILA 900 NEXUS 8
CITY E-BIKE | 30181345



REPTILA 1000 ALTUS 7 BAF-M
CITY E-BIKE | 30180915



REPTILA 1000 NEXUS 7 BAF-M
CITY E-BIKE | 30180935



REPTILA 1000 ALTUS 7 BAF-F
CITY E-BIKE | 30180965



ALBOIN 1000 SPEED XT 10
TREKKING E-BIKE | 30182260



ALBOIN 1000 ALFINE 8
TREKKING E-BIKE | 30182250



ALBOIN 1000 ALFINE 8
TREKKING E-BIKE | 30182256



ALBOIN 1000 LX 10
TREKKING E-BIKE | 30182210



ALBOIN 1000 LX 10
TREKKING E-BIKE | 30182216



THORIS XT 10
TREKKING E-BIKE | 30182550



BERIG 1000 SLX 10
TREKKING E-BIKE | 30181220



BERIG 1000 SLX 10
TREKKING E-BIKE | 30181226



ASGARD FS PRO XT 11 27,5"
MTB E-BIKE | **30182170**



ASGARD FS RACE XT 10
MTB E-BIKE | **30182160**



ASGARD FS COMP DEORE 10
MTB E-BIKE | **30182150**



ASGARD PRO XT 11 POWERTUBE
MTB E-BIKE | **30182080**



ASGARD 1000 SLX 10
MTB E-BIKE | **30182070**



FORTIS DEORE 10
MTB E-BIKE | **30182060**



RUGA PRO DEORE 10 POWERTUBE
MTB E-BIKE | **30182050**



RUGA 1000 DEORE 10
MTB E-BIKE | **30182020**



ELEMUND SLX 10
MTB E-BIKE | **30182560**



SIRMIUM 1000 DEORE 9 29"
MTB E-BIKE | **30182010**



SIRMIUM 1000 DEORE 9 27,5"
MTB E-BIKE | **30182000**



ASGARD PRO XT 11
MTB E-BIKE | **30180800**



GILPIL 1000 ALIVIO 9
MTB E-BIKE | **30181540**



YOUR GEPIDA DEALER:



OLIMPIA BICYCLE LTD.

- H-1164 Budapest, Ostorhegy st. 4.
- +36 1 400 6065
- +36 1 402 0084
- info@gepida.com
- www.gepida.com
- facebook.com/gepida