



BIKES | E-BIKES

2019



CONTENT

INTRO	1
URBAN E-BIKE	9
SPECIAL E-BIKE	21
CITY E-BIKE	26
TREKKING E-BIKE	37
MTB & ATB E-BIKE	53
TREKKING BICYCLES	66
CROSS BICYCLES	81
MTB BICYCLES	91
URBAN & ROAD BICYCLES	100
CITY BICYCLES	105
JUNIOR BICYCLES	113
TIMELINE	118

LEGEND

	CHARGER		BOSCH ACTIVE		BOSCH PERFORMANCE CX		BAFANG MID-DRIVE		FRAME COLOR
	BATTERY		BOSCH ACTIVE PLUS		BOSCH PERFORMANCE		SPEED PEDELEC		FORK COLOR
	DISPLAY		BAFANG HUB MOTOR		COASTER BREAK		DECAL COLOR		

DISCOVERING NEW PATHS

Our company has come a long way since we assembled our first bicycle in 1994. Starting from a humble garage, we have continually challenged ourselves on this winding road to become what Gepida is today: a large family of bicycle enthusiasts and a full-fledged bicycle brand.

Our motto - The road is just an option - is reflected in all aspects of our philosophy. We believe that cycling is freedom, searching for new opportunities and breaking down barriers. We cherish our independence and flexibility to handle any challenge life throws at us.

Our portfolio of bicycles and e-bikes is the embodiment of our passion to design and create unique products that allow people to discover the world around them. Close to home or far away, in the city or in the countryside, on- and off-road; our bicycles enable their users to roam free like an eagle.

EVERYONE HAS THEIR OWN PATH TO DISCOVER IN LIFE. OURS IS ONE OF EXPLORATION, CURIOSITY AND PERSEVERANCE. WE ENCOURAGE YOU TO START YOUR OWN JOURNEY INSPIRED BY OUR PASSION FOR CYCLING.



GEPIDA WITH THE BOSCH EBIKE SYSTEM

Bosch eBike System is the leader of e-bike system on the European market. The „tailwind“ effect provided by the Bosch eBike System currently brings momentum to 50 top European brands including Gepida. Engineers of the Bosch eBike System are continuously developing their unique and powerful solutions for the electromobility sector to meet the highest expectations of performance and comfort.

DISPLAY



Purion

Pure + Compact: the 2-in-1 on-board computer

The information you need with the click of a thumb: The new Purion on-board computer precisely operates with maximum efficiency, featuring a display that clearly shows the most important information.



Intuvia

Clever and clearly arranged

Intuvia guarantees easy and intuitive control of your e-bike with a viewing area that remains clearly visible under all lighting conditions. The separate control allows you to keep your hands safely on the handlebar while guaranteeing a clear view of riding data at all times. The shift recommendation feature makes sure you always pedal in the right gear to extend battery range.



Nyon

The first all-in-one on-board e-bike computer

Nyon is more than just a computer for your e-bike, it is e-bike connectivity for the next generation. Together with the Nyon online portal and app, with the on-board computer you can retrieve all the information you need when you need it, whether GPS navigation, range information or personal fitness analysis. Nyon is now available as a retrofit kit for e-bikes from the Performance Line, Performance Line CX, or Active Line from 2014 models onward.



Kiox

The small, scratch-resistant colour display offers all the functions that a sporty rider could need

It's controlled by the separate control unit with clear tactile feedback and delivers riding data on speed, rider performance, heart rate, battery charge and much more. Using Bluetooth technology with an optional chest strap, users can check their current pulse range at all times, enabling them to get the most out of their training.

THE NEW BOSCH KIOX DISPLAY



Operability

Climb on, switch on, ride away and have fun. The on-board computer can be used immediately and provides you with all the essential information and data.

Design

The Kiox on-board computer not only features a range of impressive functions, but also looks great: Small and handy, the Kiox has a clear, but stylish design. The practical magnetic holder, which is either integrated on the stem or in the handlebar, keeps the handlebar looking neat and tidy.

Readability

The 1.9 " transmissive colour display guarantees perfect readability even in strong sunlight. Since the backlight adapts to the lighting conditions, everything is perfectly readable, even in the dark.



BOSCH
Invented for life

DRIVE UNIT

Bosch eBike Drive System are designed for maximum ergonomics. The compact gear arrangement allows for optimal integration of the Drive Unit into the frame design, giving you more ground clearance. The reduced volume makes the drive more lightweight. Due to the precise motor control and the rapid processing of sensor signals, the Drive Unit is optimized for minimal noise and vibration. The secure chain run helps to keep the chain from being disengaged or subjected to undue strain. This reduces wear and maximizes comfort. In addition, the Drive Unit is extremely sturdy thanks to the integrated rock guard and spray water protection.

NEW development

Active Line - the harmonic e-bike system

With the Active Line Bosch provides versatile and customized products for modern e-bike users. The cyclist can cover greater distances and achieve increased mobility everyday with the available "tailwind" effect. The Active Line is ideal for leisure, urban and touring cyclists.



New Naming of GEN3 Drive Units	Active Line	Active Line PLUS	Active Line
Weight	approx. 3,1 kg	approx. 3,3 kg	<4 kg
Torque	approx. 40 Nm	approx. 50 Nm	50 Nm
Speed	25 km/h & 20 mph	25 km/h & 20 mph	25 km/h & 20 mph
Q-Factor	175 mm	175 mm	175 mm

Performance Line - the sporty e-bike system

As the name suggests, the essence of this system is pure performance. Created for athletic cycling, the performance line is built for acceleration: whether uphill or on flat terrain. Thanks to the precision engineering of the system, the assistance from the drive unit is combined with the performance of the rider in the most harmonic way - providing support on all terrain at any speed range.



Performance CX Line - the model for high performers

This all new e-bike system introduced to the market in 2016 is designed to meet the needs of those who want to take their ride to the next level. The Performance CX line is a high-performance system with up to 300% support from the drive unit, featuring a rugged and compact design, concentrated power, and an extremely durable powder coating.



	Performance Line Cruise	Performance Line Speed	Performance Line CX
Torque	63 Nm	63 Nm	75 Nm
Speed	25 km/h & 20 mph	45 km/h & 28 mph	25 km/h & 20 mph
Q-Factor	175 mm	175 mm	175 mm



BATTERY POWERPACK & POWERTUBE

With unrivalled energy density, BOSCH batteries are designed to be the lightest e-bike batteries available. So light in fact, that it is practically negligible during riding. Thanks to the handle and mount, the battery can also be easily inserted and removed or left aboard to charge directly on the e-bike. The Battery Management System (BIVIS) reliably protects your battery against overload, undervoltage, overheating, and short circuits. A long service life with high mileage is something you can count on. Lithium-ion batteries have neither memory nor self-discharge effects which means that the PowerPacks & Powertube can also be partially recharged at any time - without affecting the service life.


NEW FEATURES

POWERTUBE - smooth integration for all purposes making the e-bike system even more invisible - integrated battery 500 WH Dual Battery option - maximizing the battery capacity up to 1000 WH, see Gepida Cargo

BATTERIES	POWERPACK 300	POWERPACK 400	POWERPACK 500	POWERTUBE 500
Mounting type	In the frame:			
	Frame battery	Frame battery	Frame battery	Horizontal
	Rack battery	Rack battery	Rack battery	Vertical
Voltage	36 V	36 V	36 V	36 V
Capacity	8.2 Ah	11.0 Ah	13.4 Ah	13.4 Ah
Energy content	approx. 300 Wh	approx. 400 Wh	approx. 500 Wh	approx. 500 Wh
Weight	Frame battery: ca. 2.5 kg	ca. 2.5 kg	ca. 2.6 kg	ca. 2.8 kg
	Rack battery: ca. 2.6 kg	ca. 2.6 kg	ca. 2.7 kg	
Size	Frame battery: 325 x 92 x 90 mm	325 x 92 x 90 mm	325 x 92 x 90 mm	H: 349 x 84 x 65 mm
	Rack battery: 372 x 122 x 80 mm	372 x 122 x 80 mm	372 x 122 x 80 mm	V: 349 x 65 x 84 mm



RANGE FOR THE VARIOUS BOSCH BATTERIES IN THE MIXED MODE*



	Difficult conditions** Low mountain ranges	Favourable conditions** Hilly	Ideal conditions**/** Some inclines
Terrain type	Low mountain ranges	Hilly	Some inclines
Ø-Speed ca.			
Cruise (25 km/h)	18 km/h	21 km/h	24 km/h
Speed (45 km/h)	28 km/h	31 km/h	34 km/h
Wind conditions	Moderate wind	Slight wind	Calm
Cadence	70-90 rpm	50-70 rpm	70-90 rpm
Surface	Dirt tracks and off-road trails	Mainly gravel and paved forest paths	Predominantly smooth asphalt
Tyre Tread	MTB tyres	Trekking tyres	Trekking tyres
Total weight = Rider + bike and luggage	115 kg	105 kg	95 kg
Starting up frequency	Bike tour with regular starting up	Bike tour with frequent breaks	Bike tour with few breaks
Shifting system	Derailleur system	Derailleur system	Derailleur system
Type of bike and posture	Touring bike / MTB sporty	Touring bike / MTB sporty	Touring bike / MTB sporty
Bosch eBike system	Drive unit, battery and Intuvia	Drive unit, battery and Intuvia	Drive unit, battery and Intuvia

* Average from equal use of all 4 modes.

** The ranges are typical values of the new batteries, which may decrease if one of the conditions listed above deteriorates.

*** No additional connected electronic components, e.g. light.

**** eMTB mode was not taken into account when calculating these ranges.



URBAN E-BIKE

BONUM PRO SLX 10



△ FRAME	GEPIDA GRAVITY CASTING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	W: 46, 49, 53, 57CM	⚙ REAR DERAILLEUR	SHIMANO SLX SHADOW RD-M670 10S
⌒ FORK	SUNTOUR NRX-E AIR DS LO 700C, TRAVEL: 63MM ALLOY STEERER	🔧 BRAKE	SHIMANO ACERA BR-MT400
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER 40-622 W / REFLECTIVE TAPE
⚙ GEARS	10	📏 SADDLE	SELLE ROYAL SCIENTIA M3
📏 WEIGHT	25,9 KG	💡 LIGHT	TRELOCK PRIO 50LUX / TRELOCK LS611 6-12V

ARTICLE NUMBER
30192435

COLOR



30192435A



30192435B

HEADSET: FSA NO.11N SEMI-INTEGRATED | STEM: GEPIDA/TRANZX JD-ST103A EXT: 90/110MM 31,8MM | HANDLEBAR: TRANZX JD-TR23A 640MM BB: 31,8MM | GRIP: VELO VLG-649 AD2 | BRAKE LEVER: SHIMANO ACERA BL-MT400 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEATPOST: GEPIDA SP226 30,9X300MM | CRANKARM: FSA CK-310 170MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO TIAGRA HG500-10 11-34T | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 28" 622X21C EYELET, 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO ALIVIO FH-M4050 QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: GEPIDA ALLOY | MUDGUARD: CURANA D45 | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-610 W/ CATEYE | KICKSTAND: HEBIE 668M 18MM

BONUM PRO NEXUS 8



△ FRAME	GEPIDA GRAVITY CASTING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	W: 46, 49, 53, 57CM	⚙ REAR DERAILLEUR	SHIMANO NEXUS 8
⌒ FORK	SUNTOUR NRX-E AIR DS LO 700C, TRAVEL: 63MM ALLOY STEERER	🔧 BRAKE	SHIMANO ACERA BR-MT400
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER 40-622 W / REFLECTIVE TAPE
⚙ GEARS	8	📏 SADDLE	SELLE ROYAL SCIENTIA M3
📏 WEIGHT	25,9 KG	💡 LIGHT	TRELOCK PRIO 50LUX / TRELOCK LS611 6-12V

ARTICLE NUMBER
30192455

COLOR



30192455A



30192455B

HEADSET: FSA NO.11N SEMI-INTEGRATED | STEM: GEPIDA/TRANZX JD-ST103A EXT: 90/110MM 31,8MM | HANDLEBAR: TRANZX JD-TR23A 640MM BB: 31,8MM | GRIP: VELO VLG-649 AD2 | BRAKE LEVER: SHIMANO ACERA BL-MT400 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO NEXUS 8 REVOSHIFT SL-C6000 | SEATPOST: GEPIDA SP226 30,9X300MM | CRANKARM: FSA CK-310 170MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z610 XEPT | RIM: RODI BLACKROCK 28" 622X21C EYELET, 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO NEXUS 8 DISC SC-C6001-8D 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: GEPIDA ALLOY | MUDGUARD: CURANA D45 | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-610 W/ CATEYE | KICKSTAND: HEBIE 668M 18MM

SHIMANO DI2

Shimano introduced their first electronic shifting system (Dura Ace 7970) in 2008. This was revolutionary at the time for racers and customers who were open to the idea of a new system. In 2011, Shimano added an electronic Ultegra set which increased the popularity of the Di2 system overall. Based on customer and market feedback the range was expanded and developed. In 2016, non-performance-oriented riders could also take advantage of electronic gear shifting for the first time. Thanks to the Nexus Di2, upper middle range city bike users can also enjoy this new kind of shifting. The new Di2 system which has already proven its success in professional cycling is also ideal for everyday use: it is compact, precise and easy to operate - enhancing the cycling experience for everyone.

Here at GEPIDA, we also wanted our customers to take advantage of this advancement in shifting technology and built this system into the Bonum Di2 8 model, for everyone open to the idea of smooth and fast gear shifting.

Specification

- internal geared hub for Di2 electronic specification
- wider gear ratio with less weight
- gear ratio: 8 speed: 306%
- silent clutch
- increased durability with oil lubricant
- 8 speed: 1,680g



SHIMANO

Di2
DIGITAL INTEGRATED INTELLIGENCE

BONUM SLX 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE W:	46, 49, 53, 57CM	⊗ REAR DERAILLEUR	SHIMANO SLX SHADOW RD-M670 10S
⌒ FORK	SUNTOUR NRX-E AIR DS LO 700C, TRAVEL: 63MM ALLOY STEERER	⊗ BRAKE	SHIMANO ACERA BR-MT400
○ WHEEL SIZE	28"	🚗 TYRE	SCHWALBE ENERGIZER 40-622 W / REFLECTIVE TAPE
☀ GEARS	10	📅 SADDLE	SELLE ROYAL SCIENTIA M3
📦 WEIGHT	25,9 KG	💡 LIGHT	TRELOCK PRIO 50LUX / TRELOCK LS611 6-12V

ARTICLE NUMBER

30192405

COLOR

		30192405A			30192405B
--	--	-----------	--	--	-----------

HEADSET: FSA NO.11N SEMI-INTEGRATED | STEM: GEPIDA/TRANZX JD-ST103A EXT: 90/110MM 31,8MM | HANDLEBAR: TRANZX JD-TR23A 640MM BB: 31,8MM | GRIP: VELO VLG-649 AD2 | BRAKE LEVER: SHIMANO ACERA BL-MT400 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEATPOST: GEPIDA SP226 30,9X300MM | CRANKARM: FSA CK-310 170MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO TIAGRA HG500-10 11-34T | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 28" 622X21C EYELET, 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO ALIVIO FH-M4050 QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: GEPIDA ALLOY | MUDGUARD: CURANA D45 | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-610 W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM

BONUM DI2 8



△ FRAME GEPIDA HYDROFORMING - 6061 ALLOY

△ FRAME SIZE W: 46, 49, 53, 57CM

└ FORK SUNTOUR NRX-E AIR DS LO 700C, TRAVEL: 63MM ALLOY STEERER

○ WHEEL SIZE 28"

⚙ GEAR 8

⚖ WEIGHT 25,9 KG

⚙ REAR SHOCK -

⚙ REAR DERAILLEUR SHIMANO NEXUS 8 DI2

⚙ BRAKE SHIMANO ACERA BR-MT400

🌀 TYRE SCHWALBE ENERGIZER 40-622 W / REFLECTIVE TAPE

📏 SADDLE SELLE ROYAL SCIENTIA M3

💡 LIGHT TRELOCK PRIO 50LUX / TRELOCK LS611 6-12V

ARTICLE NUMBER

30192425

COLOR



30192425A



30192425B

HEADSET: FSA NO.11N SEMI-INTEGRATED | STEM: GEPIDA/TRANZX JD-ST103A EXT: 90/110MM 31,8MM | HANDLEBAR: TRANZX JD-TR23A 640MM BB: 31,8MM | GRIP: VELO VLG-649 AD2 | BRAKE LEVER: SHIMANO ACERA BL-MT400 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO DI2 | SEATPOST: GEPIDA SP226 30,9X300MM | CRANKARM: FSA CK-310 170MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z610 XEPT | RIM: RODI BLACKROCK 28" 622X21C EYELET, 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO NEXUS 8 DISC SC-CG061-8D 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: GEPIDA ALLOY | MUDGUARD: CURANA D45 | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-610 W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM

BONUM NEXUS 8



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE W:	46, 49, 53, 57CM	⚙ REAR DERAILLEUR	SHIMANO NEXUS 8
⌒ FORK	SUNTOUR NRX-E AIR DS LO 700C, TRAVEL: 63MM ALLOY STEERER	🔧 BRAKE	SHIMANO ACERA BR-MT400
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER 40-622 W / REFLECTIVE TAPE
⚙ GEARS	8	📉 SADDLE	SELLE ROYAL SCIENTIA M3
📖 WEIGHT	25,9 KG	💡 LIGHT	TRELOCK PRIO 50LUX / TRELOCK LS611 6-12V
ARTICLE NUMBER	30192415		
	COLOR		
	30192415A	30192415B	

HEADSET: FSA NO.11N SEMI-INTEGRATED | STEM: GEPIDA/TRANZX JD-ST103A EXT: 90/110MM 31,8MM | HANDLEBAR: TRANZX JD-TR23A 640MM BB: 31,8MM | GRIP: VELO VLG-649 AD2 | BRAKE LEVER: SHIMANO ACERA BL-MT400 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO NEXUS 8 REVOSHIFT SL-C6000 | SEATPOST: GEPIDA SP226 30,9X300MM | CRANKARM: FSA CK-310 170MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z610 XEPT | RIM: RODI BLACKROCK 28" 622X21C EYELET, 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO NEXUS 8 DISC SG-C6001-8D 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: GEPIDA ALLOY | MUDGUARD: CURANA D45 | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-610 W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM


LEGIO PRO ALFINE 8



△ FRAME	GEPIDA GRAVITY CASTING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO ALFINE 8
⌒ FORK	GEPIDA 6061 ALLOY QR15	🔧 BRAKE	SHIMANO DEORE BR-MT 500
○ WHEEL SIZE	650B	🌀 TYRE	SCHWALBE SUPER MOTO X 27.5X2,4
⚙ GEARS	8	📉 SADDLE	SELLE ROYAL ARCO
📖 WEIGHT	22,3 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V
ARTICLE NUMBER	30192220		
	COLOR		
	30192220A		

HEADSET: FSA NO.42ACB | STEM: ERGOTEC INTEGRA EXT: 100 MM | HANDLEBAR: PROMAX HB-3188 RIZER 720MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BI-MT 500 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO ALFINE 8 SL-S7000-8 | SEATPOST: KALLOY SPDC1 30,9X400MM | CRANKARM: FSA CK-310 170/175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z610 XEPT | RIM: RODI BLACKROCK 27.5" 584X21C 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO ALFINE 8 SG-S7000-8 | SPOKE: SAPIM STAINLESS STEEL BLACK | MUDGUARD: CURANA D65 | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK | PEDAL: VP 536 | KICKSTAND: HEBIE 668M1 18MM


LEGIO ALFINE 8



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊖ REAR SHOCK	-
△ FRAME SIZE	17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO ALFINE 8
⌒ FORK	GEPIDA 6061 ALLOY	🔧 BRAKE	SHIMANO ACERA BR-MT400
○ WHEEL SIZE	650 B	🌀 TYRE	SCHWALBE SUPER MOTO X 27,5X2,4
⚙ GEARS	8	📉 SADDLE	SELLE ROYAL ARCO ASTRALE COVER
📖 WEIGHT	23,4 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V
ARTICLE NUMBER		COLOR	
30192210		30192210A	

HEADSET: FSA NO.42ACB | STEM: TRANZX JDST-58A EXT: 70/80/90MM | HANDLEBAR: PROMAX HB-3188 RIZER 720MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ACERA BL-MT400 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO ALFINE 8 SL-S7000-8 | SEATPOST: KALLOY SPDC1 30,9X400MM | CRANKARM: FSA CK-310 170/175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z610 XEPT | RIM: RODI BLACKROCK 27,5" 584X21C 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO ALFINE 8 SG-S7000-8 | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: CURANA D65 | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK | PEDAL: VP 536 | KICKSTAND: HEBIE 668M1 18MM

PUGIO NEXUS 7





△ FRAME	GEPIDA DOUBLE BUTTED - 6061 ALLOY	⊖ REAR SHOCK	-
△ FRAME SIZE	19"	⚙ REAR DERAILLEUR	SHIMANO NEXUS 7
⌒ FORK	GEPIDA RIGID 6061 ALLOY	🔧 BRAKE	TEKTRO HD-M275
○ WHEEL SIZE	20"	🌀 TYRE	SCHWALBE BIG APPLE 20X2,15 W/ REFLECTIVE TAPE
⚙ GEARS	7	📉 SADDLE	SELLE ROYAL ARIEL HRC COVER
📖 WEIGHT	19,4 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V
ARTICLE NUMBER		COLOR	
30191550		30191550A	

HEADSET: FSA NO.11N | STEM: JD ST103-A1 | HANDLEBAR: PROMAX HB-3188 RIZER 640MM BB: 31,8MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: TEKTRO HD-M275 | BRAKE DISC F/R: TEKTRO 160MM | SHIFTING LEVER: SHIMANO NEXUS 7 REVOSHIFT SL-C3000 | SEATPOST: KALLOY SPDC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 44T STEEL | CASSETTE/COG: SHIMANO 17T | CHAIN: KMC Z50 | RIM: RODI WEB DISC 32H | FRONT HUB: FORMULA CL-51 QR 32H | REAR HUB: SHIMANO NEXUS 7 DISC SG-C3001-7D | SPOKE: SAPIM STAINLESS STEEL | RACK: - | MUDGUARD: SKS | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

NEDAO NEXUS 3



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	M: 41 CM	⚙ REAR DERAILLEUR	SHIMANO NEXUS 3
⌒ FORK	GEPIDA RIGID STEEL	🔧 BRAKE	TEKTRO HD-M275 /COASTER BRAKE
○ WHEEL SIZE	24"	🌀 TYRE	INNOVA IA-2018 24X3.0
⚙ GEARS	3	📉 SADDLE	SELLE ROYAL DRIFTER
📖 WEIGHT	25,6 KG	💡 LIGHT	-
ARTICLE NUMBER	 30191530	COLOR	 30191530A

HEADSET: FSA NO.11Q | STEM: GEPIDA TDS-AL-60 EXT: 60MM RISE 10MM | HANDLEBAR: GEPIDA CRUISER BAR | GRIP: VELO VLG-690AD2 | BRAKE LEVER: TEKTRO HD-M275 | BRAKE DISC F/R: TEKTRO 160MM | SHIFTING LEVER: SHIMANO NX3 REVOSHIFT SL-3541 | SEATPOST: GEPIDA ALLOY POLISHED 27,2X400 MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z50 | RIM: RODI FREESTYLE 24" 507X23C 36H | FRONT HUB: FORMULA DC-20LW QR 36H | REAR HUB: SHIMANO NEXUS 3 W/ COASTER SG-3C41 36H | SPOKE: SAPIM STAINLESS BLACK | RACK: - | MUDGUARD: CRUISER REAR | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-689 W/ CATEYE | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE



SPECIAL E-BIKE

CARGO

The world is constantly changing, which calls for solutions to new ideas and demands that arise every day. We, at Gepida, are determined to provide a sustainable alternative for motorised vehicles that have high emission of CO₂ and other harmful substances. In addition to satisfying the public's dynamically increasing demand for e-bikes, we wanted to develop a product for actors in the industry and other professionals, that enables the transportation of oversized tools and packages that were previously transported by bicycles and scooters. We offer a complex solution to those who want to move cargo efficiently, without pollution, either indoors, or in limited access areas. The cargo makes it possible to work in areas that are difficult or impossible to access by cars. Last, but not least, work will be less like work when using an electric bicycle.

<http://gepida.com/cargo/>



CARGO NUVINCI 330



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **48CM**

— FORK **STEEL DISC**

○ WHEEL SIZE **26"**

⚙️ GEARS **GEARLESS (330%)**

⚖️ WEIGHT **31,8 KG**

ARTICLE NUMBER

30192505

⚙️ REAR SHOCK **-**

⚙️ REAR DERAILLEUR **NUVINCI INFINITY C3**

🚰 BRAKE **SHIMANO ALTUS BR-MT400**

🌀 TYRE **SCHWALBE CRAZY BOB 26X2,35**

🚰 SADDLE **SELLE ROYAL TORX**

💡 LIGHT **AXA BLUELINE 30 *2/TRELOCK LS611 6-12V**

COLOR

 **30192505A**

HEADSET: FSA NO.TIN | STEM: ERGOTEC SWELL-R ECO EXT: 80MM BB: 31,8MM | HANDLEBAR: ERGOTEC ERGO PLUS 650MM | GRIP: VELO VLG-649AD2S W/ CLAMP | BRAKE LEVER: SHIMANO ALTUS BL-MT400 | BRAKE DISC F/R: SHIMANO DEORE RT-56M 180MM | SHIFTING LEVER: NUVINCI INFINITY C3 | SEATPOST: ERGOTEC SKALAR 30,9X400 | CRANKARM: FSA CK-632 170MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: NUVINCI 20T | CHAIN: KMC Z610 XEPT | RIM: RODI VISION25 26" W/ 4D EYELET 36H | FRONT HUB: SHIMANO XT HB-M756 QR 6-BOLT 36H | REAR HUB: NUVINCI N330 DISC 6-BOLT 36H | SPOKE: SAPIM STAINLESS 13G BLACK | RACK: INTEGRATED FRONT AND REAR | MUDGUARD: SKS | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: HEBIE FOLDREX 608 80 HEAVY LOAD

TURISIND ALFINE 8



△ FRAME	GEPIDA SPECIAL HYDROFORMING - 6061 ALLOY
△ FRAME SIZE	M: 52, 56CM
∩ FORK	SUNTOUR NEX-E25 700C LO DS TRAVEL: 63MM
○ WHEEL SIZE	28"
⚙️ GEARS	8
⚖️ WEIGHT	27,9 KG


ARTICLE NUMBER
30192230

⊗ REAR SHOCK	-
⚙️ REAR DERAILLEUR	SHIMANO ALFINE 8
🔧 BRAKE	SHIMANO DEORE BR-M6000
🌀 TYRE	SCHWALBE ENERGIZER+ 40-622 W / REFLECTIVE TAPE
📖 SADDLE	SELLE ROYAL ARIEL HRC ACTEX COVER
💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V

COLOR
 30192230A

HEADSET: FSA NO.11N | STEM: HL SATORI EZ3 ADJUSTABLE | HANDLEBAR: TRANZX JD-TR23A 640MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO ALFINE 8 SL-S7000-8 | SEATPOST: TRANZX YSP-01 27,2X400MM | CRANKARM: FSA CK-745 175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z610 XEPT | RIM: RODI VISION25 28" 622X25C EYELET, 36H | FRONT HUB: SHIMANO ALVIO HB-M4050 QR 36H | REAR HUB: SHIMANO ALFINE 8 SG-S7001-8 36H | SPOKE: SAPIM STAINLESS 13G | MUDGUARD: SKS | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK | PEDAL: VP 831-P W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM

TURISIND ALFINE 8




△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY
△ FRAME SIZE	W: 46, 49, 53CM
∩ FORK	SUNTOUR NEX-E25 700C LO DS TRAVEL: 63MM
○ WHEEL SIZE	28"
⚙️ GEARS	8
⚖️ WEIGHT	27,9 KG

ARTICLE NUMBER
30192235

⊗ REAR SHOCK	-
⚙️ REAR DERAILLEUR	SHIMANO ALFINE 8
🔧 BRAKE	SHIMANO DEORE BR-M6000
🌀 TYRE	SCHWALBE ENERGIZER+ 40-622 W / REFLECTIVE TAPE
📖 SADDLE	SELLE ROYAL ARIEL HRC ACTEX COVER
💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V

COLOR
 30192235A

HEADSET: FSA NO.11N | STEM: HL SATORI EZ3 ADJUSTABLE | HANDLEBAR: TRANZX JD-TR23A 640MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO ALFINE 8 SL-S7000-8 | SEATPOST: TRANZX YSP-01 27,2X400MM | CRANKARM: FSA CK-745 175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z610 XEPT | RIM: RODI VISION25 28" 622X25C EYELET, 36H | FRONT HUB: SHIMANO ALVIO HB-M4050 QR 36H | REAR HUB: SHIMANO ALFINE 8 SG-S7001-8 36H | SPOKE: SAPIM STAINLESS 13G | MUDGUARD: SKS | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK | PEDAL: VP 831-P W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM



CITY E-BIKE

REPTILA 1000+ NEXUS 8C



▽ FRAME **CEPIDA HYDROFORMING - 6061 ALLOY**

▽ FRAME SIZE **W: 46, 49, 53, 57CM**

⌒ FORK **SUNTOUR CR85 TRAVEL: 63MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **8**

📦 WEIGHT **27,3 KG**

ARTICLE NUMBER **30191375**  **COASTER BREAK
HEAVY-DUTY UP TO 170 KG**

⚙️ REAR SHOCK **-**

🛖 REAR DERAILLEUR **SHIMANO NEXUS 8**

🚰 BRAKE **MAGURA HS-11 + COASTER**

🌀 TYRE **SCHWALBE ENERGIZER PLUS 47-622 W/ REFLECTIVE TAPE**

🚰 SADDLE **SELLE ROYAL ESSENZA ACTEX COVER**

💡 LIGHT **AXA BLUELINE 30 / TRELOCK LS611 6-12V**

COLOR



30191375A



30191375B

HEADSET: FSA TH807ST THREADED 1 1/8" | STEM: ERGOTEC OCTOPUS XXL EXT: 100MM BB: 31,8MM | HANDLEBAR: ERGOTEC BÜGEL STUTTGARTER W: 610MM BB: 31,8MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: MAGURA HS-11 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 8 REVOSHIFT SL-C6000 | SEATPOST: ERGOTEC SKALAR 30,9X400 MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z610 XEPT | RIM: RODI VISION 25 622X25C W/ 4D EYELET 36H | FRONT HUB: FORMULA FM21 QR 36H | REAR HUB: SHIMANO NEXUS 8 W/ COASTER SG-C6001-8C 36H | SPOKE: SAPIM STAINLESS 13G BLACK | RACK: MASSLOAD CL-549 | MUDGUARD: SKS | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J ADJUSTABLE

REPTILA 1000 SLX 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	W: 46, 49, 53, 57CM	⚙ REAR DERAILLEUR	SHIMANO SLX SHADOW RD-M670 10S
-C FORK	SUNTOUR CR85 TRAVEL: 63MM	🔧 BRAKE	MAGURA HS-11
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER 40-622 W/ REFLECTIVE TAPE
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL ESSENZA ACTEX COVER
📖 WEIGHT	25,9 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V
ARTICLE NUMBER	30191335	COLOR	30191335B 30191335A 30191335C

HEADSET: FSA TH807ST THREADED 11/8" | STEM: GEPIDA MQ-565 EXT: 85/105MM BB: 25,4MM | HANDLEBAR: GEPIDA NR-AL14 W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: MAGURA HS-11 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEATPOST: KALLOY SP-509 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI SKORPION CNC 28" 622X19C W/ EYELET 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL-549 | MUDGUARD: SKS | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J ADJUSTABLE

REPTILA 1000 NEXUS 8/8C



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	W: 46, 49, 53, 57CM	⚙ REAR DERAILLEUR	SHIMANO NEXUS 8
-C FORK	SUNTOUR CR85 TRAVEL: 63MM	🔧 BRAKE	MAGURA HS-11/ + COASTER
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER 47-622 W/ REFLECTIVE TAPE
⚙ GEARS	8	📉 SADDLE	SELLE ROYAL ESSENZA ACTEX COVER
📖 WEIGHT	25,9 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V
ARTICLE NUMBER	30191325	COLOR	30191325A 30191325B 30191325C
ARTICLE NUMBER	30191355	COLOR	30191355A 30191355B 30191355C

HEADSET: FSA TH807ST THREADED 11/8" | STEM: GEPIDA MQ-565 EXT: 85/105MM BB: 25,4MM | HANDLEBAR: GEPIDA NR-AL14 W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: MAGURA HS-11 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 8 REVOSHIFT SL-C6000 | SEATPOST: KALLOY SP-509 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z50 | RIM: RODI SKORPION CNC 28" 622X19C W/ EYELET 32H | FRONT HUB: FORMULA FM21 QR 32H | REAR HUB: SHIMANO NEXUS 8 W/ COASTER SG-C6001-8C 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL-549 | MUDGUARD: SKS | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J ADJUSTABLE

REPTILA 1000 NEXUS 7C



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W: 46, 49, 53, 57CM**

∩ FORK **SUNTOUR CR85 TRAVEL: 63MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **7**

⚖️ WEIGHT **25,9**

ARTICLE NUMBER

30191305



COASTER
BREAK

⊖ REAR SHOCK **-**

⚙️ REAR DERAILLEUR **SHIMANO NEXUS 7**

🚰 BRAKE **MAGURA HS-11 + COASTER**

🌀 TYRE **SCHWALBE ROAD CRUISER 42-622 REFLECTIVE**

🚽 SADDLE **SELLE ROYAL ESSENZA ACTEX COVER**

💡 LIGHT **AXA BLUELINE 30 / TRELOCK LS611 6-12V**

COLOR



30191305A



30191305B



30191305C

HEADSET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105MM BB: 25,4MM | HANDLEBAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: MAGURA HS-11 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 7 REVOSHIFT SL-C3000 | SEATPOST: KALLOY SP-509 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z50 | RIM: RODI SKORPION CNC 28" 622X19C W/ EYELET 32H | FRONT HUB: FORMULA FM21 QR 32H | REAR HUB: SHIMANO NEXUS 7 W/ COASTER SG-C3001-7C 32H | SPOKE: SAPIM STAINLESS | RACK: STANDWELL SW-EA410 | MUDGUARD: SKS | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J ADJUSTABLE

REPTILA 1000 ALTUS 7



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W: 46, 49, 53, 57CM**

∩ FORK **SUNTOUR CR85 TRAVEL: 63MM**

○ WHEEL SIZE **28"**

⚙️ GEARS **7**

⚖️ WEIGHT **25,9**

ARTICLE NUMBER

30191365

⊖ REAR SHOCK **-**

⚙️ REAR DERAILLEUR **SHIMANO ALTUS RD-M310DL 7S**

🚰 BRAKE **MAGURA HS-11**

🌀 TYRE **SCHWALBE ROAD CRUISER 42-622 REFLECTIVE**

🚽 SADDLE **SELLE ROYAL ESSENZA ACTEX COVER**

💡 LIGHT **AXA BLUELINE 30 / TRELOCK LS611 6-12V**

COLOR



30191365A



30191365B



30191365C

HEADSET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105MM | HANDLEBAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: MAGURA HS-11 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS SL-M310R7A 7S | SEATPOST: KALLOY SP-509 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: SHIMANO CS-HG200 12-32T 7S | CHAIN: KMC Z50 | RIM: RODI SKORPION CNC 28" 622X19C W/ EYELET 32H | FRONT HUB: FORMULA FM21 QR 32H | REAR HUB: FORMULA FM32-7 QR 32H | SPOKE: SAPIM STAINLESS | RACK: MASSLOAD CL-549 | MUDGUARD: SKS | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK + 4960 | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J ADJUSTABLE

REPTILA 900 NEXUS 8/8C



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W: 46, 49CM**

└ FORK **SUNTOUR CR85 26" TRAVEL: 50MM**

○ WHEEL SIZE **26"**

⚙ GEAR **8**

⚖ WEIGHT **25,8 KG**

ARTICLE NUMBER  **30191315**

ARTICLE NUMBER **30191345**

⊗ REAR SHOCK **-**

⚙ REAR DERAILLEUR **SHIMANO NEXUS 8**

🔧 BRAKE **MAGURA HS-11/ + COASTER**

🌀 TYRE **SCHWALBE BIG APPLE 26X2,0 W/ REFLECTIVE TAPE**

📖 SADDLE **SELLE ROYAL ESSENZA ACTEX COVER**

💡 LIGHT **AXA BLUELINE 30 / TRELOCK LS611 6-12V**

COLOR  **30191315B**

COLOR  **30191345B**

HEADSET: **FSA TH807ST THREADED 1 1/8"** | STEM: **GEPIDA MQ-565 EXT: BB: 85MM 25,4MM** | HANDLEBAR: **GEPIDA NR-AL14 W: 600MM BB: 25,4MM** | GRIP: **VELO VLG-690AD2** | BRAKE LEVER: **MAGURA HS-11** | BRAKE DISC F/R: **-** | SHIFTING LEVER: **SHIMANO NEXUS 8 REVOSHIFT SL-C6000** | SEATPOST: **KALLOY SP-509 30,9X300MM** | CRANKARM: **FSA CK-200 170MM** | CHAINWHEEL: **FSA 38T STEEL** | CASSETTE/COG: **SHIMANO 19T** | CHAIN: **KMC Z50** | RIM: **RODI SKORPION CNC 26" 559X19C W/ EYELET 32H** | FRONT HUB: **FORMULA FM21 QR 32H** | REAR HUB: **SHIMANO NEXUS 8 W/ COASTER SG-C6001-8C 32H** | SPOKE: **SAPIM STAINLESS BLACK** | RACK: **MASSLOAD CL-549** | MUDGUARD: **SKS** | CHAIN COVER: **HESLING SUPPORTIVE V2** | LOCK: **ABUS BATTERY LOCK + 4960** | PEDAL: **XERAMA SP-811 ALLOY W/ CATEYE** | KICKSTAND: **STANDWELL SW-RA031J ADJUSTABLE**

REPTILA 1000 NEXUS 7C



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W: 46, 49, 53, 57CM**

└ FORK **SUNTOUR CR85 TRAVEL: 63MM**

○ WHEEL SIZE **28"**

⚙ GEAR **7**

⚖ WEIGHT **25,9**

ARTICLE NUMBER  **30191905**

ARTICLE NUMBER **30191985**

⊗ REAR SHOCK **-**

⚙ REAR DERAILLEUR **SHIMANO NEXUS 7**

🔧 BRAKE **MAGURA HS-11 + COASTER**

🌀 TYRE **SCHWALBE ROAD CRUISER 42-622 REFLECTIVE**

📖 SADDLE **SELLE ROYAL ESSENZA ACTEX COVER**


💡 LIGHT **AXA BLUELINE 30 / TRELOCK LS611 6-12V**

COLOR  **30191905B**

COLOR  **30191985B**

HEADSET: **FSA TH807ST THREADED 1 1/8"** | STEM: **GEPIDA MQ-565 EXT: 85/105MM BB: 25,4MM** | HANDLEBAR: **GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM** | GRIP: **VELO VLG-690AD2** | BRAKE LEVER: **MAGURA HS-11** | BRAKE DISC F/R: **-** | SHIFTING LEVER: **SHIMANO NEXUS 7 REVOSHIFT SL-C3000** | SEATPOST: **KALLOY SP-509 30,9X300MM** | CRANKARM: **FSA CK-200 170MM** | CHAINWHEEL: **FSA 38T STEEL** | CASSETTE/COG: **SHIMANO 19T** | CHAIN: **KMC Z50** | RIM: **RODI SKORPION CNC 28" 622X19C W/ EYELET 32H** | FRONT HUB: **FORMULA FM21 QR 32H** | REAR HUB: **SHIMANO NEXUS 7 W/ COASTER SG-C3001-7C 32H** | SPOKE: **SAPIM STAINLESS** | RACK: **MASSLOAD CL-549** | MUDGUARD: **SKS** | CHAIN COVER: **HESLING SUPPORTIVE V2** | LOCK: **ABUS BATTERY LOCK** | PEDAL: **XERAMA SP-811 ALLOY W/ CATEYE** | KICKSTAND: **STANDWELL SW-RA031J ADJUSTABLE**

REPTILA 800 ALTUS 7




△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	W: 46, 49, 53, 57CM	⚙ REAR DERAILLEUR	SHIMANO ALTUS RD-M310DL 7S
⌒ FORK	RIGID STEEL FORK	🔧 BRAKE	TEKTRO HD-M275
○ WHEEL SIZE	28" 26"	🌀 TYRE	S. E. 47-622 W/ S. B. A. 26X2,0 W - REFLECTIVE TAPE
⚙ GEARS	7	🚽 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	25,9	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V

ARTICLE NUMBER
30191395

28"

COLOR



30191395A



30191395C



30191395B




30191395D

ARTICLE NUMBER
30191385

26"

COLOR



30191385A



30191385C



30191385B



30191385D

HEADSET: FSA NO.11N | STEM: KALLOY AS601 BB: 25,4MM EXT: 90MM 15DEG | HANDLEBAR: GEPIDA STEEL 155TP 640MM RIZER BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: TEKTRO HD-T275 | BRAKE DISC F/R: TEKTRO 160/160MM | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 7S | SEATPOST: ZOOM SP-C207 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z50 | RIM: BERETTA DISC25 28" 622X19C | FRONT HUB: FORMULA DC-20 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: MASSLOAD CL-549 | MUDGUARD: ORION BLACK | CHAIN COVER: HESLING SUPORTIVE V2 | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-807 PP BODY W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J ADJUSTABLE

CRISIA NEXUS 7 BAF-M



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	W: 46, 49, 53CM	⚙ REAR DERAILLEUR	SHIMANO NEXUS 7
⌒ FORK	SUNTOUR CR7V 700C 40MM	🔧 BRAKE	SHIMANO ALIVIO BR-T4000
○ WHEEL SIZE	28"	🌀 TYRE	WTB/FREEDOM WEDGE 700X47C W/ REFLECTIVE TAPE
⚙ GEARS	7	🚽 SADDLE	SELLE ROYAL ESSENZA ACTEX COVER
📖 WEIGHT	26,4 KG	💡 LIGHT	AXA ECHO 15 / TRELOCK LS611 6-12V

ARTICLE NUMBER

30190935

COLOR



30190935A



30190935B

HEADSET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105 MM | HANDLEBAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: GEPIDA LM-48 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 7 REVOSHIFT SL-C3000 | SEATPOST: GEPIDA ALLOY, 27,2X300 MM | CRANKARM: PROWHEEL 170MM | CHAINWHEEL: BAFANG 38T STEEL | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z50 | RIM: BERETTA MT-240 28" 32H | FRONT HUB: FORMULA FM21 NT 32H | REAR HUB: SHIMANO NEXUS 7 W/ COASTER SG-C3001-7C 32H | SPOKE: SAPIM STAINLESS | RACK: GEPIDA ALLOY | MUDGUARD: ORION | CHAIN COVER: HERRMANS HALO 38T | LOCK: AXA BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J ADJUSTABLE

CRISIA ALTUS 7 BAF-F



△ FRAME **GEPIDA HYDROFORMING - 6061 ALLOY**

△ FRAME SIZE **W: 46, 49, 53CM**

⌒ FORK **SUNTOUR CR7V 700C 40MM**

○ WHEEL SIZE **28"**

⚙ GEAR **7**

⚖ WEIGHT **26,6 KG**

ARTICLE NUMBER

30190965

⊗ REAR SHOCK **-**

⚙ REAR DERAILLEUR **SHIMANO ALTUS RD-M310DL 7S**

⚙ BRAKE **SHIMANO ALIVIO BR-T4000**

🌀 TYRE **WTB/FREEDOM WEDGE 700X47C W/ REFLECTIVE TAPE**

📖 SADDLE **SELLE ROYAL ESSENZA ACTEX COVER**

💡 LIGHT **AXA ECHO 15 / TRELOCK LS611 6-12V**

COLOR



30190965A



30190965B

HEADSET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105 MM | HANDLEBAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLC-690AD2 | BRAKE LEVER: GEPIDA LM-48 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO REVOSHIFT SL-RS35 | SEATPOST: GEPIDA ALLOY, 27,2X300 MM | CRANKARM: PROWHEEL PRO-A38 38T 170MM | CHAINWHEEL: 38T STEEL | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: RODI WEB 28" 36H / BERETTA MT-240 28" 36H | FRONT HUB: BAFANG FRONT MOTOR FM.G320 | REAR HUB: FORMULA FM31 NT 32H | SPOKE: SAPIM STAINLESS | RACK: GEPIDA ALLOY | MUDGUARD: ORION | CHAIN COVER: HERRMANS HALO 38T | LOCK: AXA BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE



TREKKING E-BIKE

FASTIDA PRO XT 10



△ FRAME	GEPIDA GRAVITY CASTING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	M: 52, 56CM	⚙ REAR DERAILLEUR	SHIMANO XT RD-T8000 SHADOW
⌒ FORK	SUNTOUR XCM32 LO 29" 15QLC TRAVEL: 80MM	🔧 BRAKE	MAGURA BR-MT4E
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER PLUS W/ REFELCTIVE TAPE 40-622
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL ARIEL GEL HRC ACTEX COVER
📖 WEIGHT	23,8 KG	💡 LIGHT	SPANNINGA AXENDO 100 / FLEXIO SP W/ BRAKE LIGHT FUNCTION


ARTICLE NUMBER
30192270

COLOR



HEADSET: FSA NO.11N | STEM: TRANZX JDST-58A EXT: 90/100MM | HANDLEBAR: PROMAX HB-3188 RIZER 640MM BB: 31,8MM | GRIP: VELO VLG-649AD2S W/ CLAMP | BRAKE LEVER: MAGURA BL-MT4E BALL END | BRAKE DISC F/R: MAGURA STORM 180MM | SHIFTING LEVER: SHIMANO DEORE SL-T6000 10S | SEATPOST: KALLOY SPDC1 30,9X300MM | CRANKARM: FSA CK-745 175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 28" 622X21C 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6010 X12 32H | SPOKE: SAPIM STAINLESS BLACK 13G | MUDGUARD: SKS | CHAIN COVER: INTEGRATED CHAINGUARD | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | RACK: MASSLOAD CL 905A | KICKSTAND: PLETSCHER COMP ARA F13

FASTIDA XT 10



△ FRAME	GEPIDA SPECIAL HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	M: 52, 56CM	⚙ REAR DERAILLEUR	SHIMANO XT RD-T8000 SHADOW
⌒ FORK	SUNTOUR XCM32 LO 29" 15QLC TRAVEL: 80MM	🔧 BRAKE	MAGURA BR-MT4E
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER PLUS W/ REFELCTIVE TAPE 40-622
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL ARIEL GEL HRC ACTEX COVER
📖 WEIGHT	23,8 KG	💡 LIGHT	SPANNINGA AXENDO 100 / FLEXIO SP W/ BRAKE LIGHT FUNCTION

ARTICLE NUMBER
30192260

COLOR



HEADSET: FSA NO.11N | STEM: TRANZX JDST-58A EXT: 90/100MM | HANDLEBAR: PROMAX HB-3188 RIZER 640MM BB: 31,8MM | GRIP: VELO VLG-649AD2S W/ CLAMP | BRAKE LEVER: MAGURA BL-MT4E BALL END | BRAKE DISC F/R: MAGURA STORM 180MM | SHIFTING LEVER: SHIMANO DEORE SL-T6000 10S | SEATPOST: KALLOY SPDC1 27,2X300MM | CRANKARM: FSA CK-745 175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 28" 622X21C 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6000 QR 32H | SPOKE: SAPIM STAINLESS BLACK 13G | RACK: MASSLOAD CL 905A | MUDGUARD: SKS | CHAIN COVER: INTEGRATED CHAINGUARD | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: PLETSCHER COMP ARA F13

ALBOIN PRO SLX 10



△ FRAME	GEPIDA GRAVITY CASTING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	M: 52, 56CM	⚙ REAR DERAILLEUR	SHIMANO SLX RD-M670 10S
⌒ FORK	SUNTOUR NEX-E25 700C DS TPR TRAVEL: 63MM QR15	🔧 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE BIG APPLE PLUS 50-622 W/ REFLECTIVE TAPE
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL ARIEL GEL HRC ACTEX COVER
📖 WEIGHT	23,8 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V

ARTICLE NUMBER
30192280

COLOR
 30192280A

HEADSET: FSA NO.42B | STEM: PROMAX DA-230 BB: 31,8MM EXT: 90MM | HANDLEBAR: PROMAX HB-3188 RIZER 640MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | BRAKE DISC F/R: SHIMANO DEORE RT-56 180/160MM | SHIFTING LEVER: SHIMANO DEORE SL-T6000 10S | SEATPOST: KALLOY SPD1 30,9X400MM | CRANKARM: FSA CK-745 175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 28" 622X21C EYELET, 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6010 X12 32H | SPOKE: SAPIM STAINLESS BLACK | MUDGUARD: SKS | CHAIN COVER: HEBIE PERFORMANCE 0992 20 | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM | RACK: MASSLOAD CL 905A | KICKSTAND: STANDWELL SW-RA031J ADJUSTABLE

ALBOIN PRO SLX 10



△ FRAME	GEPIDA GRAVITY CASTING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	L: 44, 48, 52CM	⚙ REAR DERAILLEUR	SHIMANO SLX RD-M670 10S
⌒ FORK	SUNTOUR NEX-E25 700C DS TPR TRAVEL: 63MM QR15	🔧 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE BIG APPLE PLUS 50-622 W/ REFLECTIVE TAPE
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL ARIEL GEL HRC ACTEX COVER
📖 WEIGHT	23,8 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V

ARTICLE NUMBER
30192286

COLOR
 30192286A

HEADSET: FSA NO.42B | STEM: PROMAX DA-230 BB: 31,8MM EXT: 90MM | HANDLEBAR: PROMAX HB-3188 RIZER 640MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | BRAKE DISC F/R: SHIMANO DEORE RT-56 180/160MM | SHIFTING LEVER: SHIMANO DEORE SL-T6000 10S | SEATPOST: KALLOY SPD1 30,9X400MM | CRANKARM: FSA CK-745 175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 28" 622X21C EYELET, 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6010 X12 32H | SPOKE: SAPIM STAINLESS BLACK | MUDGUARD: SKS | CHAIN COVER: HEBIE PERFORMANCE 0992 20 | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM | RACK: MASSLOAD CL 905A | KICKSTAND: STANDWELL SW-RA031J ADJUSTABLE

ALBOIN ALFINE 8



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	M: 52, 56CM	⚙ REAR DERAILLEUR	SHIMANO ALFINE 8
⌒ FORK	SUNTOUR NEX-E25 700C DS TRAVEL: 63MM	🔧 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER 47-622 W/ REFLECTIVE TAPE
⚙ GEARS	8	📉 SADDLE	SELLE ROYAL ARIEL GEL HRC ACTEX COVER
📖 WEIGHT	23,8 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V
ARTICLE NUMBER	30192250		
COLOR			

HEADSET: FSA NO.11N | STEM: GEPIDA TDS-299N EXT: 105MM | HANDLEBAR: PROMAX HB-3188 RIZER 640MM BB: 31,8MM | GRIP: VELO VLC-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO ALFINE 8 SL-S7000-8 | SEATPOST: KALLOY SPDC1 27,2X300MM | CRANKARM: FSA CK-745 175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z610 XEPT | RIM: RODI BLACKROCK 28" 622X21C EYELET, 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO ALFINE 8 SG-S7001-8 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL 905A | MUDGUARD: SKS | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM

ALBOIN ALFINE 8



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	L: 44, 48, 52CM	⚙ REAR DERAILLEUR	SHIMANO ALFINE 8
⌒ FORK	SUNTOUR NEX-E25 700C DS TRAVEL: 63MM	🔧 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER 47-622 W/ REFLECTIVE TAPE
⚙ GEARS	8	📉 SADDLE	SELLE ROYAL ARIEL GEL HRC ACTEX COVER
📖 WEIGHT	23,8 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V
ARTICLE NUMBER	30192256		
COLOR			

HEADSET: FSA NO.11N | STEM: GEPIDA TDS-299N EXT: 105MM | HANDLEBAR: PROMAX HB-3188 RIZER 640MM BB: 31,8MM | GRIP: VELO VLC-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54S 160MM | SHIFTING LEVER: SHIMANO ALFINE 8 SL-S7000-8 | SEATPOST: KALLOY SPDC1 27,2X300MM | CRANKARM: FSA CK-745 170/175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO 19T | CHAIN: KMC Z610 XEPT | RIM: RODI BLACKROCK 28" 622X21C EYELET, 32H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO ALFINE 8 SG-S7001-8 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL 905A | MUDGUARD: SKS | CHAIN COVER: HORN CATENA | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM

ALBOIN SLX 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊖ REAR SHOCK	-
△ FRAME SIZE	M: 52, 56CM	⚙️ REAR DERAILLEUR	SHIMANO SLX RD-M670 10S
⌒ FORK	SUNTOUR NEX-E25 700C DS TRAVEL: 63MM	🔧 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER+ TOUR 40-622 W/ REFLECTIVE TAPE
⚙️ GEARS	10	📉 SADDLE	SELLE ROYAL ARIEL GEL HRC ACTEX COVER
📖 WEIGHT	23,8 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V
ARTICLE NUMBER	30192240		
COLOR			

HEADSET: FSA NO.11N | STEM: GEPIDA TDS-299N EXT: 105MM | HANDLEBAR: PROMAX HB-3188 RIZER 640MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | BRAKE DISC F/R: SHIMANO DEORE RT-56S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-T6000 10S | SEATPOST: KALLOY SPDC1 27,2X300MM | CRANKARM: FSA CK-74S 175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 28" 622X21C EYELET, 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL 905A | MUDGUARD: SKS | CHAIN COVER: HEBIE PERFORMANCE 0992 20 | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM

ALBOIN SLX 10




△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊖ REAR SHOCK	-
△ FRAME SIZE	L: 44, 48, 52CM	⚙️ REAR DERAILLEUR	SHIMANO SLX RD-M670 10S
⌒ FORK	SUNTOUR NEX-E25 700C DS TRAVEL: 63MM	🔧 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	28"	🌀 TYRE	SCHWALBE ENERGIZER+ TOUR 40-622 W/ REFLECTIVE TAP
⚙️ GEARS	10	📉 SADDLE	SELLE ROYAL ARIEL GEL HRC ACTEX COVER
📖 WEIGHT	23,8 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V
ARTICLE NUMBER	30192246		
COLOR			

HEADSET: FSA NO.11N | STEM: GEPIDA TDS-299N EXT: 105MM | HANDLEBAR: PROMAX HB-3188 RIZER 640MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | BRAKE DISC F/R: SHIMANO DEORE RT-56S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-T6000 10S | SEATPOST: KALLOY SPDC1 27,2X300MM | CRANKARM: FSA CK-74S 170/175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 28" 622X21C EYELET, 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL 905A | MUDGUARD: SKS | CHAIN COVER: HEBIE PERFORMANCE 0992 20 | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM

BERIG SLX 10




△ FRAME	CEPIDA HYDROFORMING - 6061 ALLOY	⊖ REAR SHOCK	-
△ FRAME SIZE	M: 19, 21"	⚙ REAR DERAILLEUR	SHIMANO SLX SHADOW RD-M670 10S
⌵ FORK	SUNTOUR NEX 26" HLO DS TRAVEL: 63MM	🔧 BRAKE	TEKTRO HD-M275
○ WHEEL SIZE	26"	🌀 TYRE	SCHWALBE ENERGIZER 26X1.75 REFLECTIVE
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL ESSENZA ACTEX COVER
📖 WEIGHT	22,6 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V
ARTICLE NUMBER	30191200		
	COLOR	 30191200A	

HEADSET: FSA NO.11N | STEM: TRANZX JDST-58A EXT: 80/90 MM | HANDLEBAR: PROMAX HB-3188 RIZER 640 MM BB: 31.8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: TEKTRO HD-M275 | BRAKE DISC F/R: TEKTRO 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEATPOST: ZOOM SP-C207 27,2X300 MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 44T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 26" 559X21C 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL 905A | MUDGUARD: SKS | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM

BERIG SLX 10



△ FRAME	CEPIDA HYDROFORMING - 6061 ALLOY	⊖ REAR SHOCK	-
△ FRAME SIZE	L: 15, 17, 19"	⚙ REAR DERAILLEUR	SHIMANO SLX SHADOW RD-M670 10S
⌵ FORK	SUNTOUR NEX 26" HLO DS TRAVEL: 63MM	🔧 BRAKE	TEKTRO HD-M275
○ WHEEL SIZE	26"	🌀 TYRE	SCHWALBE ENERGIZER 26X1.75 REFLECTIVE
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL ESSENZA ACTEX COVER
📖 WEIGHT	22,6 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611 6-12V
ARTICLE NUMBER	30191206		
	COLOR	 30191206A	

HEADSET: FSA NO.11N | STEM: TRANZX JDST-58A EXT: 80/90 MM | HANDLEBAR: PROMAX HB-3188 RIZER 640 MM BB: 31.8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: TEKTRO HD-M275 | BRAKE DISC F/R: TEKTRO 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEATPOST: ZOOM SP-C207 27,2X300 MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 44T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 26" 559X21C 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL 905A | MUDGUARD: SKS | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE | KICKSTAND: HEBIE 668M1 18MM

TISIA ALIVIO 9 BAF-M



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	L:44, 48, 52CM	⚙ REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000 9S
⌒ FORK	ZOOM 187D 700C TRAVEL: 60MM	🔧 BRAKE	SHIMANO ALTUS BR-MT200
○ WHEEL SIZE	28"	🌀 TYRE	WTB/FREEDOM WEDGE 700X47C W/ REFLECTIVE TAPE
⚙ GEARS	7	📉 SADDLE	SELLE ROYAL ALPINE HC
📖 WEIGHT	22,3 KG	💡 LIGHT	BÜCHEL UNILED 15 / TRELOCK LS611 6-12V
ARTICLE NUMBER		COLOR	
30190976		30190976A	

HEADSET: FSA NO.11N | STEM: GEPIDA TDS-299N ADJUSTABLE EXT: 105MM | HANDLEBAR: GEPIDA ALLOY 640 MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO ALTUS BL-MT200 | BRAKE DISC F/R: SHIMANO SM-RT26 160MM | SHIFTING LEVER: SHIMANO REVOSHIFT SL-RS35 | SEATPOST: GEPIDA ALLOY, SP-C207 27,2X300 MM | CRANKARM: PROWHEEL 170MM | CHAINWHEEL: BAFANG 38T STEEL | CASSETTE/COG: SHIMANO CS-HG200 11-34T 9S | CHAIN: SHIMANO CN-HG53 | RIM: BERETTA DISC25 28" 32H | FRONT HUB: FORMULA DC-20 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STAINLESS BLACK | MUDGUARD: ORION | CHAIN COVER: HERRMANS HALO 38T | LOCK: AXA BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | RACK: MASSLOAD CL-550 | KICKSTAND: HEBIE 668M1 18MM

TISIA ALIVIO 9 BAF-M



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	M:52, 56CM	⚙ REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000 9S
⌒ FORK	ZOOM 187D 700C TRAVEL: 60MM	🔧 BRAKE	SHIMANO ALTUS BR-MT200
○ WHEEL SIZE	28"	🌀 TYRE	WTB/FREEDOM WEDGE 700X47C W/ REFLECTIVE TAPE
⚙ GEARS	9	📉 SADDLE	SELLE ROYAL ALPINE HC
📖 WEIGHT	22,3KG	💡 LIGHT	BÜCHEL UNILED 15 / TRELOCK LS611 6-12V
ARTICLE NUMBER		COLOR	
30190970		30190970A	

HEADSET: FSA NO.11N | STEM: GEPIDA TDS-299N ADJUSTABLE EXT: 105MM | HANDLEBAR: GEPIDA ALLOY 640 MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO ALTUS BL-MT200 | BRAKE DISC F/R: SHIMANO SM-RT26 160MM | SHIFTING LEVER: SHIMANO REVOSHIFT SL-RS35 | SEATPOST: GEPIDA ALLOY, SP-C207 27,2X300 MM | CRANKARM: PROWHEEL 170MM | CHAINWHEEL: BAFANG 38T STEEL | CASSETTE/COG: SHIMANO CS-HG200 11-34T 9S | CHAIN: SHIMANO CN-HG53 | RIM: BERETTA DISC25 28" 32H | FRONT HUB: FORMULA DC-20 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STAINLESS BLACK | MUDGUARD: ORION | CHAIN COVER: HERRMANS HALO 38T | LOCK: AXA BATTERY LOCK | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | RACK: MASSLOAD CL-550 | KICKSTAND: HEBIE 668M1 18MM

THORIS XT 10



△ FRAME	GEPIDA DOUBLE BUTTED - 6061 ALLOY
△ FRAME SIZE	53/44 CM
⌒ FORK	SUNTOUR NCX-D AIR LO 700C TRAVEL: 63MM
○ WHEEL SIZE	28"
⚙️ GEARS	10
📖 WEIGHT	30,5 KG

⊖ REAR SHOCK	-
🔗 REAR DERAILLEUR	SHIMANO XT SHADOW RD-T8000 10S
👉 BRAKE	SHIMANO DEORE BR-MT500 + GEPIDA ALLOY V
🌀 TYRE	SCHWALBE ENERGIZER+ W/ REFELCTIVE TAPE 50/47-622
📖 SADDLE	SELLE ROYAL ARIEL ACTEX
💡 LIGHT	TRELOCK PRIO 50 / TRELOCK LS611 6-12V

ARTICLE NUMBER
30192560

COLOR
 **30192560A**

HEADSET: FSA NO.11N | STEM: GEPIDA TDS-D299 ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY 720 MM / 640 MM OS | GRIP: VELO VLG-775-12D2 + VLP-171 / VELO VLG-1185D3 | BRAKE LEVER: SHIMANO DEORE BL-MT500 + GEPIDA ALLOY XL92 | BRAKE DISC F/R: SHIMANO DEORE RT-54M 180MM | SHIFTING LEVER: SHIMANO DEORE SL-T6000 10S | SEATPOST: KALLOY SPDC1/GEPIDA 27,2X300MM | CRANKARM: FSA CK-745 170 MM INTEGRATED CHAINGUARD/SHIMANO ALIVIO FC-T4010 42T | CHAINWHEEL: FSA 17T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI AIRLINE1 28" , 36H | FRONT HUB: SHIMANO ALIVIO HB-M4050 QR 32H | REAR HUB: SHIMANO DEORE FH-M6010 X12 32H | SPOKE: SAPIM 13G STAINLESS STEEL | RACK: MASSLOAD CL 905A | MUDGUARD: SKS USC | CHAIN COVER: - | LOCK: - | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE | KICKSTAND: URSUS KING 28"



BAFANG

For more than ten years BAFANG has been a leading manufacturer of e-mobility components and complete systems. Thanks to its expertise in the production of systems for e-bikes and electric scooters, the company's products are well received in Europe, China and the United States. When developing and manufacturing products, BAFANG always puts great emphasis on reliability, quality and longevity.

BAFANG MAX DRIVE SYSTEM


The Max Drive System puts the rider in complete control. In spite of a generous power output and a maximum torque of more than 80 Nm, the motor operates in virtual silence. The modular motor design and integrated controller make disassembly easier and improve service responsiveness. The mid-drive motor constantly samples relevant information at a frequency of up to 80k Hz via a torque sensor and two highly sensitive speed sensors. The resulting data on crank torque, vehicle speed and pedal rotation speed is made available to the controller, ensuring precise control while achieving the highest possible efficiency.

BAFANG FRONT DRIVE SYSTEM

This front-drive motor with inner rotor is compatible with a roller brake and has a rated power of 250W. Because of its inner rotor design and a large reduction ratio (1:11), the motor's power can be effectively released. Small in size, light in weight, high in efficiency, this motor is smooth & quiet when running and thus suitable for city bikes.

Name	Max Drive System	Front Drive System
Weight	3,9 kg	≤ 2,3 kg
Max Torque	80 Nm	30 Nm
Efficiency	≥ 80 %	≥ 80 %

BAFANG



MTB & ATB E-BIKE

ASGARD FS PRO XT 11



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	ROCKSHOX MONARCH RT3 200X51MM
△ FRAME SIZE	17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO XT SHADOW+ RD-M8000 11S
⌒ FORK	ROCKSHOX RECON GOLD RL ONELOC TAPERED 15QR TRAVEL: 120MM	🛞 BRAKE	SHIMANO XT BR-M8000
○ WHEEL SIZE	29"	🛞 TYRE	SCHWALBE NOBBY NIC SNAKESKIN 27,5X2,35
⚙ GEARS	11	📉 SADDLE	SELLE ROYAL SETA S1
📖 WEIGHT	23,1 KG	💡 LIGHT	-

ARTICLE NUMBER

30192170

29"


COLOR



30192170A

HEADSET: FSA NO.42CB | STEM: TRANZX JDST-58A EXT: 60/70/80MM | HANDLEBAR: PROMAX HB-3188 RIZER 720MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO XT BL-M8000 | BRAKE DISC F/R: SHIMANO DEORE RT-54M 180MM | SHIFTING LEVER: SHIMANO XT SL-M8000 I-SPECII | SEATPOST: GEPIDA SP-226 30,4X350 | CRANKARM: FSA CK-745 170/175MM | CHAINWHEEL: FSA 15T STEEL | CASSETTE/COG: SHIMANO XT CS-M8000-11 11-40T | CHAIN: SHIMANO CN-HG601-11 11S | RIM: RODI BLACKROCK 27,5" 32H | FRONT HUB: SHIMANO XT HB-M8010 QR15 32H | REAR HUB: SHIMANO XT FH-M8010 X12 32H | SPOKE: SAPIM DB PRO 2/1,7/2 STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: -

ASGARD FS RACE XT 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	ROCKSHOX MONARCH RT3 200X51MM
△ FRAME SIZE	17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO XT SHADOW RD-M781 10S
⌒ FORK	ROCKSHOX RECON GOLD RL ONELOC TAPERED 15QR TRAVEL: 120MM	🛞 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	27,5"	🛞 TYRE	SCHWALBE NOBBY NIC SNAKESKIN 27,5X2,35
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL SETA S1
📖 WEIGHT	23,3 KG	💡 LIGHT	-

ARTICLE NUMBER

30192160

27,5"

COLOR



30192160A

HEADSET: FSA NO.42B | STEM: TRANZX JDST-58A EXT: 60/70/80MM | HANDLEBAR: PROMAX HB-3188 RIZER 720MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO DEORE BL-M6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54M 180MM | SHIFTING LEVER: SHIMANO SLX SL-M670 10S | SEATPOST: GEPIDA SP-226 30,4X350 | CRANKARM: FSA CK-745 170/175MM | CHAINWHEEL: FSA 15T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 27,5" 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6010 X12 32H | SPOKE: MACH1 STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: - | ABUS BATTERY LOCK | PEDAL: -

ASGARD PRO XT 11



△ FRAME	GEPIDA GRAVITY CASTING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	15" 17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO XT SHADOW+ RD-M8000 11S
⌒ FORK	ROCKSHOX RECON RL CROWN TAPERED 15QR TRAVEL: 100MM	🛞 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	29"	🌀 TYRE	SCHWALBE RACING RALPH 29X2,25 SNAKESKIN
⚙ GEARS	11	📉 SADDLE	SELLE ROYAL SETA S1
📖 WEIGHT	20,9 KG	💡 LIGHT	-

ARTICLE NUMBER

30192080

29"

COLOR




30192080A



30192080B

HEADSET: FSA NO.42B | STEM: TRANZX JDST-58A EXT: 70/80/90MM | HANDLEBAR: PROMAX HB-3019DBFT FLAT TOP 720MM BB: 31,8MM | GRIP: VELO VLC-775-12D2 + VLP-171
 BRAKE LEVER: SHIMANO DEORE BL-M6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54M 180MM / RT-54S 160MM | SHIFTING LEVER: SHIMANO SLX SL-M7000-11 I-SPECII 11S
 SEATPOST: GEPIDA SP-226 30,9X400MM | CRANKARM: FSA CK-745 170/175MM | CHAINWHEEL: FSA 11T STEEL | CASSETTE/COG: SHIMANO SLX CS-M7000 11-40T 11S | CHAIN:
 SHIMANO CN-HG601-11 11S | RIM: RODI BLACKROCK 29" 622X21C 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6000 QR 32H |
 SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

ASGARD SLX 10



△ FRAME	GEPIDA GRAVITY CASTING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	15" 17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO SLX SHADOW+ RD-M7000-10 10S
⌒ FORK	ROCKSHOX RECON RL CROWN TAPERED 15QR TRAVEL: 100MM	🛞 BRAKE	SHIMANO DEORE BR-M6000
○ WHEEL SIZE	29"	🌀 TYRE	SCHWALBE RACING RALPH 29X2,25 SNAKESKIN
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL SETA S1
📖 WEIGHT	20,9 KG	💡 LIGHT	-

ARTICLE NUMBER

30192070

29"

COLOR



30192070A



30192070B

HEADSET: FSA NO.42B | STEM: TRANZX JDST-58A EXT: 60/70/80/90MM | HANDLEBAR: PROMAX HB-3019DBFT FLAT TOP 720MM BB: 31,8MM | GRIP: VELO VLC-775-12D2 + VLP-171
 BRAKE LEVER: SHIMANO DEORE BL-M6000 | BRAKE DISC F/R: SHIMANO DEORE RT-54M 180MM / RT-54S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 I-SPECII 10S |
 SEATPOST: GEPIDA SP-226 30,9X400MM | CRANKARM: FSA CK-745 170/175MM | CHAINWHEEL: FSA 11T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN:
 SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 29" 622X21C 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6010 X12 32H |
 SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

RUGA DEORE 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY
△ FRAME SIZE	17" 19" 21"
⌒ FORK	SUNTOUR XCR 32 RL-R COIL TAPERED QR TRAVEL: 120MM
○ WHEEL SIZE	29" & 27,5"
⚙️ GEARS	10
⚖️ WEIGHT	21,9 KG

⊗ REAR SHOCK	-
⚙️ REAR DERAILLEUR	SHIMANO DEORE SHADOW+ RD-M6000 10S
⚙️ BRAKE	SHIMANO ACERA BR-MT400
🌀 TYRE	SCHWALBE RAPID ROB 29X2,35
📏 SADDLE	SELLE ROYAL SETA S1
💡 LIGHT	-

ARTICLE NUMBER
30192030

29"

COLOR	30192030A	30192030B
-------	-----------	-----------


ARTICLE NUMBER
30192050

27,5"

COLOR	30192050A	30192050B
-------	-----------	-----------

HEADSET: FSA NO.42B | STEM: TRANZX JDST-58A EXT: 70/80/90MM | HANDLEBAR: PROMAX HB-3188 RIZER 720MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ACERA BL-MT400 | BRAKE DISC F/R: SHIMANO DEORE RT-56M 180MM / RT-56S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEATPOST: KALLOY SPDC1 30,9X400MM | CRANKARM: FSA CK-310 170/175MM | CHAINWHEEL: FSA 15T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 27,5" 584X21C 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

FORTIS DEORE 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY
△ FRAME SIZE	15" 17" 19" 21"
⌒ FORK	SUNTOUR XCR 32 RL-R COIL TAPERED 15QLC-110 TRAVEL: 100MM
○ WHEEL SIZE	27,5"+
⚙️ GEARS	10
⚖️ WEIGHT	21,9 KG

⊗ REAR SHOCK	-
⚙️ REAR DERAILLEUR	SHIMANO DEORE SHADOW+ RD-M6000 10S
⚙️ BRAKE	SHIMANO ACERA BR-MT400
🌀 TYRE	SCHWALBE ROCKET RON 27,5X3,0
📏 SADDLE	VELO VL-3315 W/ GEL
💡 LIGHT	-

ARTICLE NUMBER
30192060

27,5"+

COLOR	30192060A
-------	-----------

HEADSET: FSA NO.42B | STEM: TRANZX JDST-58A EXT: 60/70/80/90MM | HANDLEBAR: PROMAX HB-3188 RIZER 720MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ACERA BL-MT400 | BRAKE DISC F/R: SHIMANO DEORE RT-54M 180MM / RT-54S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEATPOST: KALLOY SPDC1 30,9X400MM | CRANKARM: FSA CK-310 170/175MM | CHAINWHEEL: FSA 15T BOOST STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI READY35 650B+ 32H | FRONT HUB: SHIMANO DEORE HB-M6010B QR15 BOOST 32H | REAR HUB: SHIMANO DEORE FH-M6010B X12 BOOST 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE


SIRMIUM PRO DEORE 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	15" 17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO DEORE SHADOW+ RD-M6000 10S
⌒ FORK	SUNTOUR XCR 32 RL-R COIL TAPERED QR TRAVEL: 100MM	🔌 BRAKE	TEKTRO HD-M275
○ WHEEL SIZE	29"	🌀 TYRE	SCHWALBE RAPID ROB 29X2,25
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL SETA S1
📖 WEIGHT	21,9 KG	💡 LIGHT	-
ARTICLE NUMBER	30192040	COLOR	
	29"		30192040A 30192040B

HEADSET: FSA NO.42B | STEM: TRANZX JDST-58A EXT: 60/70/80/90MM | HANDLEBAR: PROMAX HB-3019DBFT FLAT TOP 720MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: TEKTRO HD-M275 | BRAKE DISC F/R: TEKTRO 180/160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEATPOST: KALLOY SPDC1 30,9X400MM | CRANKARM: FSA CK-310 170/175MM | CHAINWHEEL: FSA 15T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 29" 622X21C 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

SIRMIUM DEORE 9



△ FRAME	GEPIDA - 6061 ALLOY	⊗ REAR SHOCK	-
△ FRAME SIZE	15" 17" 19" 21"	⚙ REAR DERAILLEUR	SHIMANO DEORE SHADOW RD-M592 9S
⌒ FORK	SUNTOUR XCR 32 LO COIL QR TRAVEL: 120MM	🔌 BRAKE	TEKTRO HD-M275
○ WHEEL SIZE	27,5" & 29"	🌀 TYRE	SCHWALBE SMART SAM 27,5X2,6
⚙ GEARS	9	📉 SADDLE	SELLE ROYAL SETA S1
📖 WEIGHT	24,7 KG	💡 LIGHT	-
ARTICLE NUMBER	30192010	COLOR	
	27,5"		30192010A 30192000A
ARTICLE NUMBER	30192000	COLOR	
	29"		30192000A

HEADSET: FSA NO.42B-1 | STEM: TRANZX JDST-58A EXT: 60/70/80/90MM | HANDLEBAR: PROMAX HB-3188 RIZER 720MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: TEKTRO HD-M275 | BRAKE DISC F/R: TEKTRO 180/160MM | SHIFTING LEVER: SHIMANO ALTUS SL-M2000 9S | SEATPOST: KALLOY SPDC1 30,9X400MM | CRANKARM: FSA CK-310 170/175MM | CHAINWHEEL: FSA 15T STEEL | CASSETTE/COG: SHIMANO ACERA CS-HG200 11-34T 9S | CHAIN: SHIMANO CN-HC53 9S | RIM: RODI BLACKROCK 27,5" 584X21C 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

BERIG DEORE 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊖ REAR SHOCK	-
△ FRAME SIZE	17" 19"	⚙ REAR DERAILLEUR	SHIMANO DEORE SHADOW+ RD-M6000 10S
⌒ FORK	SUNTOUR XCM-ATB HLO QR TRAVEL: 100MM	🔧 BRAKE	TEKTRO HD-M275
○ WHEEL SIZE	29"	🌀 TYRE	SCHWALBE SMART SAM 29X2,1
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL SETA S1
🔋 WEIGHT	21,9 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS631 6-12V

ARTICLE NUMBER
30192580

29"

COLOR




30192580A



30192580B

HEADSET: FSA NO.42B-1 | STEM: TRANZX JDST-58A EXT: 60/70/80/90MM | HANDLEBAR: PROMAX HB-3188 RIZER 720MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: TEKTRO HD-M275 | BRAKE DISC F/R: TEKTRO 180/160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEATPOST: KALLOY SPDC1 30,9X400MM | CRANKARM: FSA CK-310 170/175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 29" 622X21C 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | MUDGUARD: SKS | CHAIN COVER: GEPIDA ALLOY | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE | RACK: GEPIDA ALLOY | KICKSTAND: HEBIE 668M1 18MM

BERIG DEORE 10



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	⊖ REAR SHOCK	-
△ FRAME SIZE	15" 17"	⚙ REAR DERAILLEUR	SHIMANO DEORE SHADOW+ RD-M6000 10S
⌒ FORK	SUNTOUR XCM-ATB HLO QR TRAVEL: 100MM	🔧 BRAKE	TEKTRO HD-M275
○ WHEEL SIZE	650B	🌀 TYRE	SCHWALBE SMART SAM 29X2,1
⚙ GEARS	10	📉 SADDLE	SELLE ROYAL SETA S1
🔋 WEIGHT	21,9 KG	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS631 6-12V

ARTICLE NUMBER
30192570

650B

COLOR



30192570A



30192570B

HEADSET: FSA NO.42B-1 | STEM: TRANZX JDST-58A EXT: 60/70/80/90MM | HANDLEBAR: PROMAX HB-3188 RIZER 720MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: TEKTRO HD-M275 | BRAKE DISC F/R: TEKTRO 180/160MM | SHIFTING LEVER: SHIMANO DEORE SL-M6000 10S | SEATPOST: KALLOY SPDC1 30,9X400MM | CRANKARM: FSA CK-310 170/175MM | CHAINWHEEL: FSA 18T STEEL | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI BLACKROCK 27,5" 584X21C 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | MUDGUARD: SKS | CHAIN COVER: GEPIDA ALLOY | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE | RACK: GEPIDA ALLOY | KICKSTAND: HEBIE 668M1 18MM

GILPIL ALIVIO 9



△ FRAME GEPIDA HYDROFORMING - 6061 ALLOY

△ FRAME SIZE 14"

⌒ FORK SUNTOUR XCT JR-L HLO 24" TRAVEL: 80MM

○ WHEEL SIZE 24"

⚙️ GEARS 9

📖 WEIGHT 14,8 KG

⊗ REAR SHOCK -

⚙️ REAR DERAILLEUR SHIMANO ALIVIO SHADOW RD-M4000 9S

⚙️ BRAKE TEKTRON HD-M275

🌀 TYRE SCHWALBE SMART SAM 24X2,1

📖 SADDLE SELLE ROYAL HELLO

💡 LIGHT -

COLOR

📖 30191540A

ARTICLE NUMBER

30191540

24"

HEADSET: FSA NO.11N | STEM: TRANZX JDST-58A EXT: 60MM | HANDLEBAR: PROMAX HB-3188 RIZER 640MM BB: 31,8MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: TEKTRON HD-M275 | BRAKE DISC F/R: TEKTRON 160MM | SHIFTING LEVER: SHIMANO ALTUS SL-M2000 9S | SEATPOST: GEPIDA ALLOY, 27,2X300 MM | CRANKARM: FSA CK-400 GEN3 155MM | CHAINWHEEL: FSA 38T STEEL | CASSETTE/COG: SHIMANO ACERA CS-HG200 11-34T 9S | CHAIN: SHIMANO CN-HG53 9S | RIM: BERETTA MT240E 24" 507X19C W/ EYELET 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | LOCK: ABUS BATTERY LOCK | PEDAL: XERAMA SP-400 PP BODY W/ CATEYE

LIFELONG WARRANTY ON GEPIDA FRAMES

In the framework of a lifetime warranty, Gepida undertakes to repair or replace the faulty or damaged frames of bikes in a short time by our team or directly through the distributor. Both the expertise of our engineers and high technology of our professional manufacturing can assure a lifetime warranty on the frames of our bicycles. This is why long-term durability and simplicity of use is at the core of our product philosophy.

To activate the warranty process, remember to register on our website at the bike registration section. The warranty is validated automatically along with the ownership. Your satisfaction and the joy of riding without any problems for many years to come is essential to us.





TREKking BICYCLES

ALBOIN 900 28"



△ FRAME	CEPIDA HYDROFORMING - 6061 ALLOY	🔧 BRAKE	SHIMANO ACERA BR-M395
△ FRAME SIZE	48, 52, 56CM	👣 FRONT DERAILLEUR	SHIMANO DEORE FD-T6000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👣 REAR DERAILLEUR	SHIMANO XT RDT8000 SGS SHADOW
⌒ FORK	SUNTOUR NCX-D 700C LO 63MM	🌀 TYRE	SCHWALBE MARATHON+ SMARTGUARD 40-622 W/ REFLECTIVE TAPE
⚙️ GEARS	30	📅 SADDLE	SELLE ROYAL ARIEL HRC GEL
📦 WEIGHT	18,6 KG	💡 LIGHT	AXA PICO30 W/ STANDLIGHT / SLIM W/ STANDLIGHT

ARTICLE NUMBER
30190390

COLOR
 **30190390A**

HEAD SET: FSA TH807ST THREADED 11/8" | STEM: CEPIDA MQ-565 EXT: 85/105MM BB: 25,4MM | HANDLE BAR: CEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-649 AD2 | BRAKE LEVER: SHIMANO ACERA BL-M425 | BRAKE DISC F/R: SHIMANO RT-56S 160MM | SHIFTING LEVER: SHIMANO LX SL-T670 3X10S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SHIMANO LX FC-T551 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO SM-BB INTEGRATED | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI EXCALIBUR XC 28", 32H | FRONT HUB: SHIMANO DH-3D32 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

ALBOIN 700 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚰 BRAKE	SHIMANO ACERA BR-M396
△ FRAME SIZE	48, 52, 56CM	🚲 FRONT DERAILLEUR	SHIMANO DEORE FD-T6000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO LX RD-T670 SGS 10S
⌒ FORK	SUNTOUR NCX-D 700C LO 63MM	🚲 TYRE	SCHWALBE SILENTO KEVLARGUARD 42-622 W/ REFELCTIVE TAPE
⚙️ GEARS	30	🚲 SADDLE	SELLE ROYAL ARIEL HRC GEL
📖 WEIGHT	18,6 KG	🚰 LIGHT	AXA PICO30 W/ STANDLIGHT / SLIM W/ STANDLIGHT

ARTICLE NUMBER
30190370

COLOR	
🚲 🚰 📖	30190370A

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-565 EXT: 85/105MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-649 AD2 | BRAKE LEVER: SHIMANO ACERA BL-M395 | BRAKE DISC F/R: SHIMANO RT-56S 160MM | SHIFTING LEVER: SHIMANO DEORE SL-T6000 3X10S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SHIMANO DEORE FC-T521 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 121MM | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI EXCALIBUR XC 28", 32H | FRONT HUB: SHIMANO DH-3D32 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

ALBOIN 500 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚰 BRAKE	SHIMANO ALTUS BR-M365
△ FRAME SIZE	48, 52, 56CM	🚲 FRONT DERAILLEUR	SHIMANO ACERA FD-T3000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO DEORE RD-M592 SHADOW
⌒ FORK	SUNTOUR NEX DS 700C HLO 63MM	🚲 TYRE	SCHWALBE SILENTO KEVLARGUARD 42-622 W/ REFELCTIVE TAPE
⚙️ GEARS	27	🚲 SADDLE	SELLE ROYAL ARIEL HRC GEL
📖 WEIGHT	17,2 KG	🚰 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER
30190350

COLOR	
🚲 🚰 📖	30190350A

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MTS-C297 EXT: 90/110MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS BL-M365 | BRAKE DISC F/R: SHIMANO RT-56S 160MM | SHIFTING LEVER: SHIMANO ACERA SL-M3000 3X9S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SUNTOUR XCM-T418 OC 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 113MM | CASSETTE/COG: SHIMANO ACERA CS-HG201 11-32T 9S | CHAIN: SHIMANO CN-HG53 9S | RIM: RODI EXCALIBUR XC 28", 32H | FRONT HUB: SHIMANO DH-3D32 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

ALBOIN 500 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	👤 BRAKE	SHIMANO ALTUS BR-M365
△ FRAME SIZE	44, 48, 52CM	👤 FRONT DERAILLEUR	SHIMANO ACERA FD-T3000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👤 REAR DERAILLEUR	SHIMANO DEORE RD-M592 SHADOW
⌒ FORK	SUNTOUR NEX DS 700C HLO 63MM	🌀 TYRE	SCHWALBE SILENTO KEVLARGUARD 42-622 W/ REFELCTIVE TAPE
⚙️ GEARS	27	👤 SADDLE	SELLE ROYAL ARIEL DRC
📖 WEIGHT	17,2 KG	💡 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER
30190356

COLOR	
	30190356A

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MTS-C297 EXT: 90MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS BL-M365 | BRAKE DISC F/R: SHIMANO RT-56S 160MM | SHIFTING LEVER: SHIMANO ACERA SL-M3000 3X9S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SUNTOUR XCM-T418 OC 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 113MM | CASSETTE/COG: SHIMANO ACERA CS-HG201 11-32T 9S | CHAIN: SHIMANO CN-HG53 9S | RIM: RODI EXCALIBUR XC 28" , 32H | FRONT HUB: SHIMANO DH-3D32 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

ALBOIN 300 PRO 28"



△ FRAME	6061 ALLOY	👤 BRAKE	SHIMANO ALTUS BR-M315
△ FRAME SIZE	48, 52, 56CM	👤 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👤 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SCS
⌒ FORK	SUNTOUR NEX DS 700C HLO 63MM	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C W/ REFELCTIVE TAPE
⚙️ GEARS	24	👤 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	17,2 KG	💡 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER
30190340

COLOR	
	30190340A

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MTS-C297 EXT: 110MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS BL-M315 | BRAKE DISC F/R: SHIMANO RT-26S 160MM | SHIFTING LEVER: SHIMANO ALTUS SL-M310 3X8S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100-K 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: BERETTA DISC25 622X19 | FRONT HUB: SHIMANO DH-3D32 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: MASSLOAD CL550 | MUDGUARD: SKS | CHAIN COVER: | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 300 28"



△ FRAME	6061 ALLOY	🚫 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE
△ FRAME SIZE	48, 52, 56CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR CR8 700C 50MM HL	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C W/ REFELCTIVE TAPE
⚙️ GEARS	24	🚲 SADDLE	SELLE ROYAL ALPINE HRC
📦 WEIGHT	17,9 KG	💡 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER
30190330

COLOR		
	30190330A	
		30190330B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MTS-C297 EXT: 110MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS ST-EF510 4FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS ST-EF510 3X8S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100-K 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: RODI SKORPION CNC 28" 32H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 32H | REAR HUB: FORMULA FM32 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 300 28"



△ FRAME	6061 ALLOY	🚫 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE
△ FRAME SIZE	44, 48, 52CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR CR8 700C 50MM HL	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C W/ REFELCTIVE TAPE
⚙️ GEARS	24	🚲 SADDLE	SELLE ROYAL ALPINE DRC
📦 WEIGHT	17,9 KG	💡 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER
30190336

COLOR		
	30190336A	
		30190336B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MTS-C297 EXT: 110MM BB: 25,4MM | HANDLE BAR: GEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS ST-EF510 4FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS ST-EF510 3X8S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100-K 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: RODI SKORPION CNC 28" 32H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 32H | REAR HUB: FORMULA FM32 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 300 28"



△ FRAME	6061 ALLOY	🛞 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE
△ FRAME SIZE	45, 50, 55CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR CR8 700C 50MM HL	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C W/ REFELCTIVE TAPE
⚙️ GEARS	24	🐎 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	17,9 KG	💡 LIGHT	AXA PICO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER
30190335

COLOR



30190335A



30190335B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: CEPIDA MTS-C297 EXT: 110MM BB: 25,4MM | HANDLE BAR: CEPIDA ALLOY AL-155TP W: 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS ST-EF510 4FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS ST-EF510 3X8S | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100-K 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: RODI SKORPION CNC 28" 32H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 32H | REAR HUB: FORMULA FM32 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 200 PRO 28"



△ FRAME	6061 ALLOY	🛞 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	48, 52, 56CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO ACERA RD-M360 SGS 7/8S
⌒ FORK	SUNTOUR M3010 700C 63MM	🌀 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	🐎 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	17,2 KG	💡 LIGHT	AXA ECHO15 / X-RAY W/ STANDLIGHT

ARTICLE NUMBER
30190320

COLOR



30190320A



30190320B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: CEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: CEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 200 PRO 28"



△ FRAME	6061 ALLOY	🚫 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	44, 48, 52CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO ACERA RD-M360 SGS 7/8S
⌒ FORK	SUNTOUR M3010 700C 63MM	🚲 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	🚲 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	17,2 KG	🚫 LIGHT	AXA ECHO15 / X-RAY W/ STANDLIGHT
ARTICLE NUMBER		COLOR	
30190326		🚲 30190326A	🚲 30190326B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 200 28"







△ FRAME	6061 ALLOY	🚫 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	M: 48, 52, 56 CM L: 44, 48, 52 CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM ENJOY 123 E 40 MM	🚲 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	🚲 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	17,3 KG	🚫 LIGHT	BÜCHEL UNILED 15 / AXA X-RAY W/ STANDLIGHT
ARTICLE NUMBER		COLOR	
30190310		🚲 30190310A	🚲 30190310B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: PROWHELL A541 28-38-48/170 MM | BOTTOM BRACKET: PROWHELL A541 48-38-28T 170MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 200 28"







△ FRAME	6061 ALLOY	🔒 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	44, 48, 52CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM ENJOY 123 E 40 MM	🌀 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	📖 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	17,3 KG	💡 LIGHT	BÜCHEL UNILED 15 / AXA X-RAY W/ STANDLIGHT
ARTICLE NUMBER	30190316		
COLOR	 	 	30190316B 30190316C

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: PROWHELL A541 28-38-48/170 MM | BOTTOM BRACKET: PROWHEEL A541 48-38-28T 170MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 100 28"












△ FRAME	STEEL	🔒 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	52, 56CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 28,6MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	STEEL	🌀 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	📖 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	17,2 KG	💡 LIGHT	BÜCHEL KB 50/75 HALOGEN / X-RAY W/ STANDLIGHT
ARTICLE NUMBER	30190300		
COLOR	 	 	30190300B 30190300C

HEAD SET: STEEL BLACK | STEM: GEPIDA LS120 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: LOGAN 327AE ALLOY 4 FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 3X7S | SEAT POST: GEPIDA SP-501S STEEL 25,4X300MM | CRANKSET: PROWHEEL A541 48-38-28T 170MM | BOTTOM BRACKET: THUN BASIC PLUS 128MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 100 28"



△ FRAME	STEEL	🚰 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	46CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 28,6MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	STEEL	🚲 TYRE	WTB/FREEDOM SCORCHER 700X38C
⚙️ GEARS	21	🚲 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	17,2 KG	💡 LIGHT	BÜCHEL KB 50/75 HALOGEN / X-RAY W/ STANDLIGHT
ARTICLE NUMBER	30190306		
COLOR	  	30190306B	
	  	30190306A	
	  	30190306C	

HEAD SET: STEEL BLACK | STEM: GEPIDA LS120 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL 155TP W: 640MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: LOGAN 327AE ALLOY 4 FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 3X7S | SEAT POST: GEPIDA SP-501S STEEL 25,4X300MM | CRANKSET: PROWHEEL A541 48-38-28T 170MM | BOTTOM BRACKET: THUN BASIC PLUS 128MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK | CHAIN COVER: - | PEDAL: XERAMA SP872N PP




CROSS BICYCLES

ALBOIN 900 CRS 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚰 BRAKE	SHIMANO ACERA BR-M395
△ FRAME SIZE	48, 52, 56CM	🚰 FRONT DERAILLEUR	SHIMANO DEORE FD-T6000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚰 REAR DERAILLEUR	SHIMANO XT RDT8000 SGS SHADOW
⌒ FORK	SUNTOUR NCX-D 700C LO 63MM	🚰 TYRE	SCHWALBE SPICER 40-622 W/ REFLECTIVE TAPE
⚙️ GEARS	30	🚰 SADDLE	SELLE ROYAL DARDO GEL HRC
📦 WEIGHT	14,2 KG	🚰 LIGHT	-

ARTICLE NUMBER
30190290

COLOR
 30190290A

HEAD SET: FSA NO.11N | STEM: GEPIDA/TRANZX JDST-58A EXT: 80/90/100MM | HANDLE BAR: GEPIDA ALLOY MTB AL-118 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ACERA BL-M425 | BRAKE DISC F/R: SHIMANO RT-56S 180MM | SHIFTING LEVER: SHIMANO LX SL-T670 3X10S | SEAT POST: GEPIDA ALLOY SP-226 27.2X300 MM | CRANKSET: SHIMANO LX FC-T551 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO SM-BB52 INTEGRATED | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI EXCALIBUR XC 28" , 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

ALBOIN 700 CRS 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚰 BRAKE	SHIMANO ACERA BR-M396
△ FRAME SIZE	48, 52, 56CM	🚰 FRONT DERAILLEUR	SHIMANO DEORE FD-T6000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	🚰 REAR DERAILLEUR	SHIMANO LX RD-T670 SGS 10S
⌒ FORK	SUNTOUR NCX-D 700C LO 63MM	🚰 TYRE	SCHWALBE SMART SAM 700X40C
⚙️ GEARS	30	🚰 SADDLE	SELLE ROYAL DARDO GEL HRC
📦 WEIGHT	14,1 KG	🚰 LIGHT	-

ARTICLE NUMBER
30190270

COLOR
 30190270A


HEAD SET: FSA NO.11N | STEM: GEPIDA/TRANZX JDST-58A EXT: 70/80/90MM | HANDLE BAR: GEPIDA ALLOY MTB AL-118 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ACERA BL-M395 | BRAKE DISC F/R: SHIMANO RT-56S 180MM | SHIFTING LEVER: SHIMANO DEORE SL-T6000 3X10S | SEAT POST: GEPIDA ALLOY SP-226 27.2X300 MM | CRANKSET: SHIMANO DEORE FC-T521 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 121MM | CASSETTE/COG: SHIMANO TIAGRA CS-HG500-10 11-34T 10S | CHAIN: SHIMANO DEORE CN-HG54 10S | RIM: RODI EXCALIBUR XC 28" , 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

ALBOIN 500 CRS 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🔑 BRAKE	SHIMANO ALTUS BR-M365
△ FRAME SIZE	48, 52, 56CM	👉 FRONT DERAILLEUR	SHIMANO ACERA FD-T3000 TOP SWING DUAL PULL 31,8MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO DEORE RD-M592 SHADOW
⌒ FORK	SUNTOUR NEX DS 700C HLO 63MM	🌀 TYRE	SCHWALBE CX COMP 40-622
⚙️ GEARS	27	📅 SADDLE	SELLE ROYAL DARDO HRC
📦 WEIGHT	15,1 KG	💡 LIGHT	-

ARTICLE NUMBER
30190250

COLOR	
 30190250A	

HEAD SET: FSA NO.11N | STEM: GEPIDA/TRANZX JDST-58A EXT: 80/90/100MM | HANDLE BAR: GEPIDA ALLOY MTB AL-118 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ALTUS BL-M365 | BRAKE DISC F/R: SHIMANO RT-56S 160MM | SHIFTING LEVER: SHIMANO ACERA SL-M3000 3X9S | SEAT POST: GEPIDA ALLOY SP-226 27.2X300MM | CRANKSET: SUNTOUR XCM-T418 OC 48-36-26T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 113MM | CASSETTE/COG: SHIMANO ACERA CS-HG201 11-32T 9S | CHAIN: SHIMANO CN-HG53 9S | RIM: RODI EXCALIBUR XC 28" , 32H | FRONT HUB: FORMULA DC-20 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STAINLESS BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

ALBOIN 300 PRO CRS 28"



△ FRAME	6061 ALLOY	🔑 BRAKE	SHIMANO ALTUS BR-M315
△ FRAME SIZE	48, 52, 56CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SCS
⌒ FORK	SUNTOUR NEX 700C HLO 63MM	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	24	📅 SADDLE	SELLE ROYAL ALPINE HRC
📦 WEIGHT	14,9 KG	💡 LIGHT	-

ARTICLE NUMBER
30190240

COLOR	
 30190240A	

HEAD SET: FSA NO.11Q | STEM: KALLOY ASDC1 EXT: 90MM | HANDLE BAR: GEPIDA ALLOY AL-118 W: 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ALTUS BL-M315 | BRAKE DISC F/R: SHIMANO RT-26S 160MM | SHIFTING LEVER: SHIMANO ALTUS SL-M310 3X8S | SEAT POST: GEPIDA ALLOY SP-C207 27.2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: BERETTA DISC25 622X19 | FRONT HUB: FORMULA DC-20 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 300 CRS 28"



△ FRAME	6061 ALLOY	🛞 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE
△ FRAME SIZE	48, 52, 56CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR CR8 700C 50MM HLO	🚲 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	24	🚲 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	14,3 KG	💡 LIGHT	-

ARTICLE NUMBER
30190230

COLOR		
	30190230A	
		30190230B

HEAD SET: FSA NO.11Q | STEM: KALLOY ASDC1 EXT: 90MM | HANDLE BAR: GEPIDA ALLOY AL-118 W: 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ALTUS ST-EF510 2FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS ST-EF510 3X8S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: RODI SKORPION CNC 28" 32H | FRONT HUB: FORMULA FM21 QR 32H | REAR HUB: FORMULA RB30 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 300 CRS 28"



△ FRAME	6061 ALLOY	🛞 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE
△ FRAME SIZE	44, 48, 52CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY710 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 SGS
⌒ FORK	SUNTOUR CR8 700C 50MM HLO	🚲 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	24	🚲 SADDLE	SELLE ROYAL ALPINE DRC
📖 WEIGHT	14,3 KG	💡 LIGHT	-

ARTICLE NUMBER
30190236

COLOR		
	30190236A	

HEAD SET: FSA NO.11Q | STEM: KALLOY ASDC1 EXT: 75MM | HANDLE BAR: GEPIDA ALLOY AL-118 W: 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ALTUS ST-EF510 2FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ALTUS ST-EF510 3X8S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 8S | RIM: RODI SKORPION CNC 28" 32H | FRONT HUB: FORMULA FM21 QR 32H | REAR HUB: FORMULA RB30 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

ALBOIN 200 PRO CRS 28"



△ FRAME	6061 ALLOY	🔒 BRAKE	GEPIDA V-BRAKE TX-117
△ FRAME SIZE	48, 52, 56CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO ACERA RD-M360 SGS 7/8S
⌒ FORK	SUNTOUR M3010 700C 63MM	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	21	🚽 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	14,8 KG	💡 LIGHT	-

ARTICLE NUMBER

30190220

COLOR

30190220A

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA CROSS STEEL W: 600MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: SUNTOUR XCC-T208 48-38-28T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 200 CRS 28"



△ FRAME	6061 ALLOY	🔒 BRAKE	GEPIDA V-BRAKE TX-117
△ FRAME SIZE	48, 52, 56CM	🚲 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	🚲 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM ENJOY 123E 40 MM	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	21	🚽 SADDLE	SELLE ROYAL ALPINE HRC
📖 WEIGHT	15,1 KG	💡 LIGHT	-

ARTICLE NUMBER

30190210

COLOR

30190210A

 30190210B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA CROSS STEEL W: 600MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: PROWHEEL A541 48-38-28T 170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP872N PP

ALBOIN 200 CRS 28"



△ FRAME	6061 ALLOY	🚫 BRAKE	GEPIDA V-BRAKE TX-117
△ FRAME SIZE	44, 48, 52CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM ENJOY 123E 40 MM	🌀 TYRE	WTB/FREEDOM WEDGE 700X38C
⚙️ GEARS	21	📏 SADDLE	SELLE ROYAL ALPINE DRC
📦 WEIGHT	15,1 KG	💡 LIGHT	-

ARTICLE NUMBER	COLOR
30190216	30190216A 30190216B

HEAD SET: FSA TH807ST THREADED 1 1/8" | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA CROSS STEEL W: 600MM RISE: 30MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET: PROWHEEL A541 48-38-28T 170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: FORMULA FM31 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP872N PP



MTB BICYCLES

ASGARD 29"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	👉 BRAKE	SHIMANO ACERA BR-M395
△ FRAME SIZE	17" 19" 21"	👉 FRONT DERAILLEUR	SHIMANO SLX FD-M7025 DOWN SWING DUAL PULL 34,9MM
○ WHEEL SIZE	29"	👉 REAR DERAILLEUR	SHIMANO SLX RD-M7000-11 GS SHADOW+ 11S
⌒ FORK	ROCKSHOX RECON TK 29" 100MM QR15 CROWN TAPERED	👉 TYRE	SCHWALBE RAPID ROB 29X2,25
⚙️ GEARS	22	👉 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	14,2 KG	👉 LIGHT	-

ARTICLE NUMBER
30190090

29"

COLOR



30190090A

HEAD SET: FSA NO.42B | STEM: GEPIDA/TRANZX JDST-58A EXT: 80/90/100MM | HANDLE BAR: GEPIDA ALLOY 720 MM DB FLAT TOP BB: 31,8MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ACERA BL-M425 | BRAKE DISC F/R: SHIMANO RT-54M 180MM / RT-54S 160MM | SHIFTING LEVER: SHIMANO SLX SL-M7000-11 2X11S | SEAT POST: GEPIDA ALLOY SP-226 31,6X400MM | CRANKSET: SHIMANO SLX FC-MT600 36-26T, 170/175MM | BOTTOM BRACKET: SHIMANO DEORE SM-BB52 | CASSETTE/COG: SHIMANO SLX CS-M7000 11-40T 11S | CHAIN: SHIMANO CN-HG601-11 11S | RIM: RODI BLACKROCK 29" 32H | FRONT HUB: SHIMANO DEORE HB-M6010 QR15 32H | REAR HUB: SHIMANO DEORE FH-M6000 QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

RUGA 29"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	👉 BRAKE	SHIMANO ALTUS BR-M365
△ FRAME SIZE	17" 19" 21"	👉 FRONT DERAILLEUR	SHIMANO ALTUS FD-M2000 DOWN SWING DUAL PULL 34,9MM
○ WHEEL SIZE	29"	👉 REAR DERAILLEUR	SHIMANO DEORE RD-M592 SHADOW 9S
⌒ FORK	SUNTOUR XCR32 COIL LO-R DS 29" 100MM QR	👉 TYRE	SCHWALBE SMART SAM 29X2,1 HS476
⚙️ GEARS	27	👉 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	15,08 KG	👉 LIGHT	-

ARTICLE NUMBER
30190080

29"

COLOR



30190080A

HEAD SET: FSA NO.11N | STEM: GEPIDA/TRANZX JDST-58A EXT: 80/90/100MM | HANDLE BAR: GEPIDA ALLOY 720 MM DB FLAT TOP BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ALTUS BL-M365 | BRAKE DISC F/R: SHIMANO DEORE RT-56M 180MM / RT-56S 160MM | SHIFTING LEVER: SHIMANO ACERA SL-M3000 3X9S | SEAT POST: KALLOY SPDC1 31,6X400MM | CRANKSET: SUNTOUR XCM-T410 OC 40-30-22T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 113MM | CASSETTE/COG: SHIMANO ACERA CS-HG201 11-32T 9S | CHAIN: SHIMANO CN-HG53 9S | RIM: RODI BLACKROCK 29" 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

RUGA 27,5"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🔑 BRAKE	SHIMANO ALTUS BR-M365
△ FRAME SIZE	17" 19" 21"	👉 FRONT DERAILLEUR	SHIMANO ALTUS FD-M2000 DOWN SWING DUAL PULL 34,9MM
○ WHEEL SIZE	27,5"	👉 REAR DERAILLEUR	SHIMANO DEORE RD-M592 SHADOW 9S
⌒ FORK	SUNTOUR XCR32 COIL LO-R DS 27,5" 100MM QR	🌀 TYRE	SCHWALBE SMART SAM 27,5X2,1 HS476
⚙️ GEARS	27	📅 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	15,1 KG	💡 LIGHT	-

ARTICLE NUMBER
30190070

27,5"

COLOR

30190070A

HEAD SET: FSA NO.11N | STEM: GEPIDA/TRANZX JDST-58A EXT: 70/80/90MM | HANDLE BAR: GEPIDA ALLOY 720 MM, RISE:30MM BB: 31,8MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: SHIMANO ALTUS BL-M365 | BRAKE DISC F/R: SHIMANO DEORE RT-56M 180MM / RT-56S 160MM | SHIFTING LEVER: SHIMANO ACERA SL-M3000 3X9S | SEAT POST: KALLOY SPD1 31,6X400MM | CRANKSET: SUNTOUR XCM-T410 OC 40-30-22T 170/175MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK 113MM | CASSETTE/COG: SHIMANO ACERA CS-HG201 11-32T 9S | CHAIN: SHIMANO CN-HG53 9S | RIM: RODI BLACKROCK 27,5" 32H | FRONT HUB: FORMULA DC-20LW QR 32H | REAR HUB: FORMULA DC-22W QR 32H | SPOKE: SAPIM STAINLESS STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-610 ALLOY W/ CATEYE

SIRMIUM 29"



△ FRAME	6061 ALLOY	🔑 BRAKE	SHIMANO ALTUS BR-M315
△ FRAME SIZE	17" 19" 21"	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY700 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	29"	👉 REAR DERAILLEUR	SHIMANO ACERA RD-M3000 SGS SHADOW
⌒ FORK	ZOOM VAXA 29" HL 100MM	🌀 TYRE	WTB-FREEDOM CUTLASS 29X2,1
⚙️ GEARS	24	📅 SADDLE	SELLE ROYAL SETA S1
📖 WEIGHT	15,6 KG	💡 LIGHT	-

ARTICLE NUMBER
30190060

29"

COLOR

30190060A 30190060B

HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 31,8MM EXT: 75/90/105MM | HANDLE BAR: GEPIDA ALLOY 720 MM DB FLAT TOP BB: 31,8MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ALTUS BL-M315 | BRAKE DISC F/R: SHIMANO RT-26M 180MM / RT-26S 160MM | SHIFTING LEVER: SHIMANO ALTUS SL-M310 3X8S | SEAT POST: KALLOY SPD1 31,6X400MM | CRANKSET: SUNTOUR XCC-T202 42-32-22T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 | RIM: BERETTA DISC25 622X19 | FRONT HUB: FORMULA DC-20 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATEYE

SIRMIUM 650B



△ FRAME	6061 ALLOY	🔒 BRAKE	SHIMANO ALTUS BR-M315
△ FRAME SIZE	17" 19" 21"	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY700 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	27,5"	👉 REAR DERAILLEUR	SHIMANO ACERA RD-M3000 SGS SHADOW
⌒ FORK	ZOOM VAXA 650B HL 100MM	🌀 TYRE	WTB-FREEDOM CUTLASS 27,5X2,1
⚙️ GEARS	24	📵 SADDLE	VELO VL-3315 W/ GEL
📖 WEIGHT	15,2 KG	💡 LIGHT	-
ARTICLE NUMBER	30190050	COLOR	
	27,5"		30190050A 30190050B

HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 31,8MM EXT: 75/90/105MM | HANDLE BAR: GEPIDA ALLOY 720 MM, RISE:30MM BB: 31,8MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ALTUS BL-M315 | BRAKE DISC F/R: SHIMANO RT-26M 180MM / RT-26S 160MM | SHIFTING LEVER: SHIMANO ALTUS SL-M310 3X8S | SEAT POST: KALLOY SPDC1 31,6X400MM | CRANKSET: SUNTOUR XCC-T202 42-32-22T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO ALTUS CS-HG31 11-32T 8S | CHAIN: KMC Z72 | RIM: BERETTA DISC25 584X19 | FRONT HUB: FORMULA DC-20 QR 32H | REAR HUB: FORMULA DC-22 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-940 PP/STEEL W/ CATYE

MUNDO PRO 650B



△ FRAME	6061 ALLOY	🔒 BRAKE	SHIMANO BR-TX805
△ FRAME SIZE	17" 19" 21"	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY500 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	27,5"	👉 REAR DERAILLEUR	SHIMANO ACERA RD-M360 SGS 7/8S
⌒ FORK	ZOOM VAXA 650B HL 100MM	🌀 TYRE	WTB-FREEDOM GANGSTER 27,5X1,95
⚙️ GEARS	21	📵 SADDLE	SELLE ROYAL MACH
📖 WEIGHT	15,2 KG	💡 LIGHT	-
ARTICLE NUMBER	30190040	COLOR	
	27,5"		30190040A

HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 25,4MM EXT: 70/90MM 7DEG | HANDLE BAR: GEPIDA ALLOY 640MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: SHIMANO RT-26S 160MM | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 31,6X400MM | CRANKSET: SUNTOUR XCC-T202 42-32-22T 170/175MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO CS-HG200 12-32T 7S | CHAIN: KMC Z50 | RIM: BERETTA DISC25 584X19 | FRONT HUB: FORMULA DC-20 QR 32H | REAR HUB: FORMULA DC-22-7 QR 32H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-400 PP W/ CATEYE

MUNDO 26"



△ FRAME	6061 ALLOY	👤 BRAKE	GEPIDA V-BRAKE TX-118
△ FRAME SIZE	15" 17" 19" 21"	👤 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	26"	👤 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM BRAVO 410E 26" 50MM	👤 TYRE	WTB-FREEDOM GANGSTER 26X1,95
⚙️ GEARS	21	👤 SADDLE	SELLE ROYAL MACH
📖 WEIGHT	14,3 KG	👤 LIGHT	-
ARTICLE NUMBER 30190030 26"		COLOR 30190030A 30190030B 30190030C	

HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 25,4MM EXT: 70/90MM 7DEG | HANDLE BAR: GEPIDA ALLOY 600 MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 31,6X400MM | CRANKSET: PROWHEEL A541 48-38-28T 170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT-240 26" 36H | FRONT HUB: FORMULA FM21 QR 36H | REAR HUB: FORMULA FM31 QR 36H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-400 PP W/ CATEYE

MUNDO 26"



△ FRAME	6061 ALLOY LADY	👤 BRAKE	GEPIDA V-BRAKE TX-118
△ FRAME SIZE	16"	👤 FRONT DERAILLEUR	SHIMANO TY FD-TY510 TOP SWING DUAL PULL 34,9MM
○ WHEEL SIZE	26"	👤 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM BRAVO 410E 26" 50MM	👤 TYRE	WTB-FREEDOM GANGSTER 26X1,95
⚙️ GEARS	21	👤 SADDLE	SELLE ROYAL MACH
📖 WEIGHT	14,3 KG	👤 LIGHT	-
ARTICLE NUMBER 30190036 26"		COLOR 30190036A 30190036B	

HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 25,4MM EXT: 75MM 15DEG | HANDLE BAR: GEPIDA ALLOY 600 MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: SHIMANO ST-EF 41 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO ST-EF 41 3X7S | SEAT POST: GEPIDA ALLOY SP-C207 31,6X400MM | CRANKSET: PROWHEEL A541 48-38-28T 170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT-240 26" 36H | FRONT HUB: FORMULA FM21 QR 36H | REAR HUB: FORMULA FM31 QR 36H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-400 PP W/ CATEYE



URBAN & ROAD BICYCLES

SPESIS 28"



△ FRAME	SS STEEL	🔩 BRAKE	GEPIDA RC-452 CFA
△ FRAME SIZE	54, 58CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	-
⌒ FORK	STEEL	🌀 TYRE	WTB/FREEDOM ROADRUNNER 700X25C
⚙️ GEARS	1	📅 SADDLE	VELO VLG-1356
📦 WEIGHT	9,9 KG	💡 LIGHT	-

ARTICLE NUMBER
30190110

COLOR	🖤 🖋️ 🖨️	30190110B
	🖤 🖋️ 🖨️	30190110A
	🖤 🖋️ 🖨️	30190110C

HEAD SET: FSA NO.20 | STEM: GEPIDA/TRANZX JDST-58A EXT: 70MM | HANDLE BAR: GEPIDA ALLOY W: 680MM RISE: 25MM BB: 25,4MM | GRIP: VELO VLG-775-12D2 + VLP-171 | BRAKE LEVER: PROMAX FS-373 | BRAKE DISC F/R: - | SHIFTING LEVER: - | SEAT POST: GEPIDA ALLOY SP-C207 25,4X300MM | CRANKSET: PROWHEEL 246 46T 165 MM | BOTTOM BRACKET: FSA BB-7420ST 113MM | CASSETTE/COG: SINGLE SPEED 16T | CHAIN: KMC Z410 | RIM: RODI AIRLINE4 622X13C | FRONT HUB: FORMULA TH50 36H | REAR HUB: FORMULA TH51 36H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: VP 536 PP W/ CATEYE

S3



△ FRAME	SS STEEL	🛞 BRAKE	GEPIDA RC-452
△ FRAME SIZE	M: 54, 58CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	-
⌒ FORK	STEEL	🌀 TYRE	INNOVA 700X23C
⚙️ GEARS	1	📵 SADDLE	VELO VLG1356
📦 WEIGHT	10 KG	💡 LIGHT	-

ARTICLE NUMBER
30190100

COLOR		30190100C
		30190100A
		30190100B
		30190100E

HEAD SET: ALLOY A-HEAD | STEM: TRANZ-X 80MM | HANDLE BAR: GEPIDA ALLOY FLAT 440 MM | GRIP: VELO VLG-076 BROWN | BRAKE LEVER: GEPIDA ALLOY 239A | BRAKE DISC F/R: - | SHIFTING LEVER: - | SEAT POST: GEPIDA ALLOY 25,4X300 SP-232 | CRANKSET: PROWHEEL 246 46T/165 MM | BOTTOM BRACKET: NECO 113,5 MM | CASSETTE/COG: SINGLE SPEED 16T | CHAIN: KMC Z410 WHITE | RIM: RODI AIRLINE 4 700C 36HH | FRONT HUB: FORMULA ALLOY 36H | REAR HUB: - | SPOKE: - | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: -

BLEDA 200 20"



△ FRAME	GEPIDA ALLOY	🛞 BRAKE	LOGAN ALLOY V-BRAKE
△ FRAME SIZE	28 CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	20"	👉 REAR DERAILLEUR	SHIMANO NEXUS 3
⌒ FORK	STEEL	🌀 TYRE	INNOVA REFLECTIVE 20X1.75
⚙️ GEARS	3	📵 SADDLE	SELLE ROYAL RIO
📦 WEIGHT	12,7 KG	💡 LIGHT	AXA PICO 15/BASTA DELAYED


ARTICLE NUMBER
30190530

COLOR		30190530A
-------	--	-----------

HEAD SET: GEPIDA SEMI-INTEGRATED | STEM: GEPIDA ALLOY | HANDLE BAR: GEPIDA ALLOY 560 MM | GRIP: VELO VLG-609 | BRAKE LEVER: PROMAX XL-92 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 3 SL-3S41 | SEAT POST: GEPIDA ALLOY 34X540 MM | CRANKSET: PROWHEEL P113 46T/170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: MACHI EXE CNC DOUBLE WALL 28H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 28H | REAR HUB: SHIMANO NEXUS 3 SG-3C41 28H | SPOKE: SAPIM STAINLESS | RACK: STANDWELL SW-CA316S | MUDGUARD: ORION W/ STAINLESS STAYS | CHAIN COVER: - | PEDAL: 240125

BANDON 810 28"



△ FRAME	6061 ALLOY	🛞 BRAKE	GEPIDA RC-452 CFA
△ FRAME SIZE	M: 52, 54, 56, 58, 60CM	👉 FRONT DERAILLEUR	SHIMANO CLARIS FD-2403 31,8MM
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO CLARIS RD-2400
-C FORK	ALLOY	🌀 TYRE	SCHWALBE LUGANO 700X25C
⚙️ GEARS	24	👉 SADDLE	SELLE ROYAL VIPER
📦 WEIGHT	10 KG	💡 LIGHT	-
ARTICLE NUMBER	COLOR		
30190170	 30190170A		

HEAD SET: GEPIDA INTEGRATED A-HEAD | STEM: GEPIDA, TDS-D507B OS 80, 100, 110MM | HANDLE BAR: GEPIDA ALLOY OS 400, 420, 440MM | GRIP: VELO VLT-004 BAR TAPE
 | BRAKE LEVER: SHIMANO ST-2403 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO CLARIS ST-2403 3X8S | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKSET:
 SHIMANO CLARIS FC-2403 30-39-50T/170 MM | BOTTOM BRACKET: SHIMANO BB-ES300 OCTALINK | CASSETTE/COG: SHIMANO HG50-8 12-23T | CHAIN: KMC Z72 8S | RIM: RODI
 STYLUS 700C 36H | FRONT HUB: FORMULA RB31 QR 36H | REAR HUB: FORMULA RB30 QR 36H | SPOKE: SAPIM STEEL BLACK | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: -



CITY BICYCLES

CLASSIC 28"



△ FRAME	GEPIDA 6061 ALLOY	🚫 BRAKE	GEPIDA TX-117 V-BRAKE + COASTER
△ FRAME SIZE	48, 52CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO NEXUS 3
⌒ FORK	ALLOY	🌀 TYRE	SCHWALBE BIG APPLE KEVLARGUARD 28X2.0
⚙️ GEARS	3	🚽 SADDLE	SELLE ROYAL DRIFTER
📖 WEIGHT	17,6 KG	💡 LIGHT	BÜCHEL RETRO CHROME / BEETLE W/ STANDLIGHT

ARTICLE NUMBER
30190125



COASTER
BREAK

COLOR



30190125A



30190125B

HEAD SET: FSA TH-1150W | STEM: GEPIDA ALLOY HAC40 | HANDLE BAR: GEPIDA NR-AL3 ALLOY 600MM RISE: 64MM BB: 25,4MM | GRIP: VELO VLC-428D2 | BRAKE LEVER: LOGAN 327AE ALLOY 4 FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 3 SL-3S41 | SEAT POST: GEPIDA ALLOY SP-501 27,2X300MM | CRANKSET: PROWHEEL PRO-E40 38T/170MM | BOTTOM BRACKET: SHIMANO BB-UN100 122,5MM | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: RODI SKORPION CNC 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: SHIMANO NEXUS 3 SG-3C41 36H | SPOKE: SAPIM STAINLESS | RACK: STEEL | MUDGUARD: STEEL | CHAIN COVER: - | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

REPTILA 300 28"



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚫 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE+COASTER
△ FRAME SIZE	45, 50CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO NEXUS 7
⌒ FORK	SUNTOUR CR7-V 700C 40 MM	🌀 TYRE	SCHWALBE ROAD CRUISER 42-622 W/ REFLECTIVE TAPE
⚙️ GEARS	7	🚽 SADDLE	VELO 6142
📖 WEIGHT	17,4 KG	💡 LIGHT	AXA ECHO15 / SLIM W/ STANDLIGHT

ARTICLE NUMBER
30190435



COASTER
BREAK

COLOR



30190435A



30190435B

HEAD SET: GEPIDA INTEGRATED | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLC-690AD2 | BRAKE LEVER: GEPIDA LM-48 ALLOY | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 7 REVOSHIFT SL-C3000 | SEAT POST: KALLOY SP-509 27,2X300MM | CRANKSET: PROWHEEL 38T/170 MM | BOTTOM BRACKET: SHIMANO BB-UN100-K 122,5MM | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: BERETTA MT240E 28" 32H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 32H | REAR HUB: SHIMANO NEXUS 7 W/ COASTER SG-C3001-7C 32H | SPOKE: SAPIM STAINLESS | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP809 PP W/ CATEYE

AMSTERDAM 28"



△ FRAME	STEEL	🚒 BRAKE	LOGAN ALLOY V-BRAKE/SHIMANO COASTER
△ FRAME SIZE	52, 58CM	🚚 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	🚚 REAR DERAILLEUR	SHIMANO NEXUS 3
⌒ FORK	STEEL	🚚 TYRE	INNOVA 5204 REFLECTIVE 28X1 1/2
⚙️ GEARS	3	🚚 SADDLE	MARWI 2611
📖 WEIGHT	16,9 KG	💡 LIGHT	BÜCHEL RETRO/BASTA DELAYED

ARTICLE NUMBER
30190505



COASTER
BREAK

COLOR

30190505A

HEAD SET: STEEL BLACK | STEM: HUMPERT STEEL HOLLAND | HANDLE BAR: HUMPERT STEEL HOLLAND 525 MM | GRIP: VELO VLG-213 | BRAKE LEVER: PROMAX 117A | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO REVOSHIFT | SEAT POST: STEEL 25.4X250 | CRANKSET: PROWHEEL PW-FTR 46T/170 MM | BOTTOM BRACKET: NECO 113 MM MONOBLOCK | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: BERETTA ALLOY 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: SHIMANO NEXUS 3 SG-3C41 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: STEEL | CHAIN COVER: | PEDAL: 240200

REPTILA 500 28" M



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🚒 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE+COASTER
△ FRAME SIZE	54, 58CM	🚚 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	🚚 REAR DERAILLEUR	SHIMANO NEXUS 8
⌒ FORK	SUNTOUR CR7-V 700C 40 MM	🚚 TYRE	SCHWALBE ROAD CRUISER 42-622 W/ REFLECTIVE TAPE
⚙️ GEARS	8	🚚 SADDLE	VELO VL-6143
📖 WEIGHT	18 KG	💡 LIGHT	AXA ECHO15/SLIM DELAYED

ARTICLE NUMBER
30190450

COLOR

30190450A

HEAD SET: GEPIDA SEMI-INTEGRATED | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: GEPIDA ALLOY LM-48 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO REVOSHIFT NEXUS 8 | SEAT POST: HL HARMONY SUSPENSION 27,2X300MM | CRANKSET: PROWHEEL 38T/170 MM | BOTTOM BRACKET: SHIMANO BB-UN100 | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: RODI SKORPION 28" 32H | FRONT HUB: SHIMANO HUBDYNAMO | REAR HUB: SHIMANO NEXUS 8 COASTER 32H | SPOKE: SAPIM STAINLESS | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP809 PP W/ CATEYE

REPTILA 500 28" W



△ FRAME	GEPIDA HYDROFORMING - 6061 ALLOY	🛞 BRAKE	SHIMANO ALIVIO BR-T4000 V-BRAKE+COASTER
△ FRAME SIZE	45, 50CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO NEXUS 8
⌒ FORK	SUNTOUR CR7-V 700C 40 MM	🌀 TYRE	SCHWALBE ROAD CRUISER 42-622 W/ REFLECTIVE TAPE
⚙️ GEARS	8	👉 SADDLE	VELO VL-6142
📖 WEIGHT	18 KG	💡 LIGHT	AXA ECHO15/SLIM DELAYED

ARTICLE NUMBER

30190455

COLOR	COLOR
30190455A	30190455B

HEAD SET: GEPIDA SEMI-INTEGRATED | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA NR-14 STEEL W: 600MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: GEPIDA ALLOY LM-48 | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO REVOSHIFT NEXUS 8 | SEAT POST: HL HARMONY SUSPENSION 27,2X300MM | CRANKSET: PROWHEEL 38T/170 MM | BOTTOM BRACKET: SHIMANO BB-UN100 | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: RODI SKORPION 28" 32H | FRONT HUB: SHIMANO HUBDYNAMO | REAR HUB: SHIMANO NEXUS 8 COASTER 32H | SPOKE: SAPIM STAINLESS | RACK: MASSLOAD CL-550 | MUDGUARD: SKS | CHAIN COVER: - | PEDAL: XERAMA SP809 PP W/ CATEYE

REPTILA 50 26"



△ FRAME	STEEL	🛞 BRAKE	LOGAN ALLOY V-BRAKE + COASTER
△ FRAME SIZE	44 CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	26"	👉 REAR DERAILLEUR	SHIMANO NEXUS 3
⌒ FORK	STEEL	🌀 TYRE	WTB/FREEDOM CONVERT 700X38C
⚙️ GEARS	3	👉 SADDLE	JUSTEK UN5509
📖 WEIGHT	17,4 KG	💡 LIGHT	BÜCHEL KB 50/75 HALOGEN / X-RAY W/ STANDLIGHT

ARTICLE NUMBER

30190405

COASTER
BREAK

COLOR	COLOR
30190405A	30190405B 30190405C

HEAD SET: STEEL BLACK | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL CITY 158 W: 600MM BB: 25,4MM | GRIP: VELO VLG-428D2 | BRAKE LEVER: LOGAN ALLOY/PLASTIC 4-FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 3 SL-3S41 | SEAT POST: GEPIDA STEEL 28.6X300MM | CRANKSET: PROWHEEL FTR 38T 170MM | BOTTOM BRACKET: THUN BASIC PLUS 120MM | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: BERETTA MT-240 26" 36H | FRONT HUB: FORMULA FM21 36H | REAR HUB: SHIMANO NEXUS 3 SC-3C41 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK W/ STEEL STAYS | CHAIN COVER: - | PEDAL: XERAMA SP872N PP W/ CATEYE

REPTILA 100 28"



△ FRAME	STEEL	🚫 BRAKE	LOGAN ALLOY V-BRAKE + COASTER									
△ FRAME SIZE	45 CM	👉 FRONT DERAILLEUR	-									
○ WHEEL SIZE	28"	👉 REAR DERAILLEUR	SHIMANO NEXUS 3									
⌒ FORK	STEEL	🌀 TYRE	WTB/FREEDOM CONVERT 700X38C									
⚙️ GEARS	3	🚽 SADDLE	JUSTEK UN5509									
📖 WEIGHT	18,2 KG	💡 LIGHT	BÜCHEL UNILED 15 / AXA X-RAY W/ STANDLIGHT									
ARTICLE NUMBER	30190485	COLOR	<table border="0"> <tr> <td></td> <td></td> <td>30190485B</td> </tr> <tr> <td></td> <td></td> <td>30190485A</td> </tr> <tr> <td></td> <td></td> <td>30190485C</td> </tr> </table>			30190485B			30190485A			30190485C
		30190485B										
		30190485A										
		30190485C										

COASTER
BREAK

HEAD SET: STEEL BLACK | STEM: GEPIDA MQ-417 EXT: 80MM BB: 25,4MM | HANDLE BAR: GEPIDA STEEL CITY 158 W: 600MM BB: 25,4MM | GRIP: VELO VLC-428D2 | BRAKE LEVER: LOGAN ALLOY/PLASTIC 4-FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO NEXUS 3 SL-3541 | SEAT POST: GEPIDA STEEL 28.6X300MM | CRANKSET: PROWHEEL FTR 38T 170MM | BOTTOM BRACKET: THUN BASIC PLUS 120MM | CASSETTE/COG: STURMEY ARCHER 19T | CHAIN: KMC Z410 | RIM: BERETTA MT240E 28" 36H | FRONT HUB: SHIMANO DH-C3000-3N 6V 3W 36H | REAR HUB: SHIMANO NEXUS 3 SG-3C41 36H | SPOKE: STEEL | RACK: STEEL | MUDGUARD: ORION BLACK W/ STEEL STAYS | CHAIN COVER: - | PEDAL: XERAMA SP872N PP W/ CATEYE



JUNIOR BICYCLES

GILPIL 500 24"



△ FRAME	6061 ALLOY	🛞 BRAKE	GEPIDA TX-117 V-BRAKE
△ FRAME SIZE	29 CM	👉 FRONT DERAILLEUR	SHIMANO TY FD-TY300 DOWN SWING DOWN PULL 31,8MM
○ WHEEL SIZE	24"	👉 REAR DERAILLEUR	SHIMANO TY RD-TY300D
⌒ FORK	ZOOM BRAVO 410 E 24" 40 MM	🌀 TYRE	WTB-FREEDOM GANGSTER 24X1,95
⚙️ GEARS	21	📖 SADDLE	SELLE ROYAL PU-6550
📖 WEIGHT	12,1 KG	💡 LIGHT	-

ARTICLE NUMBER
30190650

COLOR	
	30190650A

HEAD SET: FSA NO.11Q | STEM: KALLOY AS601 BB: 25,4MM EXT: 70MM 7DEG | HANDLE BAR: GEPIDA ALLOY HB-M301 W: 560MM BB: 25,4MM | GRIP: VELO VLG-207 KRATON | BRAKE LEVER: LL-338PAE 2FINGER JUNIOR | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 3X7S | SEAT POST: GEPIDA ALLOY 27,2X250 MM | CRANKSET: PROWHEEL PHAETON 120P 42-32-22T 152MM | BOTTOM BRACKET: SHIMANO BB-UN100 | CASSETTE/COG: SHIMANO MF-TZ21 14-28T 7S | CHAIN: KMC Z50 | RIM: BERETTA MT240E 24" 36H | FRONT HUB: FORMULA FM21 QR 36H | REAR HUB: FORMULA FM31 QR 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: - | PEDAL: XERAMA SP-400 PP W/ CATEYE

GILPIL 50 24"



△ FRAME	STEEL	🛞 BRAKE	GEPIDA LB-936 ALLOY V-BRAKE
△ FRAME SIZE	30 CM	👉 FRONT DERAILLEUR	STEEL FD-325ST 42T CLAMP: 28,6MM
○ WHEEL SIZE	24"	👉 REAR DERAILLEUR	SHIMANO TY RD-TZ500GS
⌒ FORK	STEEL	🌀 TYRE	WTB-FREEDOM GANGSTER 24X1,95
⚙️ GEARS	21	📖 SADDLE	SELLE ROYAL PU-6550
📖 WEIGHT	12,9 KG	💡 LIGHT	-

ARTICLE NUMBER
30190600

COLOR			30190600B
	30190600A		30190600C

HEAD SET: STEEL BLACK | STEM: GEPIDA STEEL LS100 BB: 25,4MM EXT: 60MM | HANDLE BAR: GEPIDA STEEL HB-M201 W: 560MM BB: 25,4MM | GRIP: VELO VLG-213 KRATON | BRAKE LEVER: LL-338PAE 2FINGER JUNIOR | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 3X6S | SEAT POST: GEPIDA STEEL 25,4X250MM | CRANKSET: PROWHEEL MY-A543 42-34-24T 152MM | BOTTOM BRACKET: THUN BASIC PLUS 120MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 6S | CHAIN: KMC HP20 | RIM: BERETTA P24 24" 36H | FRONT HUB: ASSESS STEEL CAPNUT 36H | REAR HUB: ASSESS STEEL CAPNUT 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: XERAMA SP872N PP W/ CATEYE | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

GILPIL 50 24"



△ FRAME	STEEL	🔑 BRAKE	GEPIDA LB-936 ALLOY V-BRAKE
△ FRAME SIZE	35 CM	👉 FRONT DERAILLEUR	STEEL FD-325ST 42T CLAMP: 28,6MM
○ WHEEL SIZE	24"	👉 REAR DERAILLEUR	SHIMANO TY RD-TZ500GS
⌒ FORK	STEEL	🌀 TYRE	WTB-FREEDOM GANGSTER 24X1,95
⚙️ GEARS	21	📅 SADDLE	SELLE ROYAL PU-6550
🏠 WEIGHT	13,1 KG	💡 LIGHT	-

ARTICLE NUMBER
30190605

COLOR			30190605B
			30190605C

HEAD SET: STEEL BLACK | STEM: GEPIDA STEEL LS100 BB: 25,4MM EXT: 60MM | HANDLE BAR: GEPIDA STEEL HB-M201 W: 560MM BB: 25,4MM | GRIP: VELO VLG-213 KRATON | BRAKE LEVER: LL-338PAE 2FINGER JUNIOR | BRAKE DISC F/R: - | SHIFTING LEVER: SHIMANO TY SL-RS35 REVOSHIFT 3X6S | SEAT POST: GEPIDA STEEL 25,4X250MM | CRANKSET: PROWHEEL MY-A543 42-34-24T 152MM | BOTTOM BRACKET: THUN BASIC PLUS 120MM | CASSETTE/COG: SHIMANO MF-TZ500 14-28T 6S | CHAIN: KMC HP20 | RIM: BERETTA P24 24" 36H | FRONT HUB: ASSESS STEEL CAPNUT 36H | REAR HUB: ASSESS STEEL CAPNUT 36H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: XERAMA SP872N PP W/ CATEYE | PEDAL: XERAMA SP-811 ALLOY W/ CATEYE

AUHA 12"



△ FRAME	ALLOY	🔑 BRAKE	GEPIDA VB-R207 ALLOY V-BRAKE
△ FRAME SIZE	20 CM	👉 FRONT DERAILLEUR	-
○ WHEEL SIZE	12"	👉 REAR DERAILLEUR	-
⌒ FORK	STEEL	🌀 TYRE	12X2,125 MTB TYPE W/ INNER TUBE
⚙️ GEARS	-	📅 SADDLE	GEPIDA KID
🏠 WEIGHT	5,2 KG	💡 LIGHT	-

ARTICLE NUMBER
30190705

COLOR			30190705A		30190705C
			30190705B		30190705D

HEAD SET: STEEL BLACK | STEM: GEPIDA ALLOY BB: 22,2MM EXT: 50MM | HANDLE BAR: GEPIDA STEEL W: 400MM BB: 22,2MM RISE: 30MM | GRIP: GEPIDA KRATON | BRAKE LEVER: ALLOY MBL-308PA 2,5FINGER | BRAKE DISC F/R: - | SHIFTING LEVER: - | SEAT POST: GEPIDA STEEL | CRANKSET: - | BOTTOM BRACKET: - | CASSETTE/COG: - | CHAIN: - | RIM: GEPIDA ALLOY 12" 16H | FRONT HUB: GEPIDA STEEL CAPNUT 16H | REAR HUB: GEPIDA STEEL CAPNUT 16H | SPOKE: STEEL | RACK: - | MUDGUARD: - | CHAIN COVER: -

1993

THE BEGINNING
From a humble garage, a bicycle warehouse is born

1994

EARLY EXPANSIONS
Increasing demand requires a larger assembly plant

1996

THE ROAD TO SUCCESS
Evolution to a limited company

1998

INTERNATIONAL APPEARANCE
Acquiring ISO 9002 certification signals a shift to high quality production in smaller numbers

2004

DEVELOPMENTS, BRAND BUILDING
Export market continues to increase

2008

GEPIDA NOW A KNOWN AND RECOGNIZED INTERNATIONAL BRAND, SPECIAL PRODUCT DEVELOPMENTS
Opening new markets through the development of our own GPDS system

2010-2013

CONTINUING GROWTH AND DEVELOPMENT
We launch our own mobile application, battery charger unit, new painting technology, and GPDS Kit

2014-2016

GLOBAL EXPANSION
New markets for Gepida e-bikes in Australia, New Zealand, Belgium, Ireland, Romania, Spain and Italy. Increasingly, safety becomes the focus of product development. New technologies and product designs appear with rider safety as the top priority. Unique products, like e Cargo bicycles and folding e-bikes start development

2017

FACTORY STORE
The first Gepida Factory Store opens in in the heart of Budapest presenting the entire product range

2018

ROBOTIZATION OF OUR PAINTSHOP
Due to the rapid increase of product demand, we have completely rebuilt our paint shop which now utilizes cutting-edge painting robots. In the meanwhile, we have also implemented lean-based manufacturing procedures throughout our factory, thereby securing our productivity for several years to come

ASGARD FS PRO XT 11
MTB & ATB E-BIKE | 30192170



ASGARD FS RACE XT 10
MTB & ATB E-BIKE | 30192160



ASGARD PRO XT 11 POWERTUBE
MTB & ATB E-BIKE | 30192080



ASGARD SLX 10
MTB & ATB E-BIKE | 30192070



RUGA DEORE 10 POWERTUBE
MTB & ATB E-BIKE | 30192030/30192050



FORTIS DEORE 10
MTB & ATB E-BIKE | 30192060



LEGIO PRO ALFINE 8
URBAN E-BIKE | 30192220



LEGIO ALFINE 8
URBAN E-BIKE | 30192210



THORIS XT 10
TREKKING E-BIKE | 30192560



FASTIDA PRO XT 10
TREKKING E-BIKE | 30192270



FASTIDA XT 10
TREKKING E-BIKE | 30192260



ALBOIN PRO SLX 10
TREKKING E-BIKE | 30192280



ALBOIN PRO SLX 10
TREKKING E-BIKE | 30192286



ALBOIN ALFINE 8
TREKKING E-BIKE | 30192250



ALBOIN ALFINE 8
TREKKING E-BIKE | 30192256



ALBOIN SLX 10
TREKKING E-BIKE | 30192240



ALBOIN SLX 10
TREKKING E-BIKE | 30192246



SIRMIUM PRO DEORE 10
MTB & ATB E-BIKE | 30192040



SIRMIUM DEORE 9
MTB & ATB E-BIKE | 30192000/30192010



BERIC DEORE 10
MTB & ATB E-BIKE | 30192580



BERIC DEORE 10
MTB & ATB E-BIKE | 30192570



TURISIND ALFINE 8
SPECIAL E-BIKE | 30192230



TURISIND ALFINE 8
SPECIAL E-BIKE | 30192235



CARGO NUVINCI 330
SPECIAL E-BIKE | 30192505



BONUM PRO SLX 10 POWERTUBE
URBAN E-BIKE | 30192435



BONUM PRO NEXUS 8 POWERTUBE
URBAN E-BIKE | 30192455



BONUM SLX 10
URBAN E-BIKE | 30192405



BONUM DI2 8
URBAN E-BIKE | 30192425



BONUM NEXUS 8
URBAN E-BIKE | 30192415



REPTILA 1000+ NEXUS 8C
CITY E-BIKE | 30191375



REPTILA 1000 SLX 10
CITY E-BIKE | 30191335



REPTILA 1000 NEXUS 8/8C
CITY E-BIKE | 30191325/30191355



REPTILA 900 NEXUS 8/8C
CITY E-BIKE | 30191315/ 30191345



BERIC SLX 10
TREKKING E-BIKE | 30191200



BERIC SLX 10
TREKKING E-BIKE | 30191206



PUGIO NEXUS 7
URBAN E-BIKE | 30191550



GILPIL ALIVIO 9
MTB & ATB E-BIKE | 30191540



NEDAO NEXUS 3
URBAN E-BIKE | 30191530



REPTILA 1000 NEXUS 7C
CITY E-BIKE | 30191305



REPTILA 1000 ALTUS 7
CITY E-BIKE | 30191365



REPTILA 1000 NEXUS 7C
CITY E-BIKE | 30191905/ 30191985



REPTILA 800 ALTUS 7
CITY E-BIKE | 30191395/ 30191385



CRISIA NEXUS 7 BAF-M
CITY E-BIKE | 30190935



TISIA ALIVIO 9 BAF-M
TREKKING E-BIKE | 30190976



TISIA ALIVIO 9 BAF-M
TREKKING E-BIKE | 30190970




CRISIA ALTUS 7 BAF-F
CITY E-BIKE | 30190965



THE ROAD
IS JUST
AN OPTION

THE ROAD
IS JUST
AN OPTION



OLIMPIA BICYCLE LTD.

- H-1164 Budapest, Ostorhegy st. 4.
- +36 1 400 6065
- +36 1 402 0084
- info@gepida.com
- www.gepida.com
- facebook.com/gepida