



2021

BIKES | E-BIKES

















 **GEPIDA**[®]



CONTENT

INTRO	2
E-BIKE WITH SELECTABLE BATTERY	4
10 REASONS FOR CHOOSING AN E-BIKE	6
CITY-URBAN E - BIKE	8
SPECIAL E - BIKE	20
TREKKING E - BIKE	26
ATM-MTB E-BIKE	36
TREKKING BICYCLES	48
CROSS BICYCLES	60
MTB BICYCLES	68
CITY BICYCLES	74

LEGEND

 CHARGER	 BOSCH ACTIVE	 BOSCH PERFORMANCE CX	 BAFANG M800	 ANANDA
 400WH BATTERY	 BOSCH ACTIVE PLUS	 BOSCH PERFORMANCE	 BOSCH PERFORMANCE SPEED	 DECAL COLOR
 PURION DISPLAY	 BOSCH SMARTPHONE HUB	 45 Km/h SPEED PEDELEC	 FORK COLOR	 FRAME COLOR
				 COASTER BREAK

The provider assumes no liability for the accuracy, completeness and actuality of the content provided.

E-Bike With Selectable Battery

Riding a bike makes everyone to feel free. We also give you the freedom to choose your battery! In 2021, you can choose the capacity of the battery to your bike. Depending on the model, you can choose from up to 3 different levels of capacity. The available battery types are marked with icons:



POWERPACK 400

Voltage: 36 V
Capacity: 11.0 Ah
Energy content approx: 400 Wh
Weight approx: Frame battery 2.5 kg;
Rack battery: 2.6 kg
Charging time*: 50% in approx.1,5 h,
100% in approx.3,5 h

POWERPACK 500

Voltage: 36 V
Capacity: 13.4 Ah
Energy content approx: 500 Wh
Weight approx: 2,9 Kg
Charging time*: 50% in approx.2 h,
100% in approx.4,5 h



POWERTUBE 400

Voltage: 36 V
Capacity: 11.0 Ah
Energy content approx: 400 Wh
Weight approx: 2.9 kg
Charging time*: 50% in approx.1,5 h,
100% in approx.3,5 h

POWERTUBE 500

Voltage: 36 V
Capacity: 13.4 Ah
Energy content approx: 500 Wh
Weight approx: 2.9 kg
Charging time*: 50% in approx.. 2 h,
100% in approx.4,5 h

POWERTUBE 625

Voltage: 36 V
Capacity: 16.7 Ah
Energy content approx: 625 Wh
Weight approx: 3,5 kg
Charging time*: 50% in approx.2,1 h,
100% in approx.4,9 h



* Charging current is limited to 4A.

10 Reasons For Choosing An E-Bike

e-Biking is proving very popular. For young or old, for urban or sport use, the e-Bike's electric power boost makes cycling more fun, you travel longer distances and you reach your destination feeling fresher. What began as a niche movement has become a trend.



1 The environment benefits

Pedelec users go easy on the environment, especially if they use their e-Bike on a daily basis. Half of all car journeys are five kilometres or less, and according to the Environmental Protection Agency the CO2 emissions of a car are around 40 times higher than those of a bicycle with a battery-powered motor. So by using an e-Bike rather than a car for short distances you are protecting the environment – and also travelling quietly and economically.

3 Gone are the days of headwinds

Who would not on occasion have appreciated a little assistance cycling on steep ascents in a full-on headwind? An invisible “hand” to give you a gentle push and make starting on an uphill stretch or cycling on a steep ascent almost effortless. Making mountains no longer daunting and headwinds neither here nor there. The e-Bike makes it possible

2 Keeps you fit, makes you mobile

Are e-Bikes just for those who want to take it easy? Not at all! Despite the power assistance e-Bikers still have to hit the pedals to get moving. And it is up to you to decide how much power assistance you want or need. Studies have found that e-Bikers get on their bikes more often and cover much longer distances than conventional cyclists. So now is the time to get on a bike with power assistance regardless whether for comfort or for sporting use.

4 Perfect for commuting

Would you like to keep fit on your commute? Then the e-Bike is for you. It is a sporting option. e-Bikes are ideal for distances of this kind

5 Easement, exercise, extra boost

Thanks to the even, adjustable assistance provided by the e-Bike drive system an e-Bike is ideal for training or for getting back into cycling after an injury. Furthermore, the drive system prevents too heavy a burden on knees or thigh muscles. That eases pressure on joints, tendons and ligaments. Would you like to be fit and healthy and to improve your wellbeing? An e-Bike is a step in the right direction

7 Easy on the wallet

e-Bikes are much less expensive than cars to buy and to maintain. Fuel costs, insurance premiums, car tax or parking charges? Zero. The cost of fuel alone for a gasoline-powered car is currently around €12 per 100 km. 100 km on a pedelec costs around €0.25. Now that is a genuine saving. Plans already?

9 Pure mobility Intermodal traffic?

Not the slightest problem with an e-Bike. e-Bike to the railroad station, take the train and then either use public transportation or rent a pedelec to your destination. With an e-Bike you are fast and flexible. You can cover distances more easily and increase the radius of distances you can travel. Power assistance gives you a real boost in the city. e-Bikers leave tailbacks behind them and don't need to worry about finding somewhere to park either

6 Wheely good advice

Could you do without discussions and complaints? No arguments, please? The mood can turn fast when people with unequal physical conditions and expectations set out on a cycling tour together. That is when a little motor can work wonders. Its power assistance offsets differences in performance and brings people closer together again – with the result that the tour is an experience everyone is happy to repeat.

8 Fun factor

e-Bikes make cycling less work and more fun. With power assistance the e-Biker can sail past many other road users freely and easily. The pedelec is often the fastest mode of transport available in urban traffic over distances of up to and including 5 km – and over distances of up to 10 km e-Bikers can easily keep up with car drivers

10 Something for everybody

The market is constantly coming up with new models and versions. Pedelecs capable of speeds of up to either 25 km/h or 45 km/h. e-Bikes are available for urban or crosscountry use, for leisure tours or for summiteers with sporting ambitions. There is a wide range from which to choose and the right e-Bike for every kind.



CITY-URBAN

FAST, STYLISH, URBAN

Whether you are commuting to work or arranging your daily to-dos, we would gladly recommend you any one of your Urban E-Bike family. High quality and unique design enable quick and stylish pedalling through the streets. Due to the electric assistance, you can also cover greater distances without mentionable physical effort, so you can arrive at the first morning meeting even in a suit or costume in top shape.

CITY-URBAN E-BIKE

BONUM PRO XT 10

BOSCH
PERFORMANCE
CX GEN4

500 WH

/ 625WH



△ FRAME	ALLOY BOSCH CITY W FRAME 28" POWERTUBE DISC FOR DERAILLEUR	⚙️ REAR DERAILLEUR SHIMANO XT RD-T8000 10S SHADOW DESIGN
△ FRAME SIZE	46, 49, 53, 57 CM	🛞 BRAKE SHIMANO MT-410
🔧 FORK	MOBIE25-COIL LOR DS 15AH2 700C 63/75MM	🌀 TYRE SCHWALBE ENERGIZER, 50-622 W/REFLECTIVE TAPE
⊙ WHEEL SIZE 28"		🪘 SADDLE SELLE ROYAL SCIENTIA M3 ACTEX BLACK COVER
⚙️ GEARS	10	💡 LIGHT TRELOCK VEO 50

SKU

30212435

COLOR



30212435A



30212435B

HEADSET: FSA NO.57B-1 | STEM: SATORI UP3 90MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY JD-TR23AL 640MM BB: 31,8MM RISE: 25MM | GRIP: VELO VLG-649AD2S +VLP-69-1 | BRAKE LEVER: SHIMANO MT-401 | BRAKE DISC F/R: SHIMANO SM-RT54 M 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEATPOST: PROMAX SP-226 31,6X400 | CRANKARM: CRANK ARM 170MM GEN4 BLACK CK220 | CHAINWHEEL: FSA STEEL 38T | CASSETTE: SHIMANO DEORE CS-HG5010, 11-36T | DRIVE UNIT: MOTOR PERF CX G4 074 | REAR DERAILLEUR: SHIMANO XT RD-T8000 10S SHADOW DESIGN | CHAIN: SHIMANO CN-HG54 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO ALIVIO HB-MT400 32H 15QR | REAR HUB: SHIMANO ALIVIO HB-MT400 32H 15QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY | MUDGUARD: SKS EVO AL 28" 55MM | BATTERY LOCK: ABUS POWERTUBE LOCK + 4960 FRAME LOCK | PEDAL: XERAMA SP-610 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

BONUM EDGE DEORE 10

BOSCH
ACTIVE PLUS
GEN3

400 WH

/ 500 WH

/ 625WH

△ FRAME	ALLOY BOSCH CITY W FRAME 28" POWERTUBE DISC FOR DERAILLEUR	⚙️ REAR DERAILLEUR SHIMANO DEORE RD-T6000, 10S SHADOW DESIGN
△ FRAME SIZE	46, 49, 53, 57 CM	🛞 BRAKE SHIMANO BR-MT200
🔧 FORK	SR SUNTOUR NEX DS 700C 63MM	🌀 TYRE SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
⊙ WHEEL SIZE 28"		🪘 SADDLE SELLE ROYAL ESSENZA ASTRALE BLACK COVER
⚙️ GEARS	10	💡 LIGHT AXA BLUELINE 30 / TRELOCK LS611

SKU

30211435


COLOR



30211435A



30211435B



30211435C

HEADSET: FSA NOTIN. A-HEAD | STEM: SATORI UP3 90MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY NR-AL124 630MM BB: 31,8MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO BL-MT200 | BRAKE DISC F/R: SHIMANO SM-RT26S 160MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CASSETTE: SHIMANO DEORE CS-HG5010, 11-36T | CHAIN: SHIMANO CN-HG54 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS STANDARD LOCK + 4960 FRAME LOCK | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

BONUM EDGE NEXUS 8C



△ FRAME	ALLOY BOSCH CITY W FRAME 28" POWERTUBE DISC FOR GEARHUB	⚙️ REAR DERAILLEUR SHIMANO NEXUS8 SG-C6001-8CD 32H
△ FRAME SIZE	46, 49, 53, 57 CM	🛞 BRAKE SHIMANO BR-MT200
— FORK	SR SUNTOUR NEX DS 700C 63MM	🛞 TYRE SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
○ WHEEL SIZE	28"	🪘 SADDLE SELLE ROYAL ESSENZA ASTRALE BLACK COVER
⚙️ GEARS	8	💡 LIGHT AXA BLUELINE 30 / TRELOCK LS611

SKU

30211425



COLOR


30211425A

30211425B

30211425C

HEADSET: FSA NO.42B-1 | STEM: SATORI UP3 90MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY NR-AL124 630MM BB: 31,8MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO BL-MT200 | BRAKE DISC F/R: SHIMANO SM-RT26S 160MM | REAR SHIFTING LEVER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CHAIN: KMC Z50 | CHAINGUARD: HESLING SUPPORTIVE VER.2 38T | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C6001-8CD 32H | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS STANDARD LOCK + 4960 FRAME LOCK | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

BONUM EDGE NEXUS 8



△ FRAME	ALLOY BOSCH CITY W FRAME 28" POWERTUBE DISC FOR GEARHUB	⚙️ REAR DERAILLEUR SHIMANO NEXUS8 SG-C6001-8D 32H
△ FRAME SIZE	46, 49, 53, 57 CM	🛞 BRAKE SHIMANO BR-MT200
— FORK	SR SUNTOUR NEX DS 700C 63MM	🛞 TYRE SSSCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
○ WHEEL SIZE	28"	🪘 SADDLE SELLE ROYAL ESSENZA ASTRALE BLACK COVER
⚙️ GEARS	8	💡 LIGHT AXA BLUELINE 30 / TRELOCK LS611

SKU

30211455

COLOR


30211455A

30211455B

30211455C

HEADSET: FSA NO.11N. A-HEAD | STEM: SATORI UP3 90MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY NR-AL124 630MM BB: 31,8MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO BL-MT200 | BRAKE DISC F/R: SHIMANO SM-RT26S 160MM | REAR SHIFTING LEVER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CHAIN: KMC Z50 | CHAINGUARD: HESLING SUPPORTIVE VER.2 38T | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C6001-8D 32H | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS STANDARD LOCK + 4960 FRAME LOCK | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

BONUM EDGE NEXUS 8



△ FRAME	ALLOY BOSCH CITY W FRAME 26" POWERTUBE DISC/GEARHUB	⚙️ REAR DERAILLEUR SHIMANO NEXUS 8 DISC 32L BLACK
△ FRAME SIZE	46, 49 CM	🛞 BRAKE SHIMANO BR-MT200
⌒ FORK	SUNTOUR NEX DS 26"	🌀 TYRE SCHWALBE BIG APPLE 26X2,0 REFLECTIVE TAPE
⊙ WHEEL SIZE	26"	📉 SADDLE SELLE ROYAL ESSENZA ASTRALE BLACK COVER
⚙️ GEARS	8	💡 LIGHT AXA BLUELINE 30 / TRELOCK LS611

SKU

30211445

COLOR



30211445A



30211445B

HEADSET: FSA NOTIIN. A-HEAD | STEM: SATORI UP3 90MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY NR-AL124 630MM BB: 31,8MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO BL-MT200 | BRAKE DISC F/R: SHIMANO SM-RT26S 160MM | REAR SHIFTING LEVER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CHAIN: KMC Z50 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | RIM: RODI BLACKROCK 26" | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS 8 DISC 32L BLACK | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 26" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS STANDARD LOCK + 4960 FRAME LOCK | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA031J, 18MM

REPTILA 1000 NEXUS 8CD



△ FRAME	GEPIDA ALLOY HYDROFORM 28" W CITY GEARHUB DISC	⚙️ REAR DERAILLEUR SHIMANO NEXUS 8
△ FRAME SIZE	46, 49, 53, 57 CM	🛞 BRAKE SHIMANO MT200
⌒ FORK	SR SUNTOUR NEX DS 700C 63MM	🌀 TYRE SCHWALBE ROAD CRUISER 700X40C REFLECTIVE TAPE
⊙ WHEEL SIZE	28"	📉 SADDLE SELLE ROYAL ESSENZA DRC ASTRALE BLACK COVER
⚙️ GEARS	8	💡 LIGHT TRELOCK VEO 20 / TRELOCK LS611

SKU

30211985



COLOR



30211985A

30211395B



HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MQ-565 EXT: 85/105MM | HANDLEBAR: GEPIDA STEEL NR-14 630MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO MT200 | BRAKE DISC F/R: SHIMANO SM-RT26S 160MM / SM-RTC60S 160MM | REAR SHIFTING LEVER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CHAIN: KMC Z50 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | RIM: BERETTA DISC25 28" 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C6001-8CD 32H | SPOKE: SAPIM STAINLESS STEEL 14G | RACK: GEPIDA ALLOY FOR BOSCH RACKTYPE 28" | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP-807 W/ CATEYE | KICKSTAND: STANDWELL SW-RA032J, 18MM

REPTILA 1000 NEXUS 7



△ FRAME	GEPIDA ALLOY HYDROFORM 28" W CITY GEARHUB DISC	⚙️ REAR DERAILLEUR SHIMANO NEXUS 7
△ FRAME SIZE	46, 49, 53, 57 CM	🛞 BRAKE SHIMANO MT200
⌵ FORK	SR SUNTOUR NEX DS 700C 63MM	🌀 TYRE SCHWALBE ROAD CRUISER 700X40C REFLECTIVE TAPE
○ WHEEL SIZE	28"	🪘 SADDLE SELLE ROYAL ESSENZA DRC ASTRALE BLACK COVER
⚙️ GEARS	7	💡 LIGHT TRELOCK VEO 20 / TRELOCK LS611

SKU

30211905

COLOR



30211905A



30211905B



30211905C

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MQ-565 EXT: 85/105MM | HANDLEBAR: GEPIDA STEEL NR-14 630MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO MT200 | BRAKE DISC F/R: SHIMANO ASM-RT10S 160MM | REAR SHIFTING LEVER: SHIMANO NEXUS 7 SL-C3000-7 REVOSHIFT | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CHAIN: KMC Z50 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | RIM: BERETTA DISC25 28" 32H | FRONT HUB: SHIMANO TX505 32H QR | REAR HUB: SHIMANO NEXUS7 SG-C3001-7D 32H | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY FOR BOSCH RACKTYPE 28" | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP-807 W/ CATEYE | KICKSTAND: STANDWELL SW-RA032J, 18MM

REPTILA 800 ALTUS 7



△ FRAME	GEPIDA ALLOY CITY W 28" DISC FOR RIGID FORK	⚙️ REAR DERAILLEUR SHIMANO ALTUS RD-M310 7-8S
△ FRAME SIZE	46, 49, 53, 57 CM	🛞 BRAKE TEKTRO HD-M275
⌵ FORK	GEPIDA STEEL DISC 28"	🌀 TYRE SCHWALBE BIG APPLE 28X2,0 REFLECTIVE TAPE
○ WHEEL SIZE	28"	🪘 SADDLE SELLE ROYAL ALPINE DC ACTEX COVER
⚙️ GEARS	7	💡 LIGHT TRELOCK VEO 20 / TRELOCK LS611

SKU

30211395

COLOR



30211395A



30211395B



30211395C

HEADSET: FSA NO.11N | STEM: GEPIDA ALLOY AS601 EXT: 90MM 15DEG | HANDLEBAR: GEPIDA STEEL MTB-155 640MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: TEKTRO | BRAKE DISC F/R: 160MM | REAR SHIFTING LEVER: SHIMANO REVOSHIFT SL-RS35 7S | SEATPOST: GEPIDA ALLOY SP-C207 30,9X350MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CASSETTE: SHIMANO CS-HG200-7 12-32T 7S | CHAIN: KMC Z50 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | RIM: BERETTA DISC25 28" 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP-807 W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J, 40MM

LEGIO PRO XT 10



△ FRAME	GEPIDA ALLOY BOSCH GEN4 POWERTUBE URBAN DISC/DERAILLEUR	⚙️ REAR DERAILLEUR SHIMANO XT RD-T8000 10S SHADOW DESIGN
🔌 BRAKE	SHIMANO MT-501	🚗 TYRE SCHWALBE SUPER MOTO X 27,5X2,4"
△ FRAME SIZE	17" 19" 21"	🚲 SADDLE SELLE ROYAL ARCO ASTRALE BLACK COVER
⚡ FORK	ALLOY RIGID URBAN FORK TPR STEERER QR15	💡 LIGHT TRELOCK AIRFLOW 70 / TRELOCK LS631 E-BIKE
⊙ WHEEL SIZE	27,5"	
⚙️ GEARS	10	

SKU
30212220

COLOR
 3021220A

HEADSET: FSA NO.42ACB SEALED | STEM: SATORI UP3 ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 720MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO MT-501 | BRAKE DISC F/R: SHIMANO SM-RT54M 180MM / SM-RT54S 160MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-220 GEN4 170MM | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO DEORE CS-HG5010, 11-36T | DRIVE UNIT: BOSCH PERFORMANCE CX GEN4 | CHAIN: KMC Z610 X-EPT | RIM: RODI BLACKROCK 27,5" 584X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO DEORE HB-M6010 32H 15QR W/O LOCK RING | REAR HUB: SHIMANO DEORE FH-M6000 32H QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY | MUDGUARD: SKS EVO AL 65MM | PEDAL: VP-536 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA0323, 18MM ADJUSTABLE

PUGIO INT NEXUS 7



△ FRAME	ALLOY BOSCH CITY W FRAME 20" POWERTUBE DISC/GEARHUB	⚙️ REAR DERAILLEUR SHIMANO NEXUS7 SG-C3001-7D 32H
🔌 BRAKE	SHIMANO BR-MT200	🚗 TYRE SCHWALBE BIG APPLE 20X2,15 REFLECTIVE TAPE
△ FRAME SIZE	17"	🚲 SADDLE SELLE ROYAL ARCO ASTRALE BLACK COVER
⚡ FORK	ALLOY FORK 20" DISC	💡 LIGHT AXA BLUELINE 30 / TRELOCK LS631 E-BIKE
⊙ WHEEL SIZE	20"	
⚙️ GEARS	7	

SKU
30211555

COLOR
 30211555A
 30211555B

HEADSET: FSA NO.42B-1 | STEM: SATORI UP3 ADJUSTABLE+SPEEDLIFTER TWIST | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO BL-MT200 3FINGER | BRAKE DISC F/R: SHIMANO SM-RT26S 160MM | REAR SHIFTING LEVER: SHIMANO NEXUS 7 SL-C3000-7 REVOSHIFT | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 44T BCD104 | CHAIN: KMC Z50 | RIM: RODI WEB DISC 20" 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-20 32H QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY | MUDGUARD: SKS 20" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE



SPECIAL

2 IN 1

We are pursuing novelties, and we are doing so to optimise the utilisation. This is how our special category was developed, which is the boundary between trekking and city bikes. Touring or cruising in the city, or transport on two wheels with green energy? These are all there in this category.

SPECIAL E-BIKE

CARGO CITY



△ FRAME	ALLOY MINI BOSCH CARGO FRAME 20" WHEEL 18" FRAME	⚙️ REAR DERAILLEUR ENVIOLIO TR CVP, 36 SPOKE, MATTE BLACK, DISC BRAKE
△ FRAME SIZE	18"	🛞 BRAKE SHIMANO MT420 4PISTON
⌒ FORK	GEPIDA ALLOY 20" TPR DISC 15QR	🌀 TYRE SCHWALBE SUPER MOTO-X PERF, GREENGUARD, SNAKESKIN, 62-406, 20X2.40
○ WHEEL SIZE	20"	🪘 SADDLE SELLE ROYAL AMBRA, BLACK FINE GRAIN 3841 COVER, BLACK RAIL W/HANDLE
⚙️ GEARS	330%	💡 LIGHT TRELOCK VEO 50 LUX E-BIKE / TRELOCK LS611

SKU

30212590

COLOR



30212590A

HEADSET: FSA NO.42B | STEM: KALLOY AS02135DEG EXT: 90MM BB: 31,8MM | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-649AD2S +VLP-69-1 | BRAKE LEVER: SHIMANO MT402 3FINGER | BRAKE DISC F/R: SHIMANO SM-RT26M 180MM | REAR SHIFTING LEVER: ENVIOLIO TR MANUAL CONTROLLER, GREY, 2200 MM | SEATPOST: ERGOTEC SKALAR 30,9X400MM | CRANKARM: FSA CK-200 170MM BOSCH GEN4 | CHAINWHEEL: SPROCKET, 17 TOOTH, 2.2 MM / 2.2 MM, FLAT, NICKLE PLATED COG | CASSETTE: SPROCKET, 17 TOOTH, 2.2 MM / 2.2 MM, FLAT, NICKLE PLATED COG | CHAIN: KMC Z610 X-EPT | CHAINGUARD: HESLING SUPORTIVE VER.2 42-46T | RIM: RODI WEB DISC 20" 36H | FRONT HUB: SHIMANO ALIVIO HB-MT400 BLACK 36H 15QR | REAR HUB: ENVIOLIO TR CVP, 36 SPOKE, MATTE BLACK, DISC BRAKE | SPOKE: ENVIOLIO TR CVP, 36H | RACK: CARGO CARRIER FRONT ALLOY | MUDGUARD: SKS EVO AL 65MM 20" BLACK STAYS | AKKUMLÁTOR ZÁR: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: HEBIE FOLDREX 608

CASSIS PRO ULTEGRA DI2 22SPEED



△ FRAME	GEPIDA ALLOY HYDROFORM E-ROAD 700C	⚙️ REAR DERAILLEUR SHIMANO ULTEGRA DI2 RD-R8050 11S SHADOW DESIGN
△ FRAME SIZE	51, 54, 57 CM	🛞 BRAKE SHIMANO ULTEGRA DI2 ST-R8070+BR-R8070
⌒ FORK	GEPIDA ALLOY DISC 700C	🌀 TYRE SCHWALBE E-ONE EVO 28X700C ADDIX RACE
○ WHEEL SIZE	28"	🪘 SADDLE SELLE ROYAL SUPRA ASTRALE BLACK COVER
⚙️ GEARS	22	💡 LIGHT -

SKU

30210860

COLOR



30210860A

30210860B

HEADSET: FSA NO.42B | STEM: ZOOM TDS-D507G | HANDLEBAR: GEPIDA ALLOY DR-AL210 BUTTED | GRIP: VELO VLT-079 | BRAKE LEVER: SHIMANO ULTEGRA DI2 ST-R8070+BR-R8070 | BRAKE DISC F/R: SHIMANO SM-RT800S 160MM | REAR SHIFTING LEVER: SHIMANO ULTEGRA DI2 ST-R8070+BR-R8070 | REAR SHIFTER: SHIMANO ULTEGRA DI2 ST-R8070+BR-R8070 | FRONT SHIFTER: SHIMANO ULTEGRA DI2 FD-R8050 | SEATPOST: GEPIDA ALLOY SP-226 27,2X400MM | CRANKARM: FSA CK-603 BAFANG | CHAINWHEEL: FSA 50/34T | CASSETTE: SHIMANO 105 CS-HG700 11S 11-34T | CHAIN: SHIMANO CN-HG600-11 | RIM: SHIMANO WH-R171 | FRONT HUB: SHIMANO WH-R171 | REAR HUB: SHIMANO WH-R171

CASSIS 105 22SPEED



△ FRAME	GEPIDA ALLOY HYDROFORM E-ROAD 700C	⚙️ REAR DERAILLEUR	SHIMANO 105 RD-R7000 11S SHADOW DESIGN
△ FRAME SIZE	51, 54, 57 CM	🛑 BRAKE	SHIMANO 105 ST-R7020+BR-R7070
⌒ FORK	GEPIDA ALLOY DISC 700C	🌀 TYRE	SCHWALBE E-ONE EVO 28X700C ADDIX RACE
○ WHEEL SIZE	28"	📵 SADDLE	SELLE ROYAL SUPRA ASTRALE BLACK COVER
⚙️ GEARS	22	💡 LIGHT	-

SKU
30210850

COLOR



30210850A



30210850B

HEADSET: FSA NO.42B | STEM: ZOOM TDS-D507G | HANDLEBAR: GEPIDA ALLOY DR-AL210 BUTTED | GRIP: VELO VLT-079 | BRAKE LEVER: SHIMANO 105 ST-R7020+BR-R7070 | BRAKE DISC F/R: SHIMANO SM-RT70S 160MM | REAR SHIFTING LEVER: SHIMANO 105 ST-R7020+BR-R7070 | REAR SHIFTER: SHIMANO 105 ST-R7020+BR-R7070 | FRONT SHIFTER: SHIMANO 105 FD-R7000 | SEATPOST: GEPIDA ALLOY SP-226 27,2X400MM | CRANKARM: FSA CK-603 BAFANG | CHAINWHEEL: FSA 50/34T | CASSETTE: SHIMANO 105 CS-HG700 11S 11-34T | CHAIN: SHIMANO CN-HG600-11 | RIM: SHIMANO WH-R171 | FRONT HUB: SHIMANO WH-R171 | REAR HUB: SHIMANO WH-R171

CASSIS GRAVEL GRX 400 20SPEED



△ FRAME	GEPIDA ALLOY HYDROFORM GRAVEL	⚙️ REAR DERAILLEUR	SHIMANO RD-RX400 10S SHADOW PLUS DESIGN
△ FRAME SIZE	51, 54, 57 CM	🛑 BRAKE	SHIMANO GRX ST-RX400+BR-RX400
⌒ FORK	GEPIDA ALLOY DISC 700C	🌀 TYRE	SCHWALBE G-ONE ALLROUND 40X700C CLASSIC SKIN
○ WHEEL SIZE	28"	📵 SADDLE	SELLE ROYAL SETA S1
⚙️ GEARS	20	💡 LIGHT	-

SKU
30210840

COLOR



30210840A

HEADSET: FSA NO.42B | STEM: TRANZX JD-ST58A EXT:90MM BB:31,8MM 6DEG | HANDLEBAR: GEPIDA ALLOY DR-AL211 BUTTED FLARE 16DEG | GRIP: VELO VLT-079 | BRAKE LEVER: SHIMANO GRX ST-RX400+BR-RX400 | BRAKE DISC F/R: SHIMANO SM-RT64S 160MM | REAR SHIFTING LEVER: SHIMANO GRX ST-RX400+BR-RX400 | REAR SHIFTER: SHIMANO GRX ST-RX400+BR-RX400 | FRONT SHIFTER: SHIMANO FD-RX400 | SEATPOST: KALLOY SP-DC1 27,2X300MM | CRANKARM: FSA CK-603 BAFANG | CHAINWHEEL: FSA 46/34T | CASSETTE: SHIMANO DEORE CS-HG500-10 11-34T | CHAIN: SHIMANO CN-HG54 | RIM: RODI AIRLINE CORSA 32H 622X19C | FRONT HUB: SHIMANO HB-RS470 32H 12QR | REAR HUB: SHIMANO FH-RS470 32H 12QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK




TREKKING

ADVENTURE WITHOUT LIMITS

Our trekking e-bikes are designed to keep going thousands of kilometres with an engine specially designed for this segment, the essence of which is high performance and power. It supports performance harmoniously, be it an uphill climb or a fl at ground. Long distances can be covered thanks to the greater capacity batteries. There are no more limits, reach for the stars!

TREKKING E-BIKE

FASTIDA PRO MAN XT 12



△ FRAME	ALLOY BOSCH TREKKING FRAME GEN4 28" POWERTUBE DISC	⚙️ REAR DERAILLEUR	SHIMANO XT RD-M8100 12S SHADOW PLUS DESIGN
△ FRAME SIZE	48, 52, 56 CM	🛞 BRAKE	MAGURA MT-4
⚡ FORK	SR SUNTOUR XCM32 LO 28" 80MM 15QL32	🌀 TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
○ WHEEL SIZE	28"	📵 SADDLE	SELLE ROYAL ARIEL GEL HRC/DRC ACTEX BLACK COVER
⚙️ GEARS	12	💡 LIGHT	SPANNINGA AXENDO100 S W/ HORN / SPANNINGA FLEXIO SP

SKU


30212270

COLOR

30212270A

HEADSET: FSA NO.42B-1 | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-649AD2S +VLP-69-1 | BRAKE LEVER: MAGURA MT-4 | BRAKE DISC F/R: MAGURA STORM 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-745 GEN4 170MM | CHAINWHEEL: FSA 44T STEEL, STEEL SPIDER | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | DRIVE UNIT: BOSCH PERFORMANCE LINE SPEED GEN4 | CHAIN: SHIMANO DEORE CN-M6100 12S | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO DEORE HB-M6010 32H CL 100 THRU TYPE AXLE | REAR HUB: SHIMANO FH MT510 32H 12QR 12S | SPOKE: SAPIM STAINLESS STEEL 13G BLACK | RACK: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | LOCK: ABUS SHIELD 5650L | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS SHIELD 5650L | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: PLETCHER 45KM COMP ARA 18MM

ALBOIN PRO MAN XT 12



△ FRAME	ALLOY BOSCH TREKKING FRAME GEN4 28" POWERTUBE DISC MEN	⚙️ REAR DERAILLEUR	SHIMANO XT RD-M8100 12S SHADOW PLUS DESIGN
△ FRAME SIZE	48, 52, 56 CM	🛞 BRAKE	SHIMANO DEORE T6000
⚡ FORK	SR SUNTOUR NEX-E25 DS 700C TPR 75MM QR15	🌀 TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
○ WHEEL SIZE	28"	📵 SADDLE	SELLE ROYAL ARIEL GEL HRC/DRC ACTEX BLACK COVER
⚙️ GEARS	12	💡 LIGHT	TRELOCK AIRFLOW 70 / TRELOCK LS611

SKU

30212280

COLOR

30212280A

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO DEORE T6000 | BRAKE DISC F/R: SHIMANO SM-RT54M 180MM / SM-RT54S 160MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-745 GEN4 170/175MM | DRIVE UNIT: BOSCH PERFORMANCE LINE CX GEN4 | CHAINWHEEL: FSA 44T STEEL, STEEL SPIDER | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | CHAIN: SHIMANO DEORE CN-6100 12S | CHAINGUARD: HESLING SUPORTIVE V2 44T GEN4 | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO DEORE HB-M6010 32H CL 100 THRU TYPE AXLE | REAR HUB: SHIMANO FH MT510 32H 12QR 12S | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA031, 18MM ADJUSTABLE

ALBOIN PRO TR XT12



△ FRAME	ALLOY BOSCH TREKKING FRAME GEN4 28" POWERTUBE DISC TRAPEZ	⚙️ REAR DERAILLEUR	SHIMANO XT RD-M8100 12S SHADOW PLUS DESIGN
△ FRAME SIZE	44, 48, 52 CM	🛞 BRAKE	SHIMANO DEORE T6000
⚡ FORK	SR SUNTOUR NEX-E25 DS 700C TPR 75MM QR15	🛞 TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
🔵 WHEEL SIZE	28"	📅 SADDLE	SELLE ROYAL ARIEL GEL HRC/DRC ACTEX BLACK COVER
⚙️ GEARS	12	💡 LIGHT	TRELOCK AIRFLOW 70 / TRELOCK LS611

SKU


30212286

COLOR



HEADSET: FSA NO.42B | STEM: KKALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO DEORE T6000 | BRAKE DISC F/R: SHIMANO SM-RT54M 180MM / SM-RT54S 160MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-745 GEN4 170/175MM | CHAINWHEEL: FSA 44T STEEL, STEEL SPIDER | DRIVE UNIT: BOSCH PERFORMANCE LINE CX GEN4 | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | CHAIN: SHIMANO DEORE CN-6100 12S | CHAINGUARD: HESLING SUPORTIVE V2 44T GEN4 | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO DEORE HB-M6010 32H CL 100 THRU TYPE AXLE | REAR HUB: SHIMANO FH MT510 32H 12QR 12S | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA031J, 18MM ADJUSTABLE

ALBOIN CURVE MAN XT10



△ FRAME	ALLOY BOSCH TREKKING FRAME GEN3 28" POWERTUBE DISC M	⚙️ REAR DERAILLEUR	SHIMANO XT RD-T8000 10S SHADOW DESIGN
△ FRAME SIZE	48, 52, 56 CM	🛞 BRAKE	SHIMANO DEORE MT410
⚡ FORK	SR SUNTOUR NEX-E25 DS 700C 75MM	🛞 TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
🔵 WHEEL SIZE	28"	📅 SADDLE	SELLE ROYAL ARIEL GEL HRC/DRC ACTEX BLACK COVER
⚙️ GEARS	10	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611

SKU

30212240

COLOR



HEADSET: FSA NO.42B-1 | STEM: GEPIDA ALLOY TDS-299N EXT: 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO DEORE MT401 3FINGER | BRAKE DISC F/R: SHIMANO DEORE MT410 | REAR SHIFTING LEVER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-602 175MM BOSCH GEN3 | CHAINWHEEL: FSA STEEL 44T BCD104 | CASSETTE: SHIMANO DEORE CS-HG50-10 11-36T | CHAIN: SHIMANO CN-HG54 | CHAINGUARD: HESLING SUPORTIVE VER.2 42-46T | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20LW 32H QR | REAR HUB: FORMULA DC-22W 32H QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J, 18MM ADJUSTABLE

ALBOIN CURVE TR XT 10



△ FRAME	ALLOY BOSCH TREKKING FRAME GEN3 28" POWERTUBE DISC L	⚙️ REAR DERAILLEUR	SHIMANO XT RD-T8000 10S SHADOW DESIGN
△ FRAME SIZE	44, 48, 52 CM	🛞 BRAKE	SHIMANO DEORE MT410
⌒ FORK	SR SUNTOUR NEX-E25 DS 700C 75MM	🌀 TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
○ WHEEL SIZE	28"	📏 SADDLE	SELLE ROYAL ARIEL GEL HRC/DRC ACTEX BLACK COVER
⚙️ GEARS	10	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS611

SKU

30212246

COLOR




30212246A



30212246B

HEADSET: FSA NO.42B-1 | STEM: GEPIDA ALLOY TDS-299N EXT: 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO DEORE MT401 3FINGER | BRAKE DISC F/R: SHIMANO SM-RT56S 160MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-602 175MM BOSCH GEN3 | CHAINWHEEL: SHIMANO DEORE CS-HG50-10 11-36T | CASSETTE: SHIMANO DEORE CS-HG50-10 11-36T | CHAIN: SHIMANO CN-HG54 | CHAINGUARD: HESLING SUPORTIVE VER.2 42-46T | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20LW 32H QR | REAR HUB: FORMULA DC-22W 32H QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J, 18MM ADJUSTABLE

ALBOIN MAN ALIVIO 9



△ FRAME	GEPIDA ALLOY HYDROFORM 28" TREKKING DISC M	⚙️ REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW DESIGN
△ FRAME SIZE	48, 52, 56 CM	🛞 BRAKE	TEKTRO HD-T275
⌒ FORK	SR SUNTOUR NEX DS 700C 63MM	🌀 TYRE	WTB/FREEDOM WEDGE 47X700C REFLECTIVE TAPE
○ WHEEL SIZE	28"	📏 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	9	💡 LIGHT	TRELOCK LS611 / TRELOCK LS611

SKU

30211290

COLOR



30211290A



30211290B

HEADSET: FSA NO.11N | STEM: GEPIDA ALLOY TDS-299N EXT: 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: TEKTRO HD-T275 | BRAKE DISC F/R: 160MM | REAR SHIFTING LEVER: SHIMANO ALIVIO SL-M3100 9S RAPIDFIRE PLUS | SEATPOST: PROMAX 318Q | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CASSETTE: SHIMANO CS-HG200-9 11-34T | CHAIN: SHIMANO CN-HG53 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | RIM: BERETTA DISC25 28" 32H SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-940 W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J, 18MM ADJUSTABLE

ALBOIN TR ALIVION 9



△ FRAME	GEPIDA ALLOY HYDROFORM 28" TREKKING DISC L	⚙️ REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW DESIGN
△ FRAME SIZE	44, 48, 52 CM	🛞 BRAKE	TEKTRO HD-T275
⚡ FORK	SR SUNTOUR NEX DS 700C 63MM	🌀 TYRE	WTB/FREEDOM WEDGE 47X700C REFLECTIVE TAPE
○ WHEEL SIZE	28"	🪘 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	9	💡 LIGHT	TRELOCK VEO 20 / TRELOCK LS611

SKU

30211296

COLOR




30211296A



30211296B

HEADSET: FSA NO.11N | STEM: GEPIDA ALLOY TDS-299N EXT: 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: TEKTRO HD-T275 | BRAKE DISC F/R: 160MM | REAR SHIFTING LEVER: SHIMANO ALIVIO SL-M3100 9S RAPIDFIRE PLUS | SEATPOST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CASSETTE: SHIMANO CS-HG200-9 11-34T | CHAIN: SHIMANO CN-HG53 | CHAINGUARD: HESLING SUPPORTIVE VER.2 38T | RIM: BERETTA DISC25 28" 32H SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-940 W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J, 18MM ADJUSTABLE

THORIS VOYAGE XT11



△ FRAME	GEPIDA ALLOY 28" TANDEM	⚙️ REAR DERAILLEUR	SHIMANO XT RD-M8000 11S SHADOW PLUS DESIGN
△ FRAME SIZE	53/44 CM	🛞 BRAKE	SHIMANO MT-501
⚡ FORK	SR SUNTOUR XCR AIR LOR 29" 80MM 15QR	🌀 TYRE	SCHWALBE ENERGIZER PLUS 50-622 REFLECTIVE TAPE
○ WHEEL SIZE	28"	🪘 SADDLE	SELLE ROYAL ARIEL HRC ACTEX BLACK COVER
⚙️ GEARS	11	💡 LIGHT	TRELOCK AIRFLOW 70 / TRELOCK LS611

SKU

30212600

COLOR



30212600A

HEADSET: FSA NO.11N | STEM: GEPIDA ALLOY TDS-299N EXT: 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 720MM; JD-TR23AL 640MM BB: 31,8MM RISE: 25MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO MT-501 | BRAKE DISC F/R: SHIMANO SM-RT54M 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M5100 11S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 27,2X300MM | CRANKARM: FSA CK-745/IS 170MM BOSCH GEN4 | CHAINWHEEL: FSA STEEL 38T BCD104 | CASSETTE: SHIMANO DEORE CS-M5100-11 11-42T | CHAIN: SHIMANO CN-HG54 | RIM: RODI AIRLINE1 28" 32H | FRONT HUB: SHIMANO HB-MT400 32H 15QR | REAR HUB: SHIMANO FH-MT400 32H 12QR | SPOKE: SAPIM STAINLESS STEEL 13G | RACK: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ CATEYE | KICKSTAND: URSUS KING 28"




ATM-MTB

STRONG, FAST, HARD

The torque Bosch engines combined with the performance of the cyclist provide an experience unprecedented in mountain biking: you can pedal up rough terrains in a sporty yet convenient manner and reach heights you haven't been before, or have but with great effort.

ATB-MTB E-BIKE

ASGARD PRO XT 12




△ FRAME	GEPIDA ALLOY BOSCH MTB FRAME GEN4 29" POWERTUBE DISC	⚙️ REAR DERAILLEUR	SHIMANO XT RD-M8100 12S SHADOW PLUS DESIGN
△ FRAME SIZE	15" 17" 19" 21"	🛞 BRAKE	SHIMANO DEORE BR-M6100
⌒ FORK	SR SUNTOUR RAIDON34-BOOST AIR RLR DS 15QLC32-110 29" 120MM	🌀 TYRE	SCHWALBE RACING RAY EVO 29X2,25" SNAKESKIN TLE
○ WHEEL SIZE	29"	🐾 SADDLE	SELLE ROYAL SETA SI
⚙️ GEARS	12	💡 LIGHT	-

SKU	COLOR
30212060	30212060A

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO DEORE BL-M6100 | BRAKE DISC F/R: SHIMANO SM-RT54M 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEATPOST: GEPIDA ALLOY SP-226 30,9X400MM | CRANKARM: FSA CK-745 GEN4 170MM | CHAINWHEEL: FSA 38T STEEL, STEEL SPIDER | DRIVE UNIT: BOSCH PERFORMANCE LINE CX GEN4 | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | CHAIN: SHIMANO DEORE CN-M6100 12S | RIM: RODI TRYP25 29" 622X25C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO ALIVIO HB-MT410BB 32H 15QR BOOST | REAR HUB: SHIMANO ALIVIO FH-MT410BB 32H 12QR BOOST | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | PEDAL: XERAMA SP-610 W/ REFLECTOR

RUGA PRO DEORE 12




△ FRAME	ALLOY BOSCH MTB FRAME GEN4 29" POWERTUBE DISC	⚙️ REAR DERAILLEUR	SHIMANO DEORE RD-M6100 12S SHADOW PLUS DESIGN
△ FRAME SIZE	15" 17" 19" 21"	🛞 BRAKE	SHIMANO MT-401
⌒ FORK	SR SUNTOUR XCR 32 BOOST COIL RLR 29" 100MM TPR	🌀 TYRE	SCHWALBE RAPID ROB 29X2,25 57-622
○ WHEEL SIZE	29"	🐾 SADDLE	SELLE ROYAL SETA SI
⚙️ GEARS	12	💡 LIGHT	-

SKU	COLOR
30212030	30212030A 30212030B

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO MT-401 | BRAKE DISC F/R: SHIMANO SM-RT54M 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 175MM BOSCH GEN4 | CHAINWHEEL: FSA 38T STEEL, STEEL SPIDER | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | CHAIN: SHIMANO DEORE CN-M6100 12S | RIM: RODI TRYP25 29" 622X25C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO HB-MT400-BB, CL 32H, 15QR BOOST | REAR HUB: SHIMANO ALIVIO FH-MT410B 32H BOOST | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | PEDAL: XERAMA SP-610 W/ REFLECTOR

RUGA PRO DEORE 12



△ FRAME	ALLOY BOSCH MTB FRAME GEN4 27,5" POWERTUBE DISC	⚙️ REAR DERAILLEUR	SHIMANO DEORE RD-M6100 12S SHADOW PLUS DESIGN
△ FRAME SIZE	15" 17" 19" 21"	🔑 BRAKE	SHIMANO MT-401
⌒ FORK	SR SUNTOUR XCR 32 BOOST COIL RLR 27,5" 120MM TPR	🌀 TYRE	SCHWALBE SMART SAM 65-584 27,5X2,6
⊙ WHEEL SIZE	27,5"	📏 SADDLE	SELLE ROYAL SETA SI
⚙️ GEARS	12	💡 LIGHT	-

SKU
30212050

COLOR




30212050A



30212050B

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 720MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO MT-401 | BRAKE DISC F/R: SHIMANO SM-RT54M 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 175MM BOSCH GEN4 | CHAINWHEEL: FSA STEEL 38T BCD104 | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | CHAIN: SHIMANO DEORE CN-M6100 12S | RIM: RODI TRYP30 27,5" 584X30C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO HB-MT400-BB, CL 32H, 15QR BOOST | REAR HUB: SHIMANO ALIVIO FH-MT410B 32H BOOST | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | PEDAL: XERAMA SP-610 W/ REFLECTOR

SIRMIUM PRO DEORE 10



△ FRAME	GEPIDA ALLOY HYDROFORM MTB 29" BOSCH GEN4	⚙️ REAR DERAILLEUR	SHIMANO DEORE RD-M4120 10S SHADOW DESIGN
△ FRAME SIZE	15" 17" 19" 21"	🔑 BRAKE	SHIMANO BR-MT200
⌒ FORK	SR SUNTOUR XCR 32 COIL LO 29" 100MM TPR	🌀 TYRE	SCHWALBE RAPID ROB 29X2,25 57-622
⊙ WHEEL SIZE	29"	📏 SADDLE	SELLE ROYAL SETA SI
⚙️ GEARS	10	💡 LIGHT	-

SKU
30212040

COLOR



30212040A



30212040B

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO BL-MT200 | BRAKE DISC F/R: SHIMANO SM-RT26M 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 175MM BOSCH GEN4 | CHAINWHEEL: SHIMANO DEORE CS-M4100-10 11-42T 10S | CASSETTE: SHIMANO DEORE CS-M4100-10 11-42T 10S | CHAIN: SHIMANO CN-HG54 | RIM: RODI BLACKROCK23 29" 622X23C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | PEDAL: XERAMA SP-610 W/ REFLECTOR

RUGA PRO TOUR DEORE 12



△ FRAME	ALLOY BOSCH MTB FRAME GEN4 29" POWERTUBE DISC	⚙️ REAR DERAILLEUR	SHIMANO DEORE RD-M6100 12S SHADOW PLUS DESIGN
△ FRAME SIZE	15" 17" 19" 21"	🛑 BRAKE	SHIMANO MT-401
⌵ FORK	SR SUNTOUR XCR 32 BOOST COIL RLR 29" 100MM TPR	🌀 TYRE	SCHWALBE SMART SAM 29X2,25 57-622
⊙ WHEEL SIZE	29"	📵 SADDLE	SELLE ROYAL SETA S1
⚙️ GEARS	12	💡 LIGHT	TRELOCK VEO 50 / TRELOCK LS631


SKU
30212070

COLOR



HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO MT-401 | BRAKE DISC F/R: SHIMANO SM-RT54M 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 175MM BOSCH GEN4 | CHAINWHEEL: FSA 38T STEEL, STEEL SPIDER | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | CHAIN: SHIMANO DEORE CN-M6100 12S | RIM: RODI TRYP25 29" 622X25C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO HB-MT400-B, CL 32H, 15MM THRU TYPE AXLE | REAR HUB: SHIMANO ALIVIO FH-MT410B 32H BOOST | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | MUDGUARD: SKS EVO AL 29" 65MM | PEDAL: XERAMA SP-610 W/ REFLECTOR | KICKSTAND: STANDWELL RA-032J 18MM

BERIG W INT DEORE 10



△ FRAME	GEPIDA ALLOY ATB W 27,5" POWERTUBE 17", 19", 21"	⚙️ REAR DERAILLEUR	SHIMANO DEORE RD-M4120 SHADOW DESIGN
△ FRAME SIZE	17" 19" 21"	🛑 BRAKE	SHIMANO BR-MT200
⌵ FORK	SR SUNTOUR XCM-ATB HLO 27,5" 100MM	🌀 TYRE	SCHWALBE SMART SAM 27,5X2,25 57-584
⊙ WHEEL SIZE	27,5"	📵 SADDLE	SELLE ROYAL SETA S1
⚙️ GEARS	10	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS631 E-BIKE


SKU
30212545

COLOR



HEADSET: FSA NO.42B-1 | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 720MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO BL-MT200 | BRAKE DISC F/R: SHIMANO SM-RT26M 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M4100-10 RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T W/ BASHGUARD | CASSETTE: SHIMANO DEORE CS-M4100 11-42T | CHAIN: SHIMANO CN-HG54 | RIM: RODI BLACKROCK 27,5" 584X21C 32H W/ SINGLE EYELET | FRONT HUB: FFORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY | MUDGUARD: SKS USC ALUFLEX PET 65MM | PEDAL: VP-536 W/ CATEYE

BERIG TR DEORE 10



△ FRAME	GEPIDA ALLOY HYDROFORMING ATB W 27,5"	⚙️ REAR DERAILLEUR	SHIMANO DEORE RD-M4120 SHADOW DESIGN
△ FRAME SIZE	17" 19" 21"	🛞 BRAKE	SHIMANO BR-MT200
⌒ FORK	SR SUNTOUR XCM-ATB HLO 27,5" 100MM	🛞 TYRE	SCHWALBE SMART SAM 27,5X2,25 57-584
⊙ WHEEL SIZE	27,5"	📵 SADDLE	SELLE ROYAL SETA SI
⚙️ GEARS	10	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS631 E-BIKE

SKU
30212575

COLOR




30212575A



30212575B

HEADSET: FSA NO.11Q | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 720MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO BL-MT200 | BRAKE DISC F/R: SHIMANO SM-RT26M 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M4100-10 RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T W/ BASHGUARD | CASSETTE: SHIMANO DEORE CS-M4100 11-42T | CHAIN: SHIMANO CN-HG54 | RIM: RODI BLACKROCK 27,5" 584X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY | MUDGUARD: SKS USC ALUFLEX PET 65MM | PEDAL: VP-536 W/ CATEYE | KICKSTAND: STANDWELL SW-RA031J, 40MM

BERIG MAN DEORE 10



△ FRAME	GEPIDA ALLOY HYDROFORMING ATB 29"	⚙️ REAR DERAILLEUR	SHIMANO DEORE RD-M4120 SHADOW DESIGN
△ FRAME SIZE	17" 19" 21"	🛞 BRAKE	SHIMANO BR-MT200
⌒ FORK	SR SUNTOUR XCM-ATB HLO 29" 100MM	🛞 TYRE	SCHWALBE SMART SAM 57-622 29X2,25
⊙ WHEEL SIZE	29"	📵 SADDLE	SELLE ROYAL SETA SI
⚙️ GEARS	10	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS631 E-BIKE

SKU
30212580

COLOR



30212580A



30212580B

HEADSET: FSA NO.42B-1 | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 720MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO BL-MT200 | BRAKE DISC F/R: SHIMANO SM-RT26M 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M4100-10 RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T W/ BASHGUARD | CASSETTE: SHIMANO DEORE CS-M4100 11-42T | CHAIN: SHIMANO CN-HG54 | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY | MUDGUARD: SKS USC ALUFLEX PET 65MM | PEDAL: VP-536 W/ CATEYE | KICKSTAND: VSTANDWELL SW-RA032J, 18MM

BERIG MAN DEORE 10



△ FRAME	GEPIDA ALLOY HYDROFORMING ATB 27,5"	⌘ REAR DERAILLEUR	SHIMANO DEORE RD-M4120 SHADOW DESIGN
△ FRAME SIZE	17" 19" 21"	🔊 BRAKE	SHIMANO BR-MT200
⌒ FORK	SR SUNTOUR XCM-ATB HLO 27,5" 100MM	🌀 TYRE	SCHWALBE SMART SAM 27,5X2,25 57-584
⊙ WHEEL SIZE	27,5"	📅 SADDLE	SELLE ROYAL SETA SI
⚙️ GEARS	10	💡 LIGHT	AXA BLUELINE 30 / TRELOCK LS631 E-BIKE

SKU
30212570

COLOR

30212570A

30212570B

HEADSET: FSA NO.42B-1 | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 720MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO BL-MT200 | BRAKE DISC F/R: SHIMANO SM-RT26M 180MM | REAR SHIFTING LEVER: SHIMANO DEORE SL-M4100-10 RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T W/ BASHGUARD | CASSETTE: SHIMANO BR-MT200 | CHAIN: SHIMANO CN-HG54 | RIM: RODI BLACKROCK 27,5" 584X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: GEPIDA ALLOY | MUDGUARD: SKS USC ALUFLEX PET 65MM | PEDAL: VP-536 W/ CATEYE | KICKSTAND: STANDWELL SW-RA032J, 18MM

WE BELIEVE THAT THE BICYCLES WE OFFER BECOME
COMPANIONS, A PART OF BIKERS' LIVES.
IT DOESN'T MATTER IF YOU GO TO WORK BY BIKE AS USUAL
OR ON A TRIP WITH YOUR FAMILY OR FRIENDS,
OR IF YOU TAKE THE UNKNOWN PATH WITH NEW
EXPERIENCES AND CHALLENGES.

ALBOIN 900 28" M 30S



△ FRAME	GEPIDA ALLOY HYDROFORM 28" TREKKING DISC
△ FRAME SIZE	48, 52, 56CM
⌒ FORK	SR SUNTOUR NCX-D LO DS 700C 63MM
○ WHEEL SIZE	28
⚙️ GEARS	30

⚙️ REAR DERAILLEUR	SHIMANO XT RD-T8000 10S SHADOW DESIGN
👉 BRAKE	SHIMANO BR-MT410
🌀 TYRE	SCHWALBE MARATHON PLUS SMARTGUARD 47-622 REFLECTIVE TAPE
👉 SADDLE	SELLE ROYAL ARIEL GEL HRC/DRC ACTEX BLACK COVER
💡 LIGHT	AXA PICO30 W/ STANDLIGHT / TRELOCK LS613 W/ STANDLIGHT

SKU
30210390

COLOR



30200390A

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MQ-565 EXT: 85/105MM | HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM | GRIP: VELO VLG-649AD2S +VLP-69-1 | BRAKE LEVER: SHIMANO MT-401 | BRAKE DISC F/R: SHIMANO SM-RT10S 160MM | FRONT SHIFTER: SHIMANO DEORE SL-T6000 3S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: SHIMANO DEORE FC-T551 48/36/26 | DRIVE UNIT: SHIMANO DEORE SM-BB52 | CHAINWHEEL: SHIMANO DEORE FC-T551 48/36/26 | CHAIN: SHIMANO CN-HG54 | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO HUB DYNAMO DH-3D37 32H QR CENTERLOCK | REAR HUB: SHIMANO TX-505 32H QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACKK | RACK: MASSLOAD CL550 28" | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

TREKKING BICYCLES

ALBOIN 500 28" M 27S



△ FRAME	GEPIDA ALLOY HYDROFORM 28" TREKKING DISC	⚙️ REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW PLUS
△ FRAME SIZE	48, 52, 56, 60 CM	🛑 BRAKE	SHIMANO MT-201
⌒ FORK	SR SUNTOUR NEX HLO DS 700C 63MM	🌀 TYRE	SCHWALBE SILENTO 700X47C REFLECTIVE TAPE
🌀 WHEEL SIZE	28"	🪘 SADDLE	SELLE ROYAL ARIEL HRC GEL
⚙️ GEARS	27	💡 LIGHT	AXA PICO15 SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU

30210350

COLOR



30200350A

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MTS-C297N ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS BL-M365 | BRAKE DISC F/R: SHIMANO SM-RT10S 160MM | FRONT SHIFTER: SHIMANO ALIVIO SL-M3100 3S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-509 27,2X300MM | CRANKARM: SR SUNTOUR XCM-T418 48/36/26 OCTALINK | DRIVE UNIT: SHIMANO BB-ES300 | CHAINWHEEL: SR SUNTOUR XCM-T418 48/36/26 OCTALINK | CASSETTE: SHIMANO CS-HG201 9S 11-32T | CHAIN: SHIMANO CN-HG53 | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO HUB DYNAMO DH-3D37 32H QR CENTERLOCK | REAR HUB: SHIMANO TX-505 32H QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: MASSLOAD CL550 28" | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ REFLECTOR

ALBOIN 500 28" L 27S



△ FRAME	GEPIDA ALLOY HYDROFORM 28" TREKKING DISC	⚙️ REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW PLUS
△ FRAME SIZE	44, 48, 52 CM	🛑 BRAKE	SHIMANO MT-201
⌒ FORK	SR SUNTOUR NEX HLO DS 700C 63MM	🌀 TYRE	SCHWALBE SILENTO 700X47C REFLECTIVE TAPE
🌀 WHEEL SIZE	28"	🪘 SADDLE	SELLE ROYAL ARIEL DRC
⚙️ GEARS	27	💡 LIGHT	AXA PICO15 SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU

30210356

COLOR



30200356A

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MTS-C297N ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO MT-201 | BRAKE DISC F/R: SHIMANO SM-RT10S 160MM | FRONT SHIFTER: SHIMANO ALIVIO SL-M3100 3S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: SR SUNTOUR XCM-T418 48/36/26 OCTALINK | DRIVE UNIT: SHIMANO BB-ES300 | CHAINWHEEL: SR SUNTOUR XCM-T418 48/36/26 OCTALINK | CASSETTE: SHIMANO CS-HG201 9S 11-32T | CHAIN: SHIMANO CN-HG53 | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO HUB DYNAMO DH-3D37 32H QR CENTERLOCK | REAR HUB: SHIMANO TX-505 32H QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | RACK: MASSLOAD CL550 28" | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ REFLECTOR

ALBOIN 300 PRO 28" M 27S



△ FRAME	GEPIDA ALLOY TREKKING 28" DISC	⚙️ REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100SGS SHADOW DESIGN
△ FRAME SIZE	48, 52, 56, 60 CM	🛞 BRAKE	TEKTRO HD-T275
⌒ FORK	SR SUNTOUR NEX HLO DS 700C 63MM	🌀 TYRE	WTB/FREEDOM WEDGE 47X700C REFLECTIVE TAPE
○ WHEEL SIZE	28"	🪘 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	27	💡 LIGHT	BÜCHEL UNILED 15 W/ SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU
30210340

COLOR



30200340A

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MTS-C297N ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: TEKTRO HD-T275 | BRAKE DISC F/R: TEKTRO | FRONT SHIFTER: SHIMANO ALIVIO SL-M3100 3S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: SR SUNTOUR XCM-T418 48/36/26 | DRIVE UNIT: SR SUNTOUR XCT SQ 113MM | CHAINWHEEL: SR SUNTOUR XCM-T418 48/36/26 | CASSETTE: SHIMANO ACERA CS-HG200-9 11-34T | CHAIN: SHIMANO CN-HG53 9S | RIM: BERETTA DISC25 28" 32H SINGLE EYELET | FRONT HUB: SHIMANO HUB DYNAMO DH-3D32 32H QR | REAR HUB: FORMULA DC-22 32H QR | SPOKE: SAPIM STEEL 14G BLACK | RACK: MASSLOAD CL550 28" | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP-940 W/ REFLECTOR

ALBOIN 300 28" M 24S



△ FRAME	GEPIDA ALLOY TREKKING 28"	⚙️ REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW PLUS
△ FRAME SIZE	48, 52, 56, 60CM	🛞 BRAKE	SHIMANO ALIVIO BR-T4000
⌒ FORK	SR SUNTOUR CR8V HLO P 700C 50MM	🌀 TYRE	WTB/FREEDOM WEDGE 38X700C REFLECTIVE TAPE
○ WHEEL SIZE	28"	🪘 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	24	💡 LIGHT	BÜCHEL UNILED 15 W/ SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU
30210330

COLOR



30200330A

30200330B

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MTS-C297N ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS ST-EF500 4FINGER | REAR SHIFTER: SHIMANO ALTUS ST-EF500 4FINGER | REAR SHIFTING LEVER: SHIMANO ALTUS ST-EF500 8S 4FINGER | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: SR SUNTOUR XCC-T208 48/36/26 | DRIVE UNIT: SHIMANO BB-UN101 | CHAINWHEEL: SR SUNTOUR XCC-T208 48/36/26 | CASSETTE: SHIMANO ALTUS CS-HG31-8 11-32T | CHAIN: KMC Z72 | RIM: RODI SKORPION 28" 622X19C 32H | FRONT HUB: SHIMANO HUB DYNAMO DH-C3000 32H | REAR HUB: FORMULA FM-32 32H QR | SPOKE: SAPIM STEEL 14G BLACK | RACK: MASSLOAD CL550 28" | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP-940 W/ REFLECTOR

ALBOIN 300 28" W 24S



△ FRAME	GEPIDA ALLOY TREKKING 28"	⚙️ REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW PLUS
△ FRAME SIZE	45, 50, 55CM	🛑 BRAKE	SHIMANO ALIVIO BR-T4000
⌒ FORK	SR SUNTOUR CR8V HLO P 700C 50MM	🌀 TYRE	WTB/FREEDOM WEDGE 38X700C REFLECTIVE TAPE
○ WHEEL SIZE	28"	📵 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	24	💡 LIGHT	BÜCHEL UNILED 15 W/ SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU

30210335

COLOR



30200335A



30200335B

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MTS-C297N ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS ST-EF500 4FINGER | FRONT SHIFTER: SHIMANO ALTUS ST-EF510 3X8S | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: SR SUNTOUR XCC-T208 48/36/26 | CHAINWHEEL: SR SUNTOUR XCC-T208 48/36/26 | DRIVE UNIT: SHIMANO BB-UN101 | CASSETTE: SHIMANO ALTUS CS-HG31-8 11-32T | REAR SHIFTER: SHIMANO ALTUS ST-EF500 4FINGER | REAR SHIFTING LEVER: SHIMANO ALTUS ST-EF500 8S 4FINGER | CHAIN: KMC Z72 | RIM: RODI SKORPION 28" 622X19C 32H | FRONT HUB: SHIMANO HUB DYNAMO DH-C3000 32H | REAR HUB: FORMULA FM-32 32H QR | SPOKE: SAPIM STEEL 14G BLACK | RACK: MASSLOAD CL550 28" | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP-940 W/ REFLECTOR

ALBOIN 300 28" L 24S



△ FRAME	GEPIDA ALLOY TREKKING 28"	⚙️ REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW PLUS
△ FRAME SIZE	44, 48, 52CM	🛑 BRAKE	SHIMANO ALIVIO BR-T4000
⌒ FORK	SR SUNTOUR CR8V HLO P 700C 50MM	🌀 TYRE	WTB/FREEDOM WEDGE 38X700C REFLECTIVE TAPE
○ WHEEL SIZE	28"	📵 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	24	💡 LIGHT	BÜCHEL UNILED 15 W/ SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU

30210336

COLOR



30200336A



30200336B

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MTS-C297N ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ALTUS ST-EF500 4FINGER | REAR SHIFTER: SHIMANO ALTUS ST-EF500 4FINGERS | REAR SHIFTING LEVER: SHIMANO ALTUS ST-EF500 8S 4FINGER | BRAKE LEVER: KALLOY SP-509 27,2X300MM | CRANKARM: SR SUNTOUR XCC-T208 48/36/26 | CHAINWHEEL: SR SUNTOUR XCC-T208 48/36/26 | DRIVE UNIT: SHIMANO BB-UN101 | CASSETTE: SHIMANO ALTUS CS-HG31-8 11-32T | CHAIN: KMC Z72 | RIM: RODI SKORPION 28" 622X19C 32H | FRONT HUB: SHIMANO HUB DYNAMO DH-C3000 32H | REAR HUB: FORMULA FM-32 32H QR | SPOKE: SAPIM STEEL 14G BLACK | RACK: MASSLOAD CL550 28" | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP-940 W/ REFLECTOR

ALBOIN 200 PRO 28" M 21



△ FRAME	GEPIDA ALLOY TREKKING 28"	⚙ REAR DERAILLEUR	SHIMANO ACERA RD-M360SGS
△ FRAME SIZE	48, 52, 56CM	🛞 BRAKE	PROMAX TX-117
⌒ FORK	SR SUNTOUR M3010 P 700C 40MM	🌀 TYRE	WTB/FREEDOM SCORCHER 38X700C
○ WHEEL SIZE	28"	📵 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙ GEARS	21	💡 LIGHT	BÜCHEL UNILED 15 W/ SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU

30210320

COLOR



30200320A



30200320B

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MQ417 EXT: 80 BB: 25,4MM | HANDLEBAR: GEPIDA STEEL MTB-155 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ST-EF41 | FRONT SHIFTER: SHIMANO ST-EF41 | SEATPOST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKARM: SR SUNTOUR XCC-T208 48/36/26 | DRIVE UNIT: SHIMANO BB-UN101 | CHAINWHEEL: SR SUNTOUR XCC-T208 48/36/26 | CASSETTE: SHIMANO MF-TZ500-7 14-28T | CHAIN: KMC Z50 | RIM: BERETTA MT-240 28" 36H | FRONT HUB: SHIMANO DYNAMO HUB DH-C3000 36H | REAR HUB: FORMULA FM-31 36H | SPOKE: SAPIM STEEL 14G | RACK: GEPIDA STEEL 28" L | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP872N W/ REFLECTOR

ALBOIN 200 PRO 28" L 21



△ FRAME	GEPIDA ALLOY TREKKING 28"	⚙ REAR DERAILLEUR	SHIMANO ACERA RD-M360SGS
△ FRAME SIZE	44, 48, 52CM	🛞 BRAKE	PROMAX TX-117
⌒ FORK	SR SUNTOUR M3010 P 700C 40MM	🌀 TYRE	WTB/FREEDOM SCORCHER 38X700C
○ WHEEL SIZE	28"	📵 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙ GEARS	21	💡 LIGHT	BÜCHEL UNILED 15 W/ SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU

30210326

COLOR



30210326A



30210326B

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MQ417 EXT: 80 BB: 25,4MM | HANDLEBAR: GEPIDA STEEL MTB-155 640MM BB: 25,4MM | GRIP: VELO VLG-519A | BRAKE LEVER: SHIMANO ST-EF41 | FRONT SHIFTER: SHIMANO ST-EF41 | SEATPOST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKARM: SR SUNTOUR XCC-T208 48/36/26 | DRIVE UNIT: SHIMANO BB-UN101 | CHAINWHEEL: SR SUNTOUR XCC-T208 48/36/26 | CASSETTE: SHIMANO MF-TZ500-7 14-28T | CHAIN: KMC Z50 | RIM: BERETTA MT-240 28" 36H | FRONT HUB: SHIMANO DYNAMO HUB DH-C3000 36H | REAR HUB: FORMULA FM-31 36H | SPOKE: SAPIM STEEL 14G | RACK: GEPIDA STEEL 28" | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP872N W/ REFLECTOR

ALBOIN 200 28" M 21S



△ FRAME	GEPIDA ALLOY TREKKING 28"	⚙️ REAR DERAILLEUR	SHIMANO TOURNEY RD-TY300
△ FRAME SIZE	M: 48, 52, 56 CM L: 44, 48, 52 CM	🛑 BRAKE	PROMAX TX-117
⌒ FORK	ZOOM ENJOY 123E 700C 40MM	🌀 TYRE	WTB/FREEDOM SCORCHER 38X700C
○ WHEEL SIZE	28"	🚽 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	21	💡 LIGHT	BÜCHEL UNILED 15 W/ SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU

30210310

COLOR



30200310A



30200310B

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MQ417 EXT: 80 BB: 25,4MM | HANDLEBAR: GEPIDA STEEL MTB-155 640MM BB: 25,4MM | GRIP: VELO VLG-207 | BRAKE LEVER: SHIMANO ST-EF41 | FRONT SHIFTER: SHIMANO ST-EF41 | SEATPOST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKARM: PROWHEEL ALLOY 48/38/28 | DRIVE UNIT: SHIMANO BB-UN101 | CHAINWHEEL: PROWHEEL ALLOY 48/38/28 | CASSETTE: SHIMANO MF-TZ500-7 14-28T | CHAIN: KMC Z50 | RIM: BERETTA MT-240 28" 36H | FRONT HUB: SHIMANO DYNAMO HUB DH-C3000 36H | REAR HUB: FORMULA FM-31 36H | SPOKE: SAPIM STEEL 14G | RACK: GEPIDA STEEL 28" | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP872N W/ REFLECTOR

ALBOIN 200 28" L 21S



△ FRAME	GEPIDA ALLOY TREKKING 28"	⚙️ REAR DERAILLEUR	SHIMANO TOURNEY RD-TY300
△ FRAME SIZE	44, 48, 52CM	🛑 BRAKE	PROMAX TX-117
⌒ FORK	ZOOM ENJOY 123E 700C 40MM	🌀 TYRE	WTB/FREEDOM SCORCHER 38X700C
○ WHEEL SIZE	28"	🚽 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	21	💡 LIGHT	BÜCHEL UNILED 15 W/ SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU

30210316

COLOR



30210316A



30210316B

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MQ417 EXT: 80 BB: 25,4MM | HANDLEBAR: GEPIDA STEEL MTB-155 640MM BB: 25,4MM | GRIP: VELO VLG-207 | BRAKE LEVER: SHIMANO ST-EF41 | BRAKE DISC F/R: SHIMANO SM-RT10S 160MM | FRONT SHIFTER: SHIMANO ST-EF41S | SEATPOST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKARM: PROWHEEL ALLOY 48/38/28 | DRIVE UNIT: SHIMANO BB-UN101 | CHAINWHEEL: PROWHEEL ALLOY 48/38/28 | CASSETTE: SHIMANO MF-TZ500-7 14-28T | CHAIN: KMC Z50 | RIM: BERETTA MT-240 28" 36HH | FRONT HUB: SHIMANO DYNAMO HUB DH-C3000 36H | REAR HUB: FORMULA FM-31 36H | SPOKE: SAPIM STEEL 14G | RACK: GEPIDA STEEL 28" | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP872N W/ REFLECTOR



ALBOIN 900 CRS 28" M 30S



▽ FRAME	GEPIDA ALLOY HYDROFORM 28" TREKKING DISC	⚙️ REAR DERAILLEUR	SHIMANO XT RD-T8000 10S SHADOW DESIGN
▽ FRAME SIZE	48, 52, 56CM	🛞 BRAKE	SHIMANO BR-MT410
⤵️ FORK	SR SUNTOUR NCX-D LO DS 700C 63MM	🌀 TYRE	SCHWALBE SMART SAM 40-622
⊙ WHEEL SIZE	28"	📜 SADDLE	SELLE ROYAL DARDO HRC GEL ACTEX BLACK COVER
⚙️ GEARS	30	💡 LIGHT	-

SKU
30210290

COLOR
 30200290A

HEADSET: FSA NO.11N | STEM: TRANZX JD-ST58A EXT:90MM BB:31,8MM 6DEG | HANDLEBAR: GEPIDA ALLOY MTB-AL118 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO MT-401 | BRAKE DISC F/R: SHIMANO SM-RT10S 160MM | REAR SHIFTER: SHIMANO DEORE SL-T6000 3S RAPIDFIRE PLUS | REAR SHIFTING LEVER: SHIMANO DEORE SL-T6000 10S RAPIDFIRE PLUS | SEATPOST: GEPIDA ALLOY SP-226 27.2X300 MM | CRANKARM: SHIMANO DEORE FC-T551 48/36/26 | DRIVE UNIT: SHIMANO DEORE SM-BB52 | CHAINWHEEL: SHIMANO DEORE FC-T551 48/36/26 | CASSETTE: SHIMANO DEORE CS-HG500-10 11-34T | CHAIN: SHIMANO CN-HG54 | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO HB-TX505 32H QR CENTERLOCK | REAR HUB: SHIMANO FH-TX505 32H QR CENTERLOCK | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | PEDAL: XERAMA SP-610 W/ REFLECTOR

CROSS BICYCLES

ALBOIN 500 CRS 28" M 27S S



△ FRAME	GEPIDA ALLOY HYDROFORM 28" TREKKING DISC	⚙️ REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW PLUS
△ FRAME SIZE	48, 52, 56, 60 CM	🛑 BRAKE	SHIMANO MT-201
⌒ FORK	SR SUNTOUR NEX HLO DS 700C 63MM	🌀 TYRE	SCHWALBE CX COMP 700X38C
⊙ WHEEL SIZE	28"	📅 SADDLE	SELLE ROYAL DARDO HRC ACTEX BLACK COVER
⚙️ GEARS	27	💡 LIGHT	-

SKU

30210250

COLOR



30200250A

HEADSET: FFSA NO.11N | STEM: TRANZX JD-ST58A EXT:90MM BB:31,8MM 6DEG | HANDLEBAR: GEPIDA ALLOY MTB-AL118 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO MT-201 | BRAKE DISC F/R: SHIMANO SM-RT10S 160MM | FRONT SHIFTER: SHIMANO ALIVIO SL-M3100 3S RAPIDFIRE PLUS | SEATPOST: GEPIDA ALLOY SP-226 27,2X400MM | CRANKARM: SR SUNTOUR XCM-T418 48/36/26 OCTALINK | DRIVE UNIT: SHIMANO DEORE SM-BB52 | CHAINWHEEL: SR SUNTOUR XCM-T418 48/36/26 OCTALINK | CASSETTE: SHIMANO CS-HG201 9S 11-32T | CHAIN: SHIMANO CN-HG53 | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO HB-TX505 32H QR CENTERLOCK | REAR HUB: SHIMANO FH-TX505 32H QR CENTERLOCK | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | PEDAL: XERAMA SP-610 W/ REFLECTOR

ALBOIN 300 CRS 28" M 24S



△ FRAME	GEPIDA ALLOY TREKKING 28"	⚙️ REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW PLUS
△ FRAME SIZE	48, 52, 56, 60CM	🛑 BRAKE	SHIMANO ALIVIO BR-T4000
⌒ FORK	SR SUNTOUR CR8V HLO P 700C 50MM	🌀 TYRE	WTB/FREEDOM WEDGE 38X700C
⊙ WHEEL SIZE	28"	📅 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	24	💡 LIGHT	-

SKU

30210230

COLOR



30210230A



30210230B

HEADSET: FSA NO.11Q | STEM: KALLOY ASDC1 BB: 31,8MM | HANDLEBAR: GEPIDA ALLOY MTB-AL118 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ALTUS ST-EF500 2FINGER | REAR SHIFTER: SHIMANO ALTUS ST-EF500 2FINGER | REAR SHIFTING LEVER: SHIMANO ALTUS ST-EF500 8S 2FINGER | SEATPOST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKARM: SR SUNTOUR XCC-T208 48/36/26 | DRIVE UNIT: SHIMANO DEORE SM-BB52 | CHAINWHEEL: SR SUNTOUR XCC-T208 48/36/26 | CASSETTE: SHIMANO ALTUS CS-HG31-8 11-32T | CHAIN: KMC Z72 | RIM: RODI SKORPION 28" 622X19C 32H | FRONT HUB: FORMULA FM-21 32H QR | REAR HUB: FORMULA RB30 32H QR | SPOKE: SAPIM STEEL 14G BLACK | PEDAL: XERAMA SP-940 W/ REFLECTOR

ALBOIN 300 CRS 28" L 24S



△ FRAME	GEPIDA ALLOY TREKKING 28"	⚙️ REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW PLUS
△ FRAME SIZE	44, 48, 52CM	🛞 BRAKE	SHIMANO ALIVIO BR-T4000
⚡ FORK	SR SUNTOUR CR8V HLO P 700C 50MM	🌀 TYRE	WTB/FREEDOM WEDGE 38X700C
○ WHEEL SIZE	28"	📏 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	24	💡 LIGHT	-

SKU

30210236

COLOR



30200236A

HEADSET: FSA NO.11Q | STEM: KALLOY ASDC1 BB: 31,8MM | HANDLEBAR: GEPIDA ALLOY MTB-AL118 600MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO ALTUS ST-EF500 2FINGER | REAR SHIFTER: SHIMANO ALTUS ST-EF500 2FINGER | REAR SHIFTING LEVER: SHIMANO ALTUS ST-EF500 8S 2FINGER | SEATPOST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKARM: SR SUNTOUR XCC-T208 48/36/26 | DRIVE UNIT: SHIMANO DEORE SM-BB52 | CHAINWHEEL: SR SUNTOUR XCC-T208 48/36/26 | CASSETTE: SHIMANO ALTUS CS-HG31-8 11-32T | CHAIN: KMC Z72 | RIM: RODI SKORPION 28" 622X19C 32H | FRONT HUB: FORMULA FM-21 32H QR | REAR HUB: FORMULA RB30 32H QR | SPOKE: SAPIM STEEL 14G BLACK | PEDAL: XERAMA SP-940 W/ REFLECTOR

ALBOIN 200 CRS 28" M 21S



△ FRAME	GEPIDA ALLOY TREKKING 28"	⚙️ REAR DERAILLEUR	SHIMANO TOURNEY RD-TY300
△ FRAME SIZE	48, 52, 56CM	🛞 BRAKE	PROMAX TX-117
⚡ FORK	ZOOM ENJOY 123E 700C 40MM	🌀 TYRE	WTB/FREEDOM WEDGE 38X700C
○ WHEEL SIZE	28"	📏 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	21	💡 LIGHT	-

SKU

30210210

COLOR



30200210A

30200210B

HEADSET: FSA TH-807ST | STEM: | HANDLEBAR: GEPIDA CROSS STEEL 600MM BB: 25,4MM | GRIP: VELO VLG-207 | BRAKE LEVER: SHIMANO ST-EF41 | FRONT SHIFTER: SHIMANO ST-EF41 | SEATPOST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKARM: PROWHEEL ALLOY 48/38/28 | DRIVE UNIT: SHIMANO DEORE SM-BB52 | CHAINWHEEL: PROWHEEL ALLOY 48/38/28 | CASSETTE: SHIMANO MF-TZ500-7 14-28T | CHAIN: KMC Z50 | RIM: BERETTA MT-240 28" 36H | FRONT HUB: FORMULA FM-21 36H | REAR HUB: FORMULA FM-31 36H | SPOKE: SAPIM STEEL 14G | PEDAL: XERAMA SP872N W/ REFLECTOR

ALBOIN 200 CRS 28" L 21S



△ FRAME	GEPIDA ALLOY TREKKING 28"	⚙️ REAR DERAILLEUR	SHIMANO TOURNEY RD-TY300
△ FRAME SIZE	44, 48, 52CM	🛑 BRAKE	PROMAX TX-117
⌒ FORK	ZOOM ENJOY 123E 700C 40MM	🌀 TYRE	WTB/FREEDOM WEDGE 38X700C
○ WHEEL SIZE	28"	🚽 SADDLE	SELLE ROYAL ALPINE HC ACTEX COVER
⚙️ GEARS	21	💡 LIGHT	-

SKU

30210216

COLOR



30210216A



30210216B

HEADSET: FSA TH-807ST | HANDLEBAR: GEPIDA CROSS STEEL 600MM BB: 25,4MM | GRIP: VELO VLG-20 | BRAKE LEVER: SHIMANO ST-EF41 | FRONT SHIFTER: SHIMANO ST-EF41
 | SEATPOST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKARM: PROWHEEL ALLOY 48/38/28 | DRIVE UNIT: SHIMANO DEORE SM-BB52 | CHAINWHEEL: PROWHEEL ALLOY
 48/38/28 | CASSETTE: SHIMANO MF-TZ500-7 14-28T | CHAIN: KMC Z50 | RIM: BERETTA MT-240 28" 36H | FRONT HUB: FORMULA FM-21 36H | REAR HUB: FORMULA FM-31 36H |
 SPOKE: SAPIM STEEL 14G | PEDAL: XERAMA SP872N W/ REFLECTOR





ASGARD 29" 12S



△ FRAME	GEPIDA ALLOY HYDROFORM MTB 29"	⚙️ REAR DERAILLEUR	SHIMANO XT RD-M8100 12S SHADOW PLUS DESIGN
△ FRAME SIZE	17" 19" 21"	🔒 BRAKE	SHIMANO BR-MT410
⚡ FORK	MANITOU MARKHOR AIR 29" TPR 100MM 15QR BOOST	🌀 TYRE	SCHWALBE RAPID ROB 29X2,25 57-622
○ WHEEL SIZE	29"	🐎 SADDLE	SELLE ROYAL SETA S1
⚙️ GEARS	12	💡 LIGHT	-

SKU
30210090

COLOR
 30210090A

HEADSET: FSA NO.42B | STEM: TRANZX JD-ST58A EXT:90MM BB:31,8MM 6DEG | HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO BL-MT401 | BRAKE DISC F/R: SHIMANO SM-RT54M 180MM | REAR SHIFTING LEVER: SHIMANO XT SL-M8100 12S RAPIDFIRE PLUS | SEATPOST: GEPIDA ALLOY SP-226 31,6X400MM | CRANKARM: SHIMANO DEORE FC-MT510 32T | DRIVE UNIT: SHIMANO SM-BB52 | CHAINWHEEL: SHIMANO DEORE FC-MT510 32T | CHAINWHEEL: SHIMANO DEORE FC-MT510 32T | CHAINWHEEL: SHIMANO DEORE FC-MT510 32T | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T | CHAIN: SHIMANO DEORE CN-M6100 12S | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO HB-MT400 32H 15QR | REAR HUB: SHIMANO FH-MT401 32H 12S QR | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | PEDAL: XERAMA SP-610 W/ REFLECTOR

RUGA 29" 20S



△ FRAME	GEPIDA ALLOY HYDROFORM MTB 29"	🔗 REAR DERAILLEUR	SHIMANO DEORE RD-M4120 10S SHADOW DESIGN
△ FRAME SIZE	17" 19" 21"	🔑 BRAKE	SHIMANO MT-201
⌒ FORK	SR SUNTOUR XCR LOR 29" 100MM QR	🌀 TYRE	SCHWALBE SMART SAM 57-622 29X2,25
○ WHEEL SIZE	29"	📵 SADDLE	SELLE ROYAL SETA SI
⚙️ GEARS	20	💡 LIGHT	-

SKU

30210080

COLOR



30210080A

HEADSET: FSA NO.42B-1 | STEM: TRANZX JD-ST58A EXT:90MM BB:31,8MM 6DEG | HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO MT-201 | BRAKE DISC F/R: SHIMANO SM-RT10S 180MM | REAR SHIFTER: SHIMANO DEORE SL-M5100 RAPIDFIRE PLUS | REAR SHIFTING LEVER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 31,6X400MM | CRANKARM: SHIMANO FC-M4100-2 2PCS 36/26T | DRIVE UNIT: SHIMANO BB-ES300 | CHAINWHEEL: SHIMANO FC-M4100-2 2PCS 36/26T | CASSETTE: SHIMANO DEORE CS-M4100-10 11-42T | CHAIN: SHIMANO CN-HG54 10S | RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO HB-TX505 32H QR CENTERLOCK | REAR HUB: SHIMANO FH-TX505 32H QR CENTERLOCK | SPOKE: SAPIM STAINLESS STEEL 14G BLACK | PEDAL: XERAMA SP-610 W/ REFLECTOR

SIRMIUM 29" 27S



△ FRAME	GEPIDA ALLOY MTB 29"	🔗 REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100SGS 9S SHADOW DESIGN
△ FRAME SIZE	17" 19" 21"	🔑 BRAKE	TEKTRO HD-M275
⌒ FORK	ZOOM VAXA 595S AMS 29" 100MM	🌀 TYRE	WTB/FREEDOM CUTLASS 29X2,1"
○ WHEEL SIZE	29"	📵 SADDLE	SELLE ROYAL SETA SI
⚙️ GEARS	27	💡 LIGHT	-

SKU

30210060

COLOR



30200060A



30200060B

HEADSET: FSA NO.11Q | STEM: GEPIDA ALLOY AS601 7DEG BB:31,8MM | HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP | GRIP: VELO VLG-207 | BRAKE LEVER: TEKTRO HD-M275 | BRAKE DISC F/R: TEKTRO | FRONT SHIFTER: SHIMANO ALIVIO SL-M3100 3S RAPIDFIRE PLUS | SEATPOST: KALLOY SP-DC1 31,6X400MM | CRANKARM: SR SUNTOUR XCM-T410 40/30/22 | DRIVE UNIT: SHIMANO BB-UN101 | CHAINWHEEL: SR SUNTOUR XCM-T410 40/30/22 | CASSETTE: SHIMANO ACERA CS-HG200-9 11-34T | CHAIN: SHIMANO CN-HG53 9S | RIM: BERETTA DISC25 28" 32H SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | SPOKE: SAPIM STEEL 14G BLACK | PEDAL: XERAMA SP-940 W/ REFLECTOR

MUNDO PRO 27.5" 24S



△ FRAME	GEPIDA ALLOY MTB 27,5"	⚙️ REAR DERAILLEUR	SHIMANO ACERA RD-M360SGS
△ FRAME SIZE	17" 19" 21"	🛞 BRAKE	SHIMANO BR-TX805
⌒ FORK	ZOOM VAXA 595S AMS 27,5" 100MM	🌀 TYRE	WTB/FREEDOM GANGSTER 27,5X2,1"
⊙ WHEEL SIZE	27,5"	📜 SADDLE	SELLE ROYAL MACH ASTRALE BLACK COVER
⚙️ GEARS	24	💡 LIGHT	-

SKU

30210040

COLOR



30210040

HEADSET: FSA NO.11Q | STEM: GEPIDA ALLOY AS601 7DEG BB:25,4MM | HANDLEBAR: GEPIDA ALLOY HB-M301 640MM BB: 25,4MM | GRIP: VELO VLG-207 | BRAKE LEVER: SHIMANO ST-TX800 | BRAKE DISC F/R: SHIMANO SM-RT10S 160MM | FRONT SHIFTER: SHIMANO ST-TX800 | SEATPOST: GEPIDA ALLOY SP-C207 31,6X400MM | CRANKARM: SR SUNTOUR XCC-T202 42/32/22M | DRIVE UNIT: SHIMANO BB-UN100 | CHAINWHEEL: SR SUNTOUR XCC-T202 42/32/22 | CASSETTE: SHIMANO ALTUS CS-HG31-8 11-32T | CHAIN: KMC Z50 | RIM: BERETTA DISC25 28" 32H SINGLE EYELET | FRONT HUB: SHIMANO HB-TX505 32H QR CENTERLOCK | REAR HUB: SHIMANO FH-TX505 32H QR CENTERLOCK | SPOKE: SAPIM STEEL 14G BLACK | PEDAL: XERAMA SP-400 W/ REFLECTOR

MUNDO 26" 21S



△ FRAME	GEPIDA ALLOY MTB 26"	⚙️ REAR DERAILLEUR	SHIMANO TOURNEY RD-TY300
△ FRAME SIZE	15" 17" 19" 21"	🛞 BRAKE	PROMAX TX-117
⌒ FORK	ZOOM BRAVO 410E 26" 50MM	🌀 TYRE	WTB/FREEDOM GANGSTER 26X1,95"
⊙ WHEEL SIZE	26"	📜 SADDLE	SELLE ROYAL MACH ASTRALE BLACK COVER
⚙️ GEARS	21	💡 LIGHT	-

SKU

30210030

COLOR



30210030A



30210030A

HEADSET: FSA NO.11Q | STEM: GEPIDA ALLOY AS601 7DEG BB:25,4MM | HANDLEBAR: GEPIDA ALLOY HB-M301 600MM BB: 25,4MM | GRIP: VELO VLG-207 | BRAKE LEVER: SHIMANO ST-EF41 | FRONT SHIFTER: SHIMANO ST-EF41 | SEATPOST: GEPIDA ALLOY SP-C207 31,6X400MM | CRANKARM: PROWHEEL ALLOY 48/38/28 | DRIVE UNIT: SHIMANO BB-UN100 | CHAINWHEEL: PROWHEEL ALLOY 48/38/28 | CASSETTE: SHIMANO MF-TZ500-7 14-28T | CHAIN: KMC Z50 | RIM: BERETTA MT-240 26" 36H | FRONT HUB: FORMULA FM-21 36H QR | REAR HUB: FORMULA FM-31 36H QR | SPOKE: SAPIM STEEL 14G BLACK | PEDAL: XERAMA SP-400 W/ REFLECTOR



REPTILA 500 28" W 8S



△ FRAME GEPIDA ALLOY CITY 28"

△ FRAME SIZE 45, 50CM

⤵ FORK SR SUNTOUR CR7V P 700C 40MM

○ WHEEL SIZE 28"

⚙️ GEARS 8

⚙️ REAR DERAILLEUR SHIMANO NEXUS 8

🔧 BRAKE SHIMANO ALIVIO BR-T4000

🌀 TYRE SCHWALBE ROAD CRUISER 700X47C REFLECTIVE TAPE

🪘 SADDLE SELLE ROYAL ESSENZA ASTRALE BLACK COVER

💡 LIGHT BÜCHEL UNILED 15 W/ SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU
30210455



COLOR



30200455A

COLOR



30200455B

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MQ417 EXT: 80 BB: 25,4MM | HANDLEBAR: GEPIDA STEEL NR-14 630MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: PROMAX LM-48 | REAR SHIFTING LEVER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEATPOST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: PROWHEEL PRO-A38 38T | DRIVE UNIT: SHIMANO BB-UN100 | CHAINWHEEL: PROWHEEL PRO-A38 38T | CASSETTE: SPROCKET 19T | CHAIN: KMC Z410 | RIM: RODI SKORPION 28" 622X19C 32H | FRONT HUB: SHIMANO HUB DYNAMO DH-C3000 32H | REAR HUB: SHIMANO NEXUS8 SG-C6001-8C 32H | SPOKE: SAPIM STAINLESS STEEL 14G | RACK: MASSLOAD CL550 28" | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-809 W/ REFLECTOR

CITY BICYCLES

REPTILA 200 28" W 3S



△ FRAME	GEPIDA ALLOY CITY 28"	⚙️ REAR DERAILLEUR	SHIMANO NEXUS 3
△ FRAME SIZE	45, 50 CM	🛑 BRAKE	GEPIDA ALLOY V
⌒ FORK	ZOOM CH-141V 700C 45MM	🌀 TYRE	WTB/FREEDOM CONVERT 45X700C REFLECTIVE TAPE
○ WHEEL SIZE	28"	📉 SADDLE	SELLE ROYAL 5509UEN
⚙️ GEARS	3	💡 LIGHT	BÜCHEL UNILED 15 W/ SWITCH / TRELOCK LS613 W/ STANDLIGHT

SKU
30210425



COLOR



30210425A

COLOR



30210425B

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MQ417 EXT: 80 BB: 25,4MM | HANDLEBAR: GEPIDA STEEL CITY 600MM BB: 25,4MM | GRIP: VELO VLG-428 | BRAKE LEVER: GEPIDA 4 FINGER ALLOY/PLASTICR | REAR SHIFTING LEVER: SHIMANO NEXUS 3 SL-3541 REVOSHIFT | SEATPOST: GEPIDA ALLOY SP-C207 27,2X300MM | DRIVE UNIT: THUN BASIC PLUS SQUARE | CRANKARM: PROWHEEL PRO-A38 38T | CHAINWHEEL: PROWHEEL PRO-A38 38T | CASSETTE: SHIMANO SM-GEAR19LU FOR INTERNAL HUB | CHAIN: KMC Z410 | RIM: BERETTA MT-240 28" 36H | FRONT HUB: SHIMANO DYNAMO HUB DH-C3000 36H | REAR HUB: SHIMANO NEXUS 3 SG-C41H | SPOKE: SAPIM STEEL 14G | RACK: GEPIDA STEEL 28" | MUDGUARD: HEBIE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP872N W/ REFLECTOR



CITY-URBAN E-BIKE | **BONUM PRO** XT 10 | 30212435



CITY-URBAN E-BIKE | **BONUM EDGE** DEORE 10 | 30211435




TREKKING E-BIKE | **FASTIDA PRO MAN** XT 12 | 30212270



TREKKING E-BIKE | **ALBOIN PRO MAN** XT 12 | 30212280



CITY-URBAN E-BIKE | **BONUM EDGE** NEXUS 8C | 30211425



CITY-URBAN E-BIKE | **BONUM EDGE** NEXUS 8 | 30211455




TREKKING E-BIKE | **ALBOIN PRO** TR XT 12 | 30212286



TREKKING E-BIKE | **ALBOIN CURVE MAN** XT10 | 30212240



CITY-URBAN E-BIKE | **BONUM EDGE** NEXUS 8 | 30211445



CITY-URBAN E-BIKE | **REPTILA 1000** NEXUS 8CD | 30211985



TREKKING E-BIKE | **ALBOIN CURVE** TR XT 10 | 30212246



TREKKING E-BIKE | **ALBOIN MAN** ALIVIO 9 | 30211290



CITY-URBAN E-BIKE | **REPTILA 1000** NEXUS 7 | 30211905



CITY-URBAN E-BIKE | **REPTILA 800** ALTUS 7 | 30211395



TREKKING E-BIKE | **ALBOIN TR** ALIVIO 9 | 30211296



TREKKING E-BIKE | **THORIS VOYAGE** XT11 | 30212600



CITY-URBAN E-BIKE | **LEGIO PRO** XT 10 | 30212220



CITY-URBAN E-BIKE | **PUGIO INT** NEXUS 7 | 30211555




ATB-MTB E-BIKE | **ASGARD PRO** XT 12 | 30212060



ATB-MTB E-BIKE | **RUGA PRO** DEORE 12 | 30212030



SPECIAL E-BIKE | **CARGO CITY** | 30212590



SPECIAL E-BIKE | **CASSIS PRO** ULTEGRA DI2 22SPEED | 30210860



ATB-MTB E-BIKE | **RUGA PRO** DEORE 12 | 30212050



ATB-MTB E-BIKE | **SIRMIUM PRO** DEORE 10 | 30212040



SPECIAL E-BIKE | **CASSIS** 105 22SPEED | 30210850



SPECIAL E-BIKE | **CASSIS GRAVEL** GRX 400 20SPEED | 30210840



ATB-MTB E-BIKE | **RUGA PRO TOUR** DEORE 12 | 30212070



ATB-MTB E-BIKE | **BERIG W INT** DEORE 10 | 30212545



ATB-MTB E-BIKE | **BERIG TR** DEORE 10 | 30212575



ATB-MTB E-BIKE | **BERIG MAN** DEORE 10 | 30212580



ATB-MTB E-BIKE | **BERIG MAN** DEORE 10 | 30212570



THE ROAD IS JUST AN OPTION



THE ROAD
IS JUST
AN OPTION



OLIMPIA BICYCLE LTD.

H-1164 Budapest, Ostorhegy st. 4
+361 400 6065
+361 402 0084

info@gepida.com
www.gepida.com