








ELECTRIC BICYCLES

IV.



500

625

	FRAME	ALUMINIUM 28"
	FRAME SIZE	46, 49, 53, 57 CM
	FORK	SR SUNTOUR MOBIIE25 700C
	WHEEL SIZE	28"
	GEARS	-
ITEM NUMBER		3GIWCX43HA

	REAR DERAILLEUR	ENVIOLLO TR
	BRAKE	SHIMANO BR-MT410
	TYRE	SCHWALBE ENERGIZER, 50-622 W/REFLECTIVE TAPET
	SADDLE	SELLE ROYAL SCIENTIA M3
	LIGHT	LEZYNE MINI 65 / TRELOCK LS611
	COLOUR	  3GIWCX43HAA    3GIWCX43HAB



The smart
system

HEADSET: FSA 42TB | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: WIDTH 620MM RISE 16 BACK SWEEP 30DEG | GRIP: VELO VLG |
BRAKE LEVER: SHIMANO BL-MT401 | REAR DISC: SHIMANO SM-RT56S 160MM | REAR SHIFTER: ENVIOLLO TWIST PURE | SEAT POST: PROMAX SP-226
30,9X300 | CRANKARM: FSA CK-220 170MM, GEN4 | CHAINWHEEL: GATES CDX 46T 104BCD | CASSETTE: GATES CDX 24T, ENVIOLLO 44 | CHAIN: GATES
CDX BELT 122T | REAR RIM: RRODI BLACKROCK 28" 622X21C 32H | FRONT HUB: SHIMANO ALIVIO HB-MT400 32H 15QR | REAR HUB: ENVIOLLO TR 36H
| REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS
EVO AL 28" 55MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-610 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE



BONUM EDGE DEORE 10

CITY-URBAN E-BIKE

12.



FRAME	ALUMINIUM 28"
FRAME SIZE	46, 49, 53, 57 CM
FORK	SR SUNTOUR NEX DS 700C
WHEEL SIZE	28"
GEARS	10
ITEM NUMBER	3GIWAP32GA

REAR DERAILLEUR	SHIMANO DEORE RD-T6000, 10S SHADOW
BRAKE	SHIMANO BR-MT200
TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
SADDLE	SELLE ROYAL ESSENZA ASTRALE
LIGHT	AXA BLUELINE 30 / TRELOCK LS611
COLOUR	3GIWAP32GAA 3GIWAP32GAB
	3GIWAP32GAC

HEADSET: FSA 42B-1 | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: WIDTH:620 MM, BB31,8MM, BACK SWEEP 38°, RISE: 38 MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT26S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO DEORE CS-HG5010, 11-36T | CHAIN: X10 KMC RL | CHAINGUARD: HESLING SUPPORTIVE VER.2 38T | REAR RIM: RODI BLACKROCK 28" 622X21C 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

BONUM EDGE NEXUS 8C




FRAME	ALUMINIUM 28"
FRAME SIZE	46, 49, 53, 57 CM
FORK	SR SUNTOUR NEX DS 700C
WHEEL SIZE	28"
GEARS	8
ITEM NUMBER	3GIWAP32EA

REAR DERAILLEUR	SHIMANO NEXUS8
BRAKE	SHIMANO BR-MT200
TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
SADDLE	SELLE ROYAL ESSENZA ASTRALE
LIGHT	AXA BLUELINE 30 / TRELOCK LS611
COLOUR	3GIWAP32EAA 3GIWAP32EAB 3GIWAP32EAC

HEADSET: FSA 42B-1 | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: WIDTH:620 MM, BB31,8MM, BACK SWEEP 38°, RISE: 38 MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT26S 160MM | REAR SHIFTER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEAT POST: KKALLOY SP-509 TRAVEL: 40MM 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO SM-GEAR19LU | CHAIN: KMC Z7 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | REAR RIM: RODI BLACKROCK 28" 622X21C 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C6001-8CD 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

CITY-URBAN E-BIKE



	REAR DERAILLEUR	SHIMANO NEXUS8
	BRAKE	SHIMANO BR-MT200
	TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
	SADDLE	SELLE ROYAL ESSENZA ASTRALE
	LIGHT	AXA BLUELINE 30 / TRELOCK LS611
	COLOUR	<div><div></div><div> 3GIWAP32DAA</div><div></div><div> 3GIWAP32DAB</div><div></div><div> 3GIWAP32DAC</div></div>

HEADSET: FSA 42B-1 | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: WIDTH:620 MM, BB31,8MM, BACK SWEEP 38°, RISE: 38 MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT015 160MM | REAR SHIFTER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-S509 TRAVEL: 40MM | 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO SG-GEAR919L | CHAIN: KMC Z7 | CHAINGUARD: HESLING SUPPORTIVE VER.2 38T | REAR RIM: RODI BLACKROCK 28" 622X21C 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C6001-8D 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: CEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

BONUM EDGE NEXUS 8 GATES



	FRAME	ALUMINIUM 28"
	FRAME SIZE	46, 49, 53, 57 CM
	FORK	SR SUNTOUR NEX DS 700C
	WHEEL SIZE	28"
	GEARS	8
ITEM NUMBER		3GIWAP32FA

	REAR DERAILLEUR	SHIMANO NEXUS8
	BRAKE	SHIMANO BR-MT200
	TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
	SADDLE	SELLE ROYAL ESSENZA ASTRALE
	LIGHT	LEZYNE MINI 65 / TRELOCK LS611
	COLOUR	3GIWAP32FAA 3GIWAP32FAB 3GIWAP32FAC

HEADSET: FSA 42B-1 | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: WIDTH:620 MM, BB31,8MM, BACK SWEEP 38°, RISE: 38 MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT10S 160MM | REAR SHIFTER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: GATES CDC 46T 104BCD | CASSETTE: GATES CDC 24T NEXUS | CHAIN: GATES CDX BELT 122T | REAR RIM: RODI BLACKROCK 28" 622X21C 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C6001-8D 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

BONUM EDGE NEXUS 8

CITY-URBAN E-BIKE

IV.



FRAME	ALUMINIUM 26"
FRAME SIZE	46, 49 CM
FORK	SUNTOUR NEX DS 26"
WHEEL SIZE	26"
GEARS	8
ITEM NUMBER	3GIWAP32CA

REAR DERAILLEUR	SHIMANO NEXUS8
BRAKE	SHIMANO BR-MT200
TYRE	SCHWALBE BIG APPLE 26X2,0 REFLECTIVE TAPE
SADDLE	SELLE ROYAL ESSENZA ASTRALE
LIGHT	AXA BLUELINE 30 / TRELOCK LS611
COLOUR	3GIWAP32CAA 3GIWAP32CAB

HEADSET: FSA NO.42B-1 | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: GEPIDA WIDTH:630MM BB: 31,8MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT10S 160MM | REAR SHIFTER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO SM-GEAR19LU | CHAIN: KMC Z7 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | REAR RIM: RODI BLACKROCK 26" 559X21C 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C6001-8D 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 26" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA0323, 18MM ADJUSTABLE

REPTILA 1000 NEXUS 8CD



FRAME	ALUMINIUM 28"
FRAME SIZE	46, 49, 53, 57 CM
FORK	SR SUNTOUR NEX DS 700C
WHEEL SIZE	28"
GEARS	8
ITEM NUMBER	3GRWAC32BA

REAR DERAILLEUR	SHIMANO NEXUS 8
BRAKE	SHIMANO BR-MT200
TYRE	SCHWALBE 42-622 ROAD CRUISER
SADDLE	SELLE ROYAL ESSENZA DRC ASTRALE
LIGHT	TRELOCK VEO 20 / TRELOCK LS611
COLOUR	  3GRWAC32BAA   3GRWAC32BAB   3GRWAC32BAC

HEADSET: FSA TH-807ST | STEM: GEPIDA MQ-565 EXT: 85/105MM | HANDLEBAR: GEPIDA WIDTH: 630MM BB: 25,4MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT60S 160MM | REAR SHIFTER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO SM-GEAR19LU | CHAIN: KMC Z7 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | REAR RIM: BERETTA 28" 622X19C 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C6001-8CD 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: ORION SPEEDY 28" 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-807 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

REPTILA 1000 NEXUS 7

CITY-URBAN E-BIKE

12.



	FRAME	ALUMINIUM 28"
	FRAME SIZE	46, 49, 53, 57 CM
	FORK	SR SUNTOUR NEX DS 700C
	WHEEL SIZE	28"
	GEARS	7
ITEM NUMBER		3GRWAC32AA

	REAR DERAILLEUR	SHIMANO NEXUS7
	BRAKE	SHIMANO BR-MT200
	TYRE	SCHWALBE 42-622 ROAD CRUISER
	SADDLE	SELLE ROYAL ESSENZA DRC ASTRALE
	LIGHT	TRELOCK VEO 20 / TRELOCK LS611
	COLOUR	3GRWAC32AAA 3GRWAC32AAB 3GRWAC32AAC

HEADSET: FSA TH-807ST | STEM: GEPIDA MQ-565 EXT: 85/105MM | HANDLEBAR: GEPIDA WIDTH: 630MM BB: 25,4MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT10S 160MM | REAR SHIFTER: SHIMANO NEXUS 7 SL-C3000-7 REVOSHIFT | SEAT POST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO SM-GEAR19LU | CHAIN: KMC Z7 | CHAINGUARD: HESLING SUPPORTIVE VER.2 38T | REAR RIM: BERETTA 28" 622X19C 32H | FRONT HUB: SH AHBTX505B5 32L | REAR HUB: SHIMANO NEXUS7 SG-C3001-7D 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: ORION SPEEDY 28" 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-807 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE



REPTILA 1000 ALIVIO 9

CITY-URBAN E-BIKE

12.



FRAME	ALUMINIUM 28"
FRAME SIZE	46, 49, 53, 57 CM
FORK	SR SUNTOUR NEX DS 700C
WHEEL SIZE	28"
GEARS	9
ITEM NUMBER	3GFWAP32BA

REAR DERAILLEUR	SHIMANO ALTUS RD-M310 7-8S
BRAKE	SHIMANO BR-MT200
TYRE	SCHWALBE ROAD CRUISER 700X40C REFLECTIVE TAPE
SADDLE	SELLE ROYAL ESSENZA DRC ASTRALE
LIGHT	TRELOCK VEO 20 / TRELOCK LS611
COLOUR	3GFWAP32BAA 3GFWAP32BAB 3GFWAP32BAC

HEADSET: FSA TH-807ST | STEM: GEPIDA MQ-565 EXT: 85/105MM | HANDLEBAR: GEPIDA WIDTH: 630MM BB: 25,4MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT26S 160MM | REAR SHIFTER: SHIMANO ALTUS SL-M315R7 RAPIDFIRE PLUS | SEAT POST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO CS-HG200-7 12-32T | CHAIN: KMC Z7 | CHAINGUARD: HESLING SUPPORTIVE VER.2 38T | REAR RIM: BERETTA 28" 622X19C 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: ORION SPEEDY 28" 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-807 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA031J, 40MM



LEGIO PRO DEORE 11

CITY-URBAN E-BIKE

IV.








	FRAME	ALUMINIUM 27.5"
	FRAME SIZE	17" 19" 21"
	FORK	ALUMINIUM 27.5" DISC
	WHEEL SIZE	27,5"
	GEARS	11
ITEM NUMBER		3GIMCX43JA

	REAR DERAILLEUR	SHIMANO DEORE RD-M4120 10/11S SHADOW
	BRAKE	SHIMANO BR-MT500
	TYRE	SCHWALBE SUPER MOTO X 27,5X2,4"
	SADDLE	SELLE ROYAL ARIEL 5058 DRC GEL
	LIGHT	LEZYNE MINI 65 / TRELOCK LS631
	COLOUR	3GIMCX43JAA

HEADSET: FSA NO.42ACB | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: GEPIDA WIDTH.: 720MM BB:31,8MM RISE.: 30MM | GRIP: V-818AC 135MM | BRAKE LEVER: SHIMANO BL-MT500 | REAR DISC: SHIMANO SM-RT54S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M5100 11S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MMc | CRANKARM: FSA CK-220 GEN4 170MM/175MM | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO DEORE CS-M5100, 11-42T | CHAIN: KMC X11 | REAR RIM: RODI BLACKROCK 27,5" 584X21C 32H | FRONT HUB: SHIMANO DEORE HB-M6010 32H 15QR | REAR HUB: SHIMANO DEORE FH-M6000 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: SKS INFINITY GT3 | MUDGUARD: SKS EVO AL 65MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-450 W/ REFLECTORc | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

CARGO CITY



	FRAME	ALUMINIUM 20"
	FRAME SIZE	18"
	FORK	ALUMINIUM 20" DISC
	WHEEL SIZE	20"
	GEARS	-
ITEM NUMBER		3GFM CX42XA

	REAR DERAILEUR	ENVIOLLO TR
	BRAKE	SHIMANO MT420 4PISTON
	TYRE	SCHWALBE SUPER MOTO-X PERF, SNAKESKIN, 62-406, 20X2.40
	SADDLE	SELLE ROYAL ASTRALE GEL
	LIGHT	TRELOCK VEO 50 / TRELOCK LS61T1
	COLOUR	 3GFM CX42XAA



GE032500



GE032510



GE032520



GE032530



GE032540



HEADSET: FSA NO.42B | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: GEPIDA WIDTH.: 640MM BB:31,8MM RISE.: 30MM | GRIP: KXH-G156BL 90MM, XH-G156BL 130MM | BRAKE LEVER: SHIMANO MT402 | REAR DISC: SM-MRT56, M 180MM, 6 BOLT | REAR SHIFTER: ENVILO TWIST PURE | SEAT POST: ERGOTEC SKALAR 30,9X400MM | CRANKARM: FSA CK-200 170MM BOSCH GEN4 | CHAINWHEEL: FSA 44T BCD104 | CASSETTE: KMC 17T | CHAIN: KMC Z610 X-EPT | CHAINGUARD: HESLING SUPORTIVE VER.2 42-46T | REAR RIM: RODI WEB 20" 36H | FRONT HUB: SHIMANO ALIVIO HB-MT400 36H 15QR | REAR HUB: ENVILO TR CVP 36H | REAR SPOKE: SAPIM STAINLESS STEEL 13G | CARRIER: MASSLOAD CARGO FRONT | MUDGUARD: SKS EVO AL 65MM 20" | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: HEBIE FOLDREX 608

MILIARE PRO NEXUS 8 GATES

SPECIAL E-BIKE

✓



	FRAME	ALUMINIUM 20"
	FRAME SIZE	17"
	FORK	ALUMINIUM 20" DISC
	WHEEL SIZE	20"
	GEARS	8
ITEM NUMBER		3GIWAP32ZA

	REAR DERAILLEUR	SHIMANO NEXUS8
	BRAKE	SHIMANO BR-MT200
	TYRE	SCHWALBE BIG APPLE 20X2,15 REFLECTIVE TAPE
	SADDLE	SELLE ROYAL HERZ CITY GEL
	LIGHT	LEZYNE MINI 65 / TRELOCK LS631
	COLOUR	 3GIWAP32ZAA








HEADSET: FSA NO.11N | STEM: ALU 25,4 SSB | HANDLEBAR: GEPIDA MTB, SZ.: 640MM BB:25,4MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200
 | REAR DISC: SHIMANO SM-RT26S 160MM | REAR SHIFTER: SHIMANO NEXUS8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-DC1 30,9X400MM |
 CRANKARM: FSA CK-200 170MM | CHAINWHEEL: GATES CDC 55T | CASSETTE: GATES CDC 22T NEXUS | CHAIN: GATES CDX 118T | REAR RIM: RODI WEB
 20" 32H | FRONT HUB FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C8001-8D 32H | SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER:
 GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 20" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS |
 PEDAL: VP F80 W/ REFLECTOR | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

MILIARE NEXUS 8

SPECIAL E-BIKE

V.



	FRAME	ALUMINIUM 20"
	FRAME SIZE	17"
	FORK	ALUMINIUM 20" DISC
	WHEEL SIZE	20"
	GEARS	8
ITEM NUMBER		3GIWAP32UA

	REAR DERAILLEUR	SHIMANO NEXUS8
	BRAKE	SHIMANO BR-MT200
	TYRE	SCHWALBE BIG APPLE 20X2,15 REFLECTIVE TAPE
	SADDLE	SELLE ROYAL HERZ CITY GEL
	LIGHT	BLUELINE30 E-BIKE 12V / TRELOCK LS631
	COLOUR	  3GIWAP32UAA   3GIWAP32UAB

HEADSET: FSA NO.11N | STEM: ALUMINIUM 25,4 SSB | HANDLEBAR: GGEPIDA MTB, WIDTH: 640MM, BB: 25,4MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT26S 160MM | REAR SHIFTER: SHIMANO NEXUS8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 44T | CASSETTE: SHIMANO SM-GEAR16L 16T | CHAIN: KMC Z7 | REAR RIM: RODI WEB 20" 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SH KSGC60018DBL NX8 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 20" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-151 W/ REFLECTOR | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

Urban Transport without compromises

With its clever folding frame and fully integrated battery, the Miliare gives you flexibility without compromising comfort or performance. Commuting on the train, or taking a road trip in the campervan, the Miliare is ultimate compact solution in personal mobility. Surprisingly light weight so folding and unfolding is easily done, while the optional Gates belt drive system allows clean and maintenance free operation.



PUGIO PRO GATES

SPECIAL E-BIKE

V.



 FRAME	ALUMINIUM 20"
 FRAME SIZE	17"
 FORK	ALUMINIUM 20" DISC
 WHEEL SIZE	20"
 GEARS	8
ITEM NUMBER	3GIWAP32WA

 REAR DERAILLEUR	SHIMANO NEXUS 8
 BRAKE	SHIMANO BR-MT200
 TYRE	SCHWALBE BIG APPLE 20X2,15 REFLECTIVE TAPE
 SADDLE	SELLE ROYAL ASTRALE GEL
 LIGHT	LEZYNE MINI 65 / TRELOCK LS631
 COLOUR	 3GIWAP32WAA

HEADSET: FSA NO.11N | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: GEPIDA WIDTH.: 640MM BB:31,8MM RISE.: 30MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT10S 160MM | REAR SHIFTER: SHIMANO NEXUS8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: GATES CDC 55T | CASSETTE: GATES CDC 22T FOR NEXUS | CHAIN: GATES CDX 118T | REAR RIM: RODI WEB 20" 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SH KSGC60018DBL NX8 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 20" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

PUGIO INT NEXUS 8



SPECIAL E-BIKE

V.

BOSCH
ACTIVE LINE
PLUS
GEN 3

PURION

2A

500

FRAME	ALUMINIUM 20"
FRAME SIZE	17"
FORK	ALUMINIUM 20" DISC
WHEEL SIZE	20"
GEARS	8
ITEM NUMBER	3GIWAP32VA

REAR DERAILLEUR	SHIMANO NEXUS8
BRAKE	SHIMANO BR-MT200
TYRE	SCHWALBE BIG APPLE 20X2,15 REFLECTIVE TAPE
SADDLE	SELLE ROYAL ASTRALE GEL
LIGHT	AXA BLUELINE 30 / TRELOCK LS631
COLOUR	3GIWAP32VAA 3GIWAP32VAB

HEADSET: FSA NO.11N | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: GEPIDA WIDTH.: 640MM BB:31,8MM RISE.: 30MM | GRIP: KIER 2K | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT10S 160MM | REAR SHIFTER: SHIMANO NEXUS8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 44T BCD104 | CASSETTE: SHIMANO SM-GEAR16LU | CHAIN: KMC Z7 | REAR RIM: RODI WEB 20" 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SH KSGC60018DBL NX8 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 20" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE



ALBOIN PRO MAN XT 12




TREKKING E-BIKE

VI.



FRAME	ALUMINIUM 28"
FRAME SIZE	48, 52, 56 CM
FORK	SR SUNTOUR NEX-E25 DS 700C TPR 75MM QR15
WHEEL SIZE	28"
GEARS	12
ITEM NUMBER	3GIMCX43MA

REAR DERAILLEUR	SHIMANO XT RD-M8100 12S SHADOW PLUS
BRAKE	SHIMANO DEORE BR-M6000
TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
SADDLE	SELLE ROYAL ARIEL GEL
LIGHT	LEZYNE MINI 65 / TRELOCK LS611
COLOUR	 3GIMCX43MAA

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA WIDTH.: 640MM BB:31,8MM RISE.: 30MM | GRIP: VLG 649AD2S 135MM | BRAKE LEVER: SHIMANO DEORE BL-T6000 | REAR DISC: SHIMANO SM-RT54S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-745 GEN4 | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | CHAIN: SHIMANO DEORE CN-M6100 12S | CHAINGUARD: HESLING SUPPORTIVE V2 38T GEN4 | REAR RIM: RODI BLACKROCK 28" 622X21C 32H | FRONT HUB: SHIMANO DEORE HB-M6010 32H | REAR HUB: SHIMANO FH-MT510 32H 12QR 12S | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

ALBOIN PRO TR XT 12

TREKKING E-BIKE

VI.

The smart
system



500

625

	FRAME	ALUMINIUM 28"
	FRAME SIZE	44, 48, 52 CM
	FORK	SR SUNTOUR NEX-E25 DS 700C TPR 75MM QR15
	WHEEL SIZE	28"
	GEARS	12

ITEM NUMBER 3GITCX43MA

	REAR DERAILLEUR	SHIMANO XT RD-M8100 12S SHADOW PLUS
	BRAKE	SHIMANO DEORE BR-M6000
	TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
	SADDLE	SELLE ROYAL ARIEL GEL
	LIGHT	LEZYNE MINI 65 / TRELOCK LS611
	COLOUR	3GITCX43MAA

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA WIDTH.: 640MM BB:31,8MM RISE.: 30MM | GRIP: VLG 649AD2S 135MM | BRAKE LEVER: SHIMANO DEORE BL-T6000 | REAR DISC: SHIMANO SM-RT54S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-745 GEN4 | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | CHAIN: SHIMANO DEORE CN-M6100 12S | CHAINGUARD: HESLING SUPPORTIVE V2 38T GEN4 | REAR RIM: RODI BLACKROCK 28" 622X21C 32H | FRONT HUB: SHIMANO DEORE HB-M6010 32H | REAR HUB: SHIMANO FH-MT510 32H 12QR 12S | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

ALBOIN CURVE MAN DEORE 11



TREKKING E-BIKE

VI.



FRAME	ALUMINIUM 28"
FRAME SIZE	48, 52, 56 CM
FORK	SR SUNTOUR NEX-E25 DS 700C 75MM
WHEEL SIZE	28"
GEARS	11
ITEM NUMBER	3GIMPR33LA

REAR DERAILEUR	SHIMANO DEORE RD-M4120 11S SHADOW
BRAKE	SHIMANO MT410
TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
SADDLE	SELLE ROYAL ARIEL GEL
LIGHT	TRELOCK VEO 50 / TRELOCK LS611
COLOUR	3GIMPR33LAA 3GIMPR33LAB

HEADSET: FSA NO.42B-1 | STEM: GEPIDA 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA WIDTH.: 640MM BB:31,8MM RISE.: 30MM | GRIP: VLG 649AD2S 135MM | BRAKE LEVER: SHIMANO DEORE MT401 | REAR DISC: SHIMANO SM-RT56S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M5100 11S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-602 170/175MM BOSCH GEN3 | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO CS-M5100 11-42T | CHAIN: KMC X11 | CHAINGUARD: HESLING SUPPORTIVE VER.2 38T | REAR RIM: RODI BLACKROCK 28" 622X21C 32H | FRONT HUB: FORMULA DC-20LW 32H QR | REAR HUB: FORMULA DC-22W 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

ALBOIN CURVE TR DEORE 11

TREKKING E-BIKE

VI.



The smart
system



FRAME	ALUMINIUM 28"
FRAME SIZE	44, 48, 52 CM
FORK	SR SUNTOUR NEX-E25 DS 700C 75MM
WHEEL SIZE	28"
GEARS	11
ITEM NUMBER	3GITPR33LA

REAR DERAILLEUR	SHIMANO DEORE RD-M4120 11S SHADOW
BRAKE	SHIMANO DEORE MT410
TYRE	SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE
SADDLE	SELLE ROYAL ARIEL GEL
LIGHT	TRELOCK VEO 50 / TRELOCK LS611
COLOUR	3GITPR33LAA 3GITPR33LAB

HEADSET: FSA NO.42B-1 | STEM: GEPIDA 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA WIDTH.: 640MM BB:31,8MM RISE.: 30MM | GRIP: VLG 649AD2S 135MM | BRAKE LEVER: SHIMANO DEORE MT401 | REAR DISC: SHIMANO SM-RT56S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M5100 11S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-602 170/175MM BOSCH GEN3 | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO CS-M5100 11-42T | CHAIN: KMC X11 | CHAINGUARD: HESLING SUPPORTIVE VER.2 38T | REAR RIM: RODI BLACKROCK 28" 622X21C 32H | FRONT HUB: FORMULA DC-20LW 32H QR | REAR HUB: FORMULA DC-22W 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA031J, 40MM

ALBOIN MAN ALIVIO 9



TREKKING E-BIKE

VI.



FRAME	ALUMINIUM 28"
FRAME SIZE	48, 52, 56 CM
FORK	SR SUNTOUR NEX DS 700C 63MM
WHEEL SIZE	28"
GEARS	9
ITEM NUMBER	3GFMAP32KA

REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW
BRAKE	SHIMANO MT 200
TYRE	WTB FREEDOM WEDGE 47X700C REFLECTIVE TAPE
SADDLE	SELLE ROYAL ALPINE HC ACTEX
LIGHT	TRELOCK VEO 20 / TRELOCK LS611
COLOUR	3GFMAP32KAA 3GFMAP32KAB

HEADSET: FSA NO.11N | STEM: GEPIDA 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA WIDTH.: 640MM BB:31,8MM RISE.: 30MM | GRIP: KIER 2K 138MM | BRAKE LEVER: SHIMANO MT 200 | REAR DISC: SH ASMRT26S DISC 6 BOLT | REAR SHIFTER: SHIMANO ALIVIO SL-M3100 9S RAPIDFIRE PLUS | SEAT POST: GEPIDA SP-C207 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO CS-HG200-9 11-34T | CHAIN: SH ACNHG53C12000 9S. | CHAINGUARD: HESLING SUPPORTIVE VER.2 38T | REAR RIM: BERETTA DISC25 28" 32H | FRONT HUB: FORMULA DC-20LW 32H QR | REAR HUB: FORMULA DC-22W 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-450 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA0323, 18MM



ALBOIN TR ALIVIO 9



TREKKING E-BIKE

VI.








PURION



400

500

 FRAME	ALUMINIUM 28"
 FRAME SIZE	44, 48, 52 CM
 FORK	SR SUNTOUR NEX DS 700C 63MM
 WHEEL SIZE	28"
 GEARS	9
ITEM NUMBER	3GFTAP32KA

 REAR DERAILLEUR	SHIMANO ALIVIO RD-M3100 9S SHADOW
 BRAKE	SHIMANO MT 200
 TYRE	WTB FREEDOM WEDGE 47X700C REFLECTIVE TAPE
 SADDLE	SELLE ROYAL ALPINE HC ACTEX
 LIGHT	TRELOCK VEO 20 / TRELOCK LS611
 COLOUR	  3GFTAP32KAA   3GFTAP32KAB



HEADSET: FSA NO.11N | STEM: GEPIDA 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA WIDTH.: 640MM BB:31,8MM RISE.: 30MM | GRIP: KIER 2K 138MM | BRAKE LEVER: SHIMANO MT 200 | REAR DISC: SH ASMRT26S DISC 6 BOLT | REAR SHIFTER: SHIMANO ALIVIO SL-M3100 9S RAPIDFIRE PLUS | SEAT POST: GEPIDA SP-C207 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO CS-HG200-9 11-34T | CHAIN: SH ACNHG53C12000 9St | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | REAR RIM: BERETTA DISC25 28" 32H | FRONT HUB: FORMULA DC-20LW 32H QR | REAR HUB: FORMULA DC-22W 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-450 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA0323, 18MM

THORIS VOYAGE XT12

TREKKING E-BIKE

VI.



	FRAME	ALUMINIUM 28" TANDEM
	FRAME SIZE	53/44 CM
	FORK	SR SUNTOUR XCR AIR LOR 29" 80MM 15QR
	WHEEL SIZE	28"
	GEARS	12
ITEM NUMBER		3GFMCX42YA

	REAR DERAILEUR	SH KRDM8100SGS H XT 12
	BRAKE	SHIMANO BR-MT500
	TYRE	SCHWALBE ENERGIZER PLUS 50-622 REFLECTIVE TAPE
	SADDLE	SELLE ROYAL ARIEL ACTEX
	LIGHT	LEZYNE MINI 65 / TRELOCK LS6TT1
	COLOUR	 3GFMCX42YAA



HEADSET: FSA NO.11N | STEM: GEPIDA 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA WIDTH..720MM / 640MM BB: 31,8MM | GRIP: ERIA2 135MM | BRAKE LEVER: SHIMANO BL-MT500+BL+T4010 | REAR DISC: SHIMANO SM-RT54M 180MM | REAR SHIFTER: SH KSLM6100RA DEORE12 | SEAT POST: KALLOY SP-DC1 27,2X300MM | CRANKARM: FSA CK-745/IS 170MM BOSCH GEN4 | CHAINWHEEL: FSA 38T BCD104 / SHIMANO ALIVIO | CASSETTE: SH KCSM610012051 DEORE12 10-51T | CHAIN: KMC X12 | REAR RIM: RODI AIRLINE1 28" 32H | FRONT HUB: SH AHBMT400BX HUB E32 F TFC 15 | REAR HUB: SH AFHMT410B HUB H 12S 12QR | REAR SPOKE: SAPIM STAINLESS STEEL 13G | CARRIER: GEPIDA ALUMINIUM RACKTIME SNAPIT | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: URSUS KING 28"

RUGA PRO TOUR DEORE 12

SUV E-BIKE

VIII.



	FRAME	ALUMINIUM 29"
	FRAME SIZE	15" 17" 19" 21"
	FORK	SR SUNTOUR XCR 32 BOOST RLR 29" 100MM
	WHEEL SIZE	29"
	GEARS	12

ITEM NUMBER

3GIMCX433A

	REAR DERAILLEUR	SHIMANO DEORE RD-M6100 12S SHADOW PLUS
	BRAKE	SHIMANO BR-MT410
	TYRE	SCHWALBE SMART SAM K-GUARD 29X2,35" 60-622
	SADDLE	SELLE ROYAL SETA S1 ACTEX
	LIGHT	TRELOCK VEO 50/ TRELOCK LS631
	COLOUR	3GIMCX433AA 3GIMCX433AB



The smart
system

SUV E-BIKE

VIII.

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: ALUMINIUM WIDTH.:720MM RISE.: 20MM | GRIP: V-818AC 135MM | BRAKE LEVER: SHIMANO MT-401 | REAR DISC: SHIMANO SM-RT54M 180MM | REAR SHIFTER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-220W BOSCH GEN4 | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | CHAIN: SHIMANO DEORE CN-M6100 12S | REAR RIM: RODI TRYP25 29" 622X25C 32H | FRONT HUB: SHIMANO HB-MT400-B, CL 32H, 15MM | REAR HUB: SHIMANO FH-MT410BB 32H 12QR BOOST | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: SKS INFINITY GT3 | MUDGUARD: SKS EVO AL 28" 65MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-610 W/ REFLECTOR | KICKSTAND: STANDWELL RA-032J 18MM



RUGA PRO TOUR DEORE 12 W



SUV E-BIKE


VIII.



	FRAME	ALUMINIUM 29"
	FRAME SIZE	15" 17" 19" 21"
	FORK	SR SUNTOUR XCR 32 BOOST 27,5" 100MM
	WHEEL SIZE	27,5"
	GEARS	12
ITEM NUMBER		3GIWCX433A

	REAR DERAILEUR	SHIMANO DEORE RD-M6100 12S SHADOW PLUS
	BRAKE	SHIMANO BR-MT410
	TYRE	SCHWALBE SMART SAM K-GUARD 27,5X2,35" 60-584
	SADDLE	SELLE ROYAL SETA S1 ACTEX
	LIGHT	TRELOCK VEO 50 / TRELOCK LS631
	COLOUR	3GIWCX433AA 3GIWCX433AB

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: ALUMINIUM WIDTH.:720MM RISE.: 20MM | GRIP: V-818AC 135MM | BRAKE LEVER: SHIMANO MT-401 | REAR DISC: SHIMANO SM-RT54M 180MM | REAR SHIFTER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-220W BOSCH GEN4 | CHAINWHEEL: FSA 38T | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | CHAIN: SHIMANO DEORE CN-M6100 12S | REAR RIM: RODI TRYP25 27,5" 584X25C 32H | FRONT HUB: SHIMANO HB-MT400-B, CL 32H, 15MM | REAR HUB: SHIMANO FH-MT410BB 32H 12QR BOOST | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: SKS INFINITY GT3 | MUDGUARD: SKS EVO AL 28" 65MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-610 W/ REFLECTOR | KICKSTAND: STANDWELL RA-032J 18MM



SIRMIUM PRO TOUR DEORE 10



SUV E-BIKE

VIII.



FRAME	ALUMINIUM 29"
FRAME SIZE	
FORK	SR SUNTOUR XCM32-ATB 29" 100MM
WHEEL SIZE	29"
GEARS	10
ITEM NUMBER	3GIMCX431A

REAR DERAILLEUR	SHIMANO DEORE RD-M4120 10S SHADOW
BRAKE	SHIMANO BR-MT200
TYRE	SCHWALBE TOUGH TOM K-GUARD 60-622
SADDLE	SELLE ROYAL SETA S1
LIGHT	TRELOCK VEO 20 / TRELOCK LS631
COLOUR	3GIMCX431AA 3GIMCX431AB

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: ALUMINIUM WIDTH: 720MM RISE: 20MM | GRIP: V-818AC 135MM | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT26S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-220W 175MM | BOSCH GEN4 | CHAINWHEEL: FSA 34T | CASSETTE: SHIMANO DEORE CS-M4100-10 11-42T 10S | CHAIN: SHIMANO CN-HG54 | REAR RIM: RODI BLACKROCK23 29" 622X23C 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: SKS INFINITY GT3 | MUDGUARD: SKS USC 27,5" PLASTIC 65MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-610 W/ REFLECTOR | KICKSTAND: STANDWELL RA-032J 18MM

SIRMIUM PRO TOUR DEORE 10 W



The smart
system




FRAME	ALUMINIUM 29"
FRAME SIZE	-
FORK	SR SUNTOUR XCM32-ATB 29" 100MM
WHEEL SIZE	29"
GEARS	10
ITEM NUMBER	3GIWCX431A

REAR DERAILLEUR	SHIMANO DEORE RD-M4120 10S SHADOW
BRAKE	SHIMANO BR-MT200
TYRE	SCHWALBE RAPID ROB 29X2,25 57-622
SADDLE	SELLE ROYAL SETA S1
LIGHT	TRELOCK VEO20/TRELOCK LS631
COLOUR	3GIWCX431AA 3GIWCX431AB

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA WIDTH.: 720MM BB:31,8MM | GRIP: V-818AC 135MM | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT26S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-220 W 170MM BOSCH GEN4 | CHAINWHEEL: FSA 34T | CASSETTE: SHIMANO DEORE CS-M4100-10 11-42T 10S | CHAIN: SHIMANO CN-HG54 | REAR RIM: RODI BLACKROCK23 29" 622X23C 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: SKS INFINITY GT3 | MUDGUARD: SKS USC 27,5" PLASTIC 65MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-610 W/ REFLECTOR | KICKSTAND: STANDWELL RA-032J 18MM

Photos: Balázs Pálfi



We believe that the bikes we offer will be companions and they become part of the life of a cyclist, be it everyday commuting to work or a memorable trip with family, friends.

CITY-URBAN E-BIKE | **BONUM PRO** GATES ENVIOLÒ | 3GIWCX43HA



CITY-URBAN E-BIKE | **BONUM EDGE** DEORE 10 | 3GIWAP32GA



CITY-URBAN E-BIKE | **BONUM EDGE** NEXUS 8C | 3GIWAP32EA



CITY-URBAN E-BIKE | **BONUM EDGE** NEXUS 8 | 3GIWAP32DA



CITY-URBAN E-BIKE | **BONUM EDGE** NEXUS 8 GATES | 3GIWAP32FA



CITY-URBAN E-BIKE | **BONUM EDGE** NEXUS 8 | 3GIWAP32DA



CITY-URBAN E-BIKE | **REPTILA 1000** NEXUS 8CD | 3GRWAC32BA



CITY-URBAN E-BIKE | **REPTILA 1000** NEXUS 7 | 3GRWAC32AA



CITY-URBAN E-BIKE | **REPTILA 1000** ALIVIO 9 | 3GFWAP32BA



CITY-URBAN E-BIKE | **LEGIO PRO** DEORE 11 | 3GIMCX433A



SPECIAL E-BIKE | **CARGO** CITY | 3GFM CX42XA



SPECIAL E-BIKE | **MILIARE PRO** NEXUS 8 GATES | 3GIWAP32ZA



SPECIAL E-BIKE | **MILIARE** NEXUS 8 | 3GIWAP32UA



SPECIAL E-BIKE | **PUGIO** PRO GATES | 3GIWAP32WA



SPECIAL E-BIKE | **PUGIO** INT NEXUS 8 | 3GIWAP32VA



TREKKING E-BIKE | **ALBOIN PRO** MAN XT 12 | 3GIMCX43MA



TREKKING E-BIKE | **ALBOIN PRO** TR XT 12 | 3GITCX43MA



TREKKING E-BIKE | **ALBOIN CURVE** MAN DEORE 11 | 3GIMPR33LA



TREKKING E-BIKE | **ALBOIN CURVE** TR DEORE 11 | 3GITPR33LA



500
625



The smart
system

TREKKING E-BIKE | **ALBOIN** MAN ALIVIO 9 | 3GFMAP32KA



400
500



TREKKING E-BIKE | **ALBOIN** TR ALIVIO 9 | 3GFTAP32KA



400
500



TREKKING E-BIKE | **THORIS VOYAGE** XT 12 | 3GFMCX42YA



500
1000



MTB E-BIKE | **ASGARD** FULLY | 3GIMCX436A



625
750



The smart
system

MTB E-BIKE | **RUGA PRO** SUV FULLY | 3GIMCX435A



625
750



The smart
system

MTB E-BIKE | **RUGA PRO** FULLY | 3GIMCX434A



625
750



The smart
system

MTB E-BIKE | **ASGARD PRO** XT 12 | 3GIMCX438A



500
625



The smart
system

MTB E-BIKE | **RUGA PRO** DEORE 12 | 3GIMCX432A



500
625



The smart
system

MTB E-BIKE | **SIRMIUM PRO** DEORE 10 | 3GIMCX430A



400
500



The smart
system

SUV E-BIKE | **RUGA PRO** TOUR DEORE 12 | 3GIMCX433A



500
625



The smart
system

SUV E-BIKE | **RUGA PRO** TOUR DEORE 12 W | 3GIWCX433A



500
625



The smart
system

SUV E-BIKE | **SIRMIUM PRO** TOUR DEORE 10 | 3GIMCX431A



400
500



The smart
system

SUV E-BIKE | **SIRMIUM PRO** TOUR DEORE 10 W | 3GIWCX431A



400
500



The smart
system

THE ROAD IS JUST AN OPTION what's YOURS?

Olimpia Bicycle Ltd.

H-1164 Budapest, Ostorhegy str. 4.
+36 1 400 6065
+36 1 402 0084

info@gepida.com
www.gepida.com
facebook.com/gepidabikes